DAILY RAINFALL 1901 1910

CARNARVONSHIRE

ABERSOCH.	1909	1910
BANGOR PENRHYN CASTLE GARDENS	1902	1910
BETHESDA ST ANNS VICARAGE	1901	1910
BETTWS-Y-COED ABERLLYN.	1901	1904.
" " " TYN-Y-BRYN.	1904-06, 08-	1910
CARNARVON.		1901.
CONWAY BODLONDEB.	1905-06, 08-	1909.
CRICCIETH. CEFN MAEW	1905	1910
" TALARVOR	1903, 06,	1908
DOLGAROG ALUMINUIM WORKS	1908	1910
DOLWYDDELAN.		1901.
LAKE COWLYD "A" FRITH CARREG WEN.	1901	1910
" " "B" FFRITH FAWR.	1909	1910
" " "C" LLETHYR GWYN	1909	1910
" " "D" GORS-Y-LLITHRIG.	1909	1910
LAKE EIGIAU DAM SITE		1908.
LLANBEDR-Y-CENNIN. LLYNDULYN. OLD GAUGE	1901	1910
" " " PLASDULYN.	1901	1910
LLANBERIS GLYN PADAM.		1910
LLANDUDNO	1901	1910
LLANDWROG GLYNLLIVON. GARDEN.	1904	1905.
" " PARK.	1904	1905.
LLANFAIRFECHAN SCHOOL	1901	1910
PENMAENMAWR.		1905
PORTMADOC WERN	1901	1910
SNOWDON CLYDAW COPPER MINE No 9.	1908	1910
" CWM DYLI OLD ROAD No 14.	1909	1910
" " " No 11.	1908	1910
" LLYN. LLYDAW INTAKE	1907	1910
" PEN-Y-GWRYD	1909	1910
TAL-Y-CAER CAER RHUN.	1909	1910

4 382

ABERSOCH

1909 - 1910.

MET/2/4/1/1/6/3/120

Sa.

19 09

FORM A.
BRITISH RAINFALL.

-3 JAN 1910

Kept at Abe

Long.

in the County of

tation Pwllheli

by Wm J + W

n 9 a m

Gauge 8 inches

auge above Ground ~~ft.~~ onefoot ~~7~~ in.

„ Sea Level 100. ft.

NOTE.—Rain sho … day. Full instructions for the measurement of rain and particulars … nfall Observers," sent post-free on application to Dr. H. R. MILL, 6…

Date	Jan.	Feb.	March.	April.	May.	June.			Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09#	·02	·15	·00	·00	·00	·00	·15	·07	·03	·16	·32	1
2	·04	·02	·07	·16	·00	·00	·07	·00	·06	·35	·17	·82	2
3	·00	·00	·04	·32	·00	·06	·22	·00	·06	·38	·00	·00	3
4	·00	·00	·00	·00	·00	·00	·00	·00	·17	·08	·00	·03	4
5	·06	·00	·30	·00	·00	·02	·29	·00	·32	·00	·32	·06	5
6	·06#	·00	·26	·00	·00	·00	·00	·00	·41	·25	·00	·04	6
7	·17	·00	·02	·00	·00	·00	·00	·00	·34	·15	·00	·02	7
8	·00	·03	·06	·00	·00	·00	·00	·00	·00	·02	·00	·00	8
9	·14	·28	·06	·00	·00	·00	·79	·00	·05	·27	·07	·40	9
10	·47	·12	·00	·00	·00	·00	·02	·00	·00	·14	·00	1·30	10
11	·01	·00	·00	·13	·00	·00	·00	·02	·00	·31	·01	·05	11
12	·02	·00	·01	·33	·04	·00	·02	·00	·00	1·20	·09	·00	12
13	·10	·00	·15	·20	·00	·00	·02	·00	·00	·03	·13	·00	13
14	·30	·06	·10	·00	·06	·00	·00	·00	·00	·20	·14	·00	14
15	·19	·00	·09	·46	·00	·00	·31	·00	·00	·64	·00	·00	15
16	·02	·00	·09	·10	·00	·00	·00	·00	·00	·33	·00	·19	16
17	·11	·00	·11	·24	·17	·00	·00	·43	·00	·35	·00	·16	17
18	·15	·00	·15	·00	·00	·15	·00	·05	·00	·00	·00	·24	18
19	·00	·00	·06	·10	·00	·14	·00	·00	·04	1·36	·00	·03	19
20	·00	·00	·09	·00	·00	·09	·44	·30	·00	·07	·00	·00	20
21	·01	·00	·00	·00	·01	·50	·00	·05	·00	·22	·02	·60	21
22	·00	·00	·00	·25	·04	·08	·03	·05	·00	·37	·00	·27	22
23	·00	·00	·16	·39	·00	·19	·22	·01	·66	·97	·00	·35	23
24	·00	·00	·41	·38	·94	·00	·83	·17	·36	·00	·00	·14	24
25	·00	·00	·05	·19	·02	·00	·05	·00	·00	·00	·00	·22	25
26	·00	·04	·04	·21	·14	·00	·02	·00	·00	·00	·30	·01	26
27	·00	·05	·61	·00	·02	·15	·51	·00	1·20	·00	·43	·53	27
28	·31	·01	·92	·03	·17	·00	·02 ·00	·00	·63	·00	·33	·02	28
29	·01		·19	·11	·00	·00	·35	·44	·00	·17	·06	·00	29
30	·03		·02	·13	·32	·00	·03	·00	·13	·62	·22	·47	30
31	·04		·25		·03		·24	·04		·00		·00	31
Total	2·30	·63	4·46	3·73	1·96	1·38	4·46 ✓	1·71	4·50	8·51	2·45	6·27	TOTAL for year 42·36
No. of Rain Days	20	9	26	17	12	9	18	11	14	23	14	22	195

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sa.

19 09

FORM A.
BRITISH RAINFALL.

-3 JAN 1910

End.

Kept at Abersoch

in the County of Carnarvon

by Dr J H Winterbotham

Lat. .... Long. ....

Nearest Railway Station Pwllheli

Time of Observation 9 a m

Diameter of Rain Gauge 8 inches

Height of top of Gauge above Ground one foot ~~ft.~~ in.

" " " Sea Level 100. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09#	·02	·15	·00	·00	·00	·00	·15	·07	·03	·16	·32	1
2	·01	·02	·07	·16	·00	·00	·07	·00	·06	·35	·17	·82	2
3	·00	·00	·04	·32	·00	·06	·22	·00	·06	·38	·00	·00	3
4	·00	·00	·00	·00	·00	·00	·00	·00	·17	·08	·00	·03	4
5	·06	·00	·30	·00	·00	·02	·29	·00	·32	·00	·32	·06	5
6	·06#	·00	·26	·00	·00	·00	·00	·00	·41	·25	·00	·04	6
7	·17	·00	·02	·00	·00	·00	·00	·00	·34	·15	·00	·02	7
8	·00	·03	·06	·00	·00	·00	·00	·00	·00	·02	·00	·00	8
9	·14	·28	·06	·00	·00	·00	·79	·00	·05	·27	·07	·40	9
10	·47	·12	·00	·00	·00	·00	·02	·00	·00	·14	·00	1·30	10
11	·01	·00	·00	·13	·00	·00	·00	·02	·00	·31	·01	·05	11
12	·02	·00	·01	·33	·04	·00	·02	·00	·00	1·20	·09	·00	12
13	·10	·00	·15	·20	·00	·00	·02	·00	·00	·03	·13	·00	13
14	·30	·06	·10	·00	·06	·00	·00	·00	·00	·20	·14	·00	14
15	·19	·00	·09	·46	·00	·00	·31	·00	·00	·64	·00	·00	15
16	·02	·00	·09	·10	·00	·00	·00	·00	·00	·33	·00	·19	16
17	·11	·00	·11	·24	·17	·00	·00	·43	·00	·35	·00	·16	17
18	·15	·00	·15	·00	·00	·15	·00	·05	·00	·00	·00	·24	18
19	·00	·00	·06	·10	·00	·14	·00	·00	·04	1·36	·00	·03	19
20	·00	·00	·09	·00	·00	·09	·44	·30	·00	·07	·00	·00	20
21	·01	·00	·00	·00	·01	·50	·00	·05	·00	·22	·02	·60	21
22	·00	·00	·00	·25	·04	·08	·03	·05	·00	·37	·00	·27	22
23	·00	·00	·16	·39	·00	·19	·22	·01	·66	·97	·00	·35	23
24	·00	·00	·41	·38	·94	·00	·83	·17	·36	·00	·00	·14	24
25	·00	·00	·05	·19	·02	·00	·05	·00	·00	·00	·00	·22	25
26	·00	·04	·04	·21	·14	·00	·02	·00	·00	·00	·30	·01	26
27	·00	·05	·61	·00	·02	·15	·51	·00	1·20	·00	·43	·53	27
28	·31	·01	·92	·03	·17	·00	·00 ·09	·00	·63	·00	·33	·02	28
29	·01		·19	·11	·00	·00	·35	·44	·00	·17	·06	·00	29
30	·03		·02	·13	·32	·00	·03	·00	·13	·62	·22	·47	30
31	·04		·25		·03		·24	·04		·00		·00	31
Total	2·30	·63	4·46	3·73	1·96	1·38	4·46 ✓	1·71	4·50	8·51	2·45	6·27	TOTAL for year 42.36
No. of Rain Days	20	9	26	17	12	9	18	11	14	23	14	22	195

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

5a

93

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.
18 JAN 1911

Kept at Abersoch

in the County of Carnarvon

by

4

RAIN GAUGE
Pattern British association
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 100 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Pwllheli
Distance 6 Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·36	·55			·18	·08	·29		·10	·05	·12	1
2	·01	·25		·05	·05	·22	·29	·83	·05	·45		·02	2
3				·04	·32		·07	·08			·34		3
4	·02	·24			·40	·22		·17			·10	·17	4
5		·09		·06	·26	2·05	1·97				·60	·62	5
6		·17	·06	·12	·03						·10	·53	6
7		·09	·15		·15	·70						·04	7
8	·23	·06	·40		·18	·25					·25	·08	8
9	·05		·22								·04	·51	9
10		·12				·15			·10		·65	·33	10
11	·02			·06				·30		·20	·04	·30	11
12	·12	·05		·27	·04			·16			·61	·34	12
13	·15	·07		·95				·08	·01		·70	·18	13
14		·42	·14	·16				·48			·41	·28	14
15	·68			·92	·04						·35	·54	15
16	·13	·12		·33				·24		·21	·01	1·22	16
17	·03	·22	·15	·07	·14					·06	·03	·10	17
18	·13	·30	·06	·05	·25			1·04		·65	·42	·07	18
19	·08	·17	·07	·27	·30		·05	·36		·34	·04	·03	19
20	·12	·55		·05		·05	1·22	·30				·23	20
21	·19	·11	·02	·07	·02	·03		·04				·02	21
22	·14	·06					·03	·05			·22	·05	22
23	·32	·25		·07		·16	·04	·14			1·21	·35	23
24	·43	·43		·13		·20	·38	·04			·02	·05	24
25		·07		·20			·10	·49	·03		·36	·01	25
26		·23						·20	·08		·10	·37	26
27	·31	·20	·07	·10		·26	·24	·55			·26		27
28	·14	·20		·40	·10	·03	·36	·24	·07	·32	·23	·15	28
29						·27		·16			·02	·02	29
30	·01				·34	·70		·04			·01		30
31	·09				·03					·35		·19	31
Total	3·67	4·83	1·89	4·37	2·65	5·47	4·83	6·28	·34	2·68	7·17	6·92	TOTAL for year 51·10
No. of Rain Days	22	24	11	20	16	15	12	22	6	9	26	28	211

9,000, IX. '10.

S.m.a.

BANGOR
PENRHYN. CASTLE GDNS

MET/2/4/1/1/6/3/858

1902 – 1910

02

Kept at Ban
in the County o
by W. S

Long.
of Observation 9 a.m.
eter 6"
ht of top above Ground 1 foot
" Sea Level 150 ft.

NOTE.—Full instruc … ainfall Organization—*Rules for Rainfall Observers*," which is sent … Camden Square, London, N.W.

Date.	Jan.	Feb.								Oct.	Nov.	Dec.	*Date.*
	in.	in.								in.	in.	in.	
1	0·10	—								0·11	—	0·02	1
2	0·16	—	[illegible]	[illegible]	[illegible]	0·20	0·09	0·17	0·01	—	0·05	0·19	2
3	—	—	0·07	—	0·15	—	—	0·13	0·30	—	—	0·02	3
4	0·39	—	—	0·07	0·16	—	0·12	0·01	0·20	—	0·03	—	4
5	0·27	—	—	0·26	0·08	—	0·04	—	0·18	—	—	—	5
6	—	0·01	—	0·20	0·04	0·03	—	0·42	—	—	—	—	6
7	0·03	—	0·02	—	0·05	0·48	—	0·10	0·04	—	0·13	—	7
8	—	0·01	0·11	—	0·06	0·17	—	0·16	—	—	0·09	—	8
9	0·08	0·12	0·21	—	—	—	0·02	—	—	—	0·45	—	9
10	0·34	0·09	0·04	—	0·07	—	0·17	0·11	—	0·37	0·07	—	10
11	0·32	0·12	—	—	—	0·06	0·12	0·02	0·01	0·36	0·11	—	11
12	0·10	0·10	0·03	—	—	0·06	—	0·39	—	0·07	0·07	—	12
13	0·02	0·04	—	0·05	—	0·18	—	0·07	—	0·47	0·04	0·02	13
14	—	—	0·18	—	0·04	0·10	—	0·05	0·19	0·35	0·13	0·03	14
15	—	—	0·03	—	0·11	0·13	—	—	0·04	0·43	0·03	1·15	15
16	—	—	—	—	0·15	0·45	—	—	0·03	0·37	—	0·31	16
17	—	—	—	0·06	0·23	—	—	0·03	0·13	0·06	—	0·37	17
18	—	—	—	—	0·75	—	—	0·10	—	0·11	—	0·15	18
19	—	—	0·39	0·01	0·07	0·02	—	0·75	—	~~0~~	—	—	19
20	0·02	—	0·30	0·14	0·01	0·29	0·17	0·04	—	0·09	—	0·09	20
21	—	—	0·12	0·05	—	0·05	—	0·04	0·05	—	—	—	21
22	0·13	0·06	0·29	0·31	—	—	—	—	—	0·23	0·04	—	22
23	0·24	0·02	0·02	0·27	0·75	0·12	0·20	0·33	0·09	0·03	0·25	—	23
24	0·04	0·08	0·03	0·05	0·02	—	0·17	—	0·20	—	—	—	24
25	0·11	0·03	0·41	—	—	—	0·02	—	—	—	0·02	0·03	25
26	0·19	—	0·03	—	—	—	0·25	—	—	0·26	0·02	0·04	26
27	0·16	0·24	0·22	—	0·03	—	0·25	0·03	—	—	0·02	0·02	27
28	0·13	0·07	0·02	—	0·37	—	0·01	0·03	—	—	0·32	0·20	28
29	0·13		0·03	—	0·02	—	—	—	—	—	0·70	0·02	29
30	0·12		0·19	0·19	0·09	0·09	—	—	0·03	0·10	0·08	0·30	30
31	0·02		0·03		0·20		—	—		—		0·50	31
Totals	3·10	·99	3·11	1·88	3·77	2·46	1·63	2·98	1·50	3·41	2·65	3·46	
Total from Jan. 1	to ~~Dec~~ 31st		30·94										

REGISTER OF RAINFALL IN 1902

Kept at Penrhyn Castle Gardens
in the County of Carnarvonshire
by W. Speed.

RAIN GAUGE.
Lat. Long.
Time of Observation 9 a.m.
Diameter 6"
Height of top above Ground 1 foot.
" " Sea Level 150 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*The British Rainfall Organization—Rules for Rainfall Observers,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10	—	—	0.14	0.17	0.03	—	—	—	0.11	—	0.02	1
2	0.16	—	0.34	0.08	0.15	0.20	0.09	0.17	0.01	—	0.05	0.19	2
3	—	—	0.07	—	0.15	—	—	0.13	0.30	—	—	0.02	3
4	0.39	—	—	0.07	0.16	—	0.12	0.01	0.20	—	0.03	—	4
5	0.27	—	—	0.26	0.08	—	0.04	—	0.18	—	—	—	5
6	—	0.01	—	0.20	0.04	0.03	—	0.42	—	—	—	—	6
7	0.03	—	0.02	—	0.05	0.48	—	0.10	0.04	—	0.13	—	7
8	—	0.01	0.11	—	0.06	0.17	—	0.16	—	—	0.09	—	8
9	0.08	0.12	0.21	—	—	—	0.02	—	—	—	0.45	—	9
10	0.34	0.09	0.04	—	0.07	—	0.17	0.11	—	0.37	0.07	—	10
11	0.32	0.12	—	—	—	0.06	0.12	0.02	0.01	0.36	0.11	—	11
12	0.10	0.10	0.03	—	—	0.06	—	0.39	—	0.07	0.07	—	12
13	0.02	0.04	—	0.05	—	0.18	—	0.07	—	0.47	0.04	0.02	13
14	—	—	0.18	—	0.04	0.10	—	0.05	0.19	0.35	0.13	0.03	14
15	—	—	0.03	—	0.11	0.13	—	—	0.04	0.43	0.03	1.15	15
16	—	—	—	—	0.15	0.45	—	—	0.03	0.37	—	0.31	16
17	—	—	—	0.06	0.23	—	—	0.03	0.13	0.06	—	0.37	17
18	—	—	—	—	0.75	—	—	0.10	—	0.11	—	0.15	18
19	—	—	0.39	0.01	0.07	0.02	—	0.75	—	—	—	—	19
20	0.02	—	0.30	0.14	0.01	0.29	0.17	0.04	—	0.09	—	0.09	20
21	—	—	0.12	0.05	—	0.05	—	0.04	0.05	—	—	—	21
22	0.13	0.06	0.29	0.31	—	—	—	—	—	0.23	0.04	—	22
23	0.24	0.02	0.02	0.27	0.75	0.12	0.20	0.33	0.09	0.03	0.25	—	23
24	0.04	0.08	0.03	0.05	0.02	—	0.17	—	0.20	—	—	—	24
25	0.11	0.03	0.41	—	—	—	0.02	—	—	—	0.02	0.03	25
26	0.19	—	0.03	—	—	—	0.25	—	—	0.26	0.02	0.04	26
27	0.16	0.24	0.22	—	0.03	—	0.25	0.03	—	—	0.02	0.02	27
28	0.13	0.07	0.02	—	0.37	—	0.01	0.03	—	—	0.32	0.20	28
29	0.13		0.03	—	0.02	—	—	—	—	—	0.70	0.02	29
30	0.12		0.19	0.19	0.09	0.09	—	—	0.03	0.10	0.08	0.30	30
31	0.02		0.03		0.20		—	—		—		0.50	31
Totals	3.10	·99	3.11	1.88	3.77	2.46	1.63	2.98	1.50	3.41	2.65	3.46	
Total from Jan. 1	to Dec 31st		30.94										

K/4,000/11/02

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

End by E. P. [illegible]

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Penrhyn Castle Gardens

in the County of Carnarvonshire

by W. Speed.

Lat. Long.

Nearest Railway Station Bangor

RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 6. in.
Height of top above Ground 1. ft. in.
" " Sea Level 150 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.45	.08	.02	.31	...	...	.02	.02	.05	.04	...	1
2	.10	.07	.54	.27	.07	...	...	.22	.27	.07	.15	.01	2
3	.55	.01	.48	.01	.32	...	.06	.53	.68	.32	.23	.01	3
4	...	.03	.06	.46	.23	...	...	.10	...	.12	...	1.55	4
5	.18	.11	.29	.14	.17	...	.18	...	.07	.06	...	.17	5
6	.75	.01	...	.02	...	...	...	...	.05	.23	...	.13	6
7	.47	.06	.06	.01	.09	...	...	...	...	.36	...	.03	7
8	.06	.26	.03	.02	.11	...	...	...	.16	.48	...	.14	8
9	.04	.02	.02	...	.02	...	...	...	1.12	.02	.38	.11	9
10	.28	.01	.54	...	.04	.02	...	.12	.12	.38	.03	.26	10
11	.65	...	.04	...	.05	...	...	.03	1.23	.02	.03	.58	11
12	...	.03	.03	.04	.04	...	.20	...	.33	.19	.03	.92	12
13	...	.04	...	.07	.02	...	.02	...	.37	.32	.58	.15	13
14	...	.02	.40	.20	.12	.22	.62	.04	.03	.20	.12	.03	14
15	...	...	.59	.25	.01	.29	.17	.45	...	.43	.35	.01	15
16	...	.13	.17	.01	.22	.07	.28	.18	...	.03	.09	.30	16
17	.09	·01 .1	.13	...	.39	...	.04	.38	...	.13	.06	.02	17
18		...	.59	...	.04	...	...	.24	...	.06	.10	.02	18
19	.02	...	.13	...	.01	...	...	.05	...	.20	...	...	19
20	.01	.04	...	...	...	...	.17	.09	...	.19	...	...	20
21	...	.26	.08	...	...	...	.64	.35	...	.24	.05	...	21
22	...	.60	.04	...	.06	...	...	...	.04	.31	.02	.01	22
23	.53	.35	.02	...	...	...	.14	...	...	.25	.01	.17	23
24	.15	...	.29	...	...	.06	.49	.02	.11	.18	.06	...	24
25	.27	.51	.04	...	...	.06	...	.34	.03	.19	...	...	25
26	.09	.64	1.08	.09	...	.27	.08	...	.02	.32	.10	.01	26
27	.97	.34	.14	...	...	.29	...	.40	.02	.44	.27	.09	27
28	.04	...	14 ...	.01	...	.06	.63	.84	.09	1.24	.88	...	28
29	...	...	.22	.04	...	...	...	.28	.10	.02	.20	...	29
30	10 ...	...	.25	.01	.08	...	.01	.03	.04	.14	.18	...	30
31	.05	...	.29	...	...	...	.02	.12	...	.12	...	...	31
Totals	5.42	4.00	6.63	1.67	2.40	1.34	3.75	4.83	4.90	7.19	3.96	4.72	
Total from Jan. 1	50. in.	87. hds.											

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

[illegible] 5a

FORM A.
BRITISH RAINFALL.
5 JAN 1905

REGISTER OF RAINFALL IN 1904.

Kept at Penrhyn Castle Gardens. Bangor.
in the County of Carnarvonshire.
by Mr W. Speed.

Lat. Long.
Nearest Railway Station Bangor.

RAIN GAUGE.
Time of Observation 9. a. m.
Diameter 6. in.
Height of top above Ground 1. ft. 0. in.
" " Sea Level 150. ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.1.		.1.		.21.	.2.					.42.	1
2		.2.			.11.	107.	.5.		.74.			.3.	2
3	.11.	.15.	.3.	.18.			.6.				.6.	.22.	3
4	.5.	.18.		.21.			.1.	.31.		.1.		.23.	4
5		.2.		.25.			.22.	.3.	.26.	.14.	.7.	.32.	5
6			.2.	.10.	.2.		.7.			.13.	.26.	.3.	6
7	.4.	.15.	.2.	.3.	.12.		.8.		.17.	.12.	.50.	.8.	7
8	.27.	.1.	.6.	.10.	.4.	.1.		.11.		.9.	.37.	.8.	8
9	.15.	.39.	.11.	.10.	.69.					.23.	.16.	.45.	9
10	.37.			.9.		.66.		.40.		.1.	.16.	.8.	10
11	.38.				.2.	.1.				.7.	.2.	.16.	11
12	.47.	.7.				.19.			.43.			.24.	12
13	.56.	.23.		.13.		.5.	.25.	.57.	.2.			.18.	13
14	.11.	.26.	.61.	.4.	.1.	.19.		.10.	.9.				14
15	.4.	.15.	.34.	.13.	.4.	.3.	.14.	.6.	.3.		.4.	.5.	15
16	.1.	.12.			.1.		.9.	.18.	.11.	123.		.2.	16
17	.1.	.11.	.1.			.2.	.3.	.29.		.8.		.50.	17
18	.31.	.16.	.5.	.2.				.10.		.1.	.16.		18
19	.3.	.18.	.3.		.2.			.14.					19
20	.10.	.32.	.5.			.2.	.14.				.4.		20
21	.6.	.17.	.47.					.85.		.2.	.32.		21
22		.12.	.5.	.15.	.10.		.2.	.26.			.3.		22
23			.3.	.35.			.20.	.6.			.48.		23
24					.19.		.13.	.9.	.6.	.17.	.2.		24
25					.3.	.3.	.55.	.2.	.28.		.4.	.2.	25
26		.5.			.8.		.10.					.3.	26
27	.22.	.26.		.2.	.12.		.2.	.2.			.19.	.5.	27
28	.58.	.2.		.6.	.63.						.9.	.2.	28
29	.10.		.27.	.56.							.5.	.12.	29
30	.70.		.3.	.22.			.2.	.22.	.60.			.2.	30
31	.11.		.27.				.15.	.3.					31
Totals	4.78.	3.15.	2.45.	2.75.	2.23.	2.49.	2.35.	3.84.	2.79.	2.31.	3.06.	3.35.	
Total from Jan. 1	35 inches.	55 parts.			–								

K/4000/12/04.
EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.
Price, on extra tough paper. 3d.

212

S.a.

bxd. [illegible]

FORM A.
BRITISH RAINFALL.

15 JAN 1906

REGISTER OF RAINFALL IN 1905

Kept at Penrhyn Castle Gardens
in the County of Canarvonshire
by W. Speed

Lat. .... Long. ....
Nearest Railway Station Bangor
RAIN GAUGE.
Time of Observation 9 a.m
Diameter 5 in.
Height of top above Ground 1 ft. .... in.
" " Sea Level 150 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2	5	2	8	21	10	15	5	19	17	26		1
2	8	1			8			6	5	7			2
3	4	3	9					21	5	39			3
4	26		7	20				24		15	15		4
5	48		10	7			16				34	28	5
6	3	32	5	63	7				14			5	6
7	2		15	33		7			6	63	34	5	7
8	44		19	23				9	19		8		8
9	1	6	5				28	10	108				9
10	11		31		30				4		22		10
11	25		53		4			4	4		20		11
12		3	8	12			12			9			12
13		7	17	4					6		4		13
14			71				20			7			14
15		4	59						4	22			15
16	50	6	13			10							16
17	41	10	6			35	20	16			6		17
18		2		7		48				10			18
19		6		5		11		14	7			13	19
20						34				7	10	42	20
21						5		6		22	2	4	21
22							18	90			65		22
23	2		65	8						11	5		23
24	23	5					17			4	3		24
25		30	17	6	14		6	27				3	25
26		30	19	18			84			40	67		26
27		2		6	7			13	4		71		27
28	3	3	16	37				85	18	9	37	5	28
29	5		7							83		9	29
30	2		2	48		13				43	15		30
31					11					21			31
Totals	in pts 3.00	in pts 1.55	in pts 4.56	in. pts 3.05	in pts 1.02	in pts 1.73	in. pts 2.36	in. pts 3.30	in pts 2.23	in. pts 4.29	in. pts 4.44	in pts 1.14	
Total from Jan. 1	32.67												

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

FORM A.
BRITISH RAINFALL.
17 JAN 1907

REGISTER OF RAINFALL IN 1906

Kept at Penrhyn Castle
in the County of Carnarvon
by ~~Mr W Speed~~ W Speed

Lat. 53° 12' Long. 4° 12'
Nearest Railway Station Bangor
Time of Observation 9 A.M.
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 150 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0'10		0.55		0.10	0.30	0.03	0.47		0.32	0.14	0.32	1
2	0.15	0.09	—		0.11			1"23	—	0.18		0.28	2
3	0.04	0.13			0.10			0.05				0.10	3
4										0.70	0.09	0.07	4
5	0.44		0.05		0.07				0.18	0.16		0.23	5
6	0.30	0.06	0.02				0.05		0.05		0.12		6
7	0.05		1"15				0.05			0.14	0.30	0.15	7.
8	0.05	0.17	0.01					0.07		0.35	0.17	0.32	8
9	0.02	0.67	0.01		1"16					0.14		0.12	9
10		0.34	0.45					0.14		0.22			10
11	0.55	0.03	0.59		0.50		0.04	0.10	0.18	0.34		0.26	11
12	0.37	0.16	0.10					0.74		0.32		0.52	12
13	0.04	0.04	0.35	0.24			0.20	0.40	0.12	0.02		0.23	13
14	0.02	0.31	0.42				0.23		0.10		0.05	0.07	14
15	0.32	0.07	0.30		0.04		0.04	0.04	0.08	0.09	0.30	0.57	15
16	0.25	0.16	0.09	0.32	0.11			0.10		0.09	0.36		16
17	0.53		0.06		0.05	0.16		0.18		0.90	0.20		17
18	0.37		0.04				0.18			0.12	0.30		18
19		0.49			0.36			0.03		0.12	0.15	0.05	19
20	0.25	0			0.05		0.05	0.10		0.05			20
21				0.10		0.10		0.04		0.12	0.07		21
22			0.17	0.03						0.06			22
23				0.04	0.03	0.30	0.12	0.40		0.37			23
24	0.55	0.10		0.10	0.22			0.32				0.60	24
25	0.02	0.13	0.06	0.20	0.95	0.42		0.03				0.30	25
26		0.46			0.12	0.95		0.03		0.15	0.30	0.09	26
27	0.06			0.53	0.13	0.05	0.12			0.30		0.36	27
28	0.14	0.09		0.07			0.06	—		0.90			28
29	0.02			0.08						0.04	0.15	0.02	29
30				0.07	0.20					0.40	0.08	0.40	30
31	0.13				0.09		0.10			0.02			31
Total	4"77	3"50	4"42	1"78	4"39	2"28	1"27	4"47	0"71	6"62	2"78	5"06	TOTAL for year
No. of Rain Days	23	17	17	11	18	7	13	18	6	26	15	20	42"05

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

191

Price 2d.

Sa.

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.
8 JAN 1908

Kept at Penrhyn Castle
in the County of Carnarvonshire
by W Speed

Lat. .... Long. ....
Nearest Railway Station Bangor
Time of Observation 9 a.m.
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " Sea Level 150 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	35		9		34	8	2		7	13	14	3	1
2	6		2	2			25	14	25	26		14	2
3	6	—		19	29		24	3	14			3	3
4	5	10				50	3		27	2		32	4
5	6		5	2		28				11		3	5
6			4	22	20	2	3			5		44	6
7			16	11	5	15				2		20	7
8		8		11	4	24	15	1".2			15	35	8
9	4		40		14		23	42		10	14	22	9
10	15	50	5	6	23	6	17	3		13	5	25	10
11	10	16		15	7	19		20		41	25		11
12		24	34		2	18				94	3	11	12
13			9	4		8				18		46	13
14			5			10		67		28	22	21	14
15		5	21			30		15		57	38		15
16	8	21	47					2	5	87			16
17		11	6			2				39			17
18		27				16		22		38		6	18
19		19	36		4	17		7		10	9	33	19
20	3	5		13		46				20		14	20
21	38	24	16		4	20	8	15		28			21
22		2			6	33				8	19	8	22
23					9	33	57				9		23
24				5		37	2			62	9		24
25						18		6			25		25
26	10			4		2					36		26
27	17			12		10	19				54		27
28	6			31			9				13		28
29				5	77			99		1".25			29
30	5			17			7	5					30
31					16					6			31
Total	1.74	2.22	2.55	1.79	2.57	4.82	2.14	4.52	.78	7.43	3.10	3.40	TOTAL for year 34.06
No. of Rain Days	15	13	15	16	15	23	14	15	5	23	16	17	187

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

6,000, XI. '07.

Price 2d.

Sa.

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.
4 JAN 1909

Kept at Penrhyn Castle

in the County of Carnarvon Shire

by W Speed

Lat. Long.

Nearest Railway Station Bangor

Time of Observation 9. a. m.

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 150 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		8	4			35			8				1
2		6	4	10	30	36			7				2
3		9	2	4		12			9			4	3
4				4	8			5				4	4
5	23	2	31		14	9				1		35	5
6	62	5	21		15								6
7	51	4	9		55	8	20					12	7
8	14		8		45	2	18		1:10	8		87	8
9		3	15	22		17	74		9	2		20	9
10		3	34	8				20	60	10	23	12	10
11			5	6		48	50		16		15	3	11
12				2	10	5	12				32	6	12
13	2		6			1:05	19	9			48	5	13
14	3	43	5	2	11		17		43		5	50	14
15	43	38	10			6	12		7	4		10	15
16	73	35	5		7		57		55	5	16	14	16
17	6	22	4			44	12			4	1	8	17
18		7								3	66(66)	6	18
19	5	6			6	5	5			1	8	14	19
20		16		5				89	37	6	5		20
21		7	3		21	3		11	15		86		21
22		25	25					9			17		22
23		24		10		5		27			2		23
24	2	11	73	16	7		15	11			23		24
25	37	25	11				20	2	20		17		25
26	35	10	5	23				98	4	4	2	14	26
27	8	25	42	45			4	55				14	27
28	35	7	5	35				11		38	65		28
29	4		41					5				10	29
30	14		15	26				15		24		9	30
31	9				13			49				5	31
Total	4:26	3:41	3.83	2:18	2.42	3.40	3:35	4.16	4:00	1:10	4:31	3.42	TOTAL for year 39:84
No. of Rain Days	18	23	24	15	13	15	14	15	14	13	17	21	202

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sa

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.

7 JAN 1910

Kept at Penrhyn Castle

in the County of Carnarvon shire

by W Speed

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 6 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 150 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Bangor
Distance 2 miles Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		3						25		3	2	35	1
2		8	20	2					8	4	17	83	2
3		10	15	5			29		29	60	4	24	3
4		7	5			2			21	11		5	4
5	3		2				38		29	10	30	3	5
6	2		5				6		10		5	20	6
7	10		6				5		15	11			7
8	16					2			4	11			8
9	12	38	8				80			3	8	12	9
10	36	15								4		122	10
11	8	2		6						21	3	13	11
12				30	6		3		14	96	5		12
13	17		4	30				14	4	8			13
14	60	5			9		1			30			14
15	15		2	22			40			53			15
16	4			8	2		5	7		37			16
17	5			8	10			40		40		2	17
18	30		6			12	8	26		3		20	18
19			4	15		4		2	10	107		6	19
20			28			4	30	45		15		16	20
21						31	2	10		10	7	82	21
22	2			26		10	6	36		28		21	22
23			4	30	3	13	4	6	25	80	2	31	23
24			52	52	33	3	57	20	54	6	9	9	24
25			20	27		32	5	7			2	18	25
26		9		11	6	6		8		3	25		26
27		3	24	4	2	19	34		125		47	45	27
28	23	5	40	5	8	57	6		60		24	13	28
29	2		5	2			25	42		22	9		29
30	8		5	10	24		10	2	10	3	55	41	30
31	9		28		14		9	2					31
Total	2.62	1.05	2.86	2.93	1.17	1.95	4.06	3.22	4.18	6.79	2.54	6.21	TOTAL for year 39.58
No. of Rain Days	18	11	20	18	11	13	21	16	15	26	17	21	204

7,000. X. '09.

So

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.

6 JAN 1911

3

Kept at Penrhyn Castle

in the County of Carnarvonshire

by W Speed

RAIN GAUGE
Pattern Negretti & Zambras
Diameter of top 6" in.
Height of top above Ground 1 ft. in.
„ „ „ Sea Level 150 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bangor
Distance 2 Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·1	12	40		5	24	10	14	4		30	29	1
2		17	2	11	6	25	42	70	10	37	22	14	2
3		12		2	20	10	10	32			5		3
4		3		3	20	20		4			14	4	4
5		17		30	22	16	1·10	12			10	22	5
6		14	5	2	12			10			30	34	6
7		15	2		22	7					9	4	7
8	26	10	39		24	3					10	8	8
9	15		34	2	7						2	52	9
10	9	5	2		2	1			11	3	42	11	10
11	2	9	3					12		38	15	27	11
12	27	2		14	6			14		1	18	34	12
13	30	22		70				2			49	35	13
14		41	4	2	26			40			25	21	14
15	92	3		70							55	34	15
16	7	24	5	28				2		24	2	1·02	16
17	2	20	18		1			3		21	21	22	17
18	17	41		11	26			74		75		2	18
19	3	40		37	7			5		80	9		19
20	3	90		9		12	1·30	56		10		12	20
21	20	1		12		21		7				4	21
22	60	5	—	2		20	8				2	7	22
23	7	12		5		15		20			61	23	23
24	13	28		30		10	22	20			4	8	24
25		25		4			18	43	3		32	4	25
26		23				2		65	2		9	5	26
27	9	2	5	10		47	2	13			21		27
28	22	27		47	12	25	18	47	4	10	27	11	28
29	10			5	4	40		11	18		6		29
30	13			2	27	7		5					30
31	1				3			4		66		22	31
Total	3·89	5·20	1·59	4·09	2·52	3·05	3·69	5·85	·52	3·65	5·30	5·51	TOTAL for year 44·85
No. of Rain Days	22	27	12	23	19	18	10	25	7	11	26	26	226

9,000, IX. '10.

D.ar

4374

—

BETHESDA,
ST ANNS VICARAGE

1901 – 1910

MET/2/4/A/1/6/3/1358

RE

… is the Post Town

Kept at Sᵗ Ann…

in the County of

by (Rev) Wm …

Lon.

…bservation 10 am

… 5" in

…op above Ground 15 in

„ Sea Level 500 ft abt.

NOTE.—Full instructions respec… *Systematic Observation and Record of the Rainfall*," which is sent post-… Camden Square, London, N.W.

Date.	Jan.	Feb.	Marc							Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·00	·49	·22	·00	·03	·00	·00	·00	·00	·00	·13	1
2	·00	·95	·15	·00	·00	·19	·05	·05	·00	·32	·00	·7	2
3	·00	·00	·30	·87	·00	·10	·00	·00	·00	·00	·00	·00	3
4	·00	·00	·25	·20	·08	·02	·00	·11	·00	·96	·00	·02	4
5	·00	·44	·78	·00	·00	·54	·00	·00	·00	·00	·00	·22	5
6	·00	·01	·34	·15	·25	·28	·00	·10	·00	·30	·00	·33	6
7	·00	·00	·18	·26	·23	·00	·00	·00	·00	·31	·01	·15	7
8	·00	·10	·23	·73	·05	·00	·00	·02	·08	·25	·00	·90	8
9	·00	·00	·00	·23	·15	·00	·00	·03	·15	·56	·00	·15	9
10	·04	·00	·00	·00	·10	·06	·00	·45	·18	·00	·00	·03	10
11	·00	·12	·05	·24	·07	·00	·00	·43	·45	·40	1·57	·05	11
12	·02	·00	·00	·02	·00	·04	·00	·08	·00	·12	2·20	·00	12
13	·09	·00	·00	·44	·00	·34	·00	·03	·10	·37	·68	1·01	13
14	00	·00	·00	·15	·00	·40	·00	·47	·00	·00	·08	·05	14
15	00	·00	·00	·04	·00	·00	·00	·09	·00	·05	·00	·00	15
16	·15	·00	·00	·16	·00	·12	·00	·00	·00	·05	·27	·93	16
17	·33	·15	·05	·00	·00	·05	·00	·10	·10	·83	·00	·04	17
18	·02	·00	·00	·00	·00	·00	·00	·04	·03	·48	·15	·15	18
19	·68	·04	·00	·00	·00	·00	·00	·00	·23	·46	1·10	·50	19
20	·33	·00	·00	·00	·00	·08	·00	·00	·70	·49	·32	·23	20
21	·35	·00	·00	·00	·00	·82	·07	·00	·05	·06	·66	·00	21
22	·00	·00	·00	·00	·00	·00	·10	·00	·00	·20	·30	·00	22
23	·08	·00	·00	·00	·00	·42	·10	·00	·04	·15	·00	·00	23
24	·03	·01	·00	·00	·00	·08	·20	·00	·09	·62	·00	·94	24
25	·00	·05	·00	·00	·00	·00	·33	·00	·00	·04	·00	·88	25
26	·19	·24	·00	·00	·00	·00	·38	·80	·30	·15	·00	·10	26
27	·31	·16	·00	·00	·02	·00	·00	·45	·01	·00	·00	·00	27
28	·00	·12	·09	·08	·00	·00	·00	·01	·01	·20	·11	·10	28
29	·00		·00	·00	·00	·00	·00	·00	·00	·00	·10	·12	29
30	·00		3·23	·36	·30	·00	·14	·53	·14	·00	·00	·18	30
31	·30		·50		·23		·06	1·45		·00		·02	31
Totals	3·02	2·39	6·64	4·15	1·48	3·57	1·37	5·24	2·66	6·77	7·55	7·30	✓
Total from Jan. 1	3.02	5.41	12.05	16.20	17.68	21.25	22.62	27.86	30.52	37.29	44.84	52.14	✓

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

D-an

e in the Post Town

REGISTER OF RAINFA

Kept at St Ann's Vicarage, ~~Bethesda~~

in the County of Carnarvon

by (Rev) Wm Morgan

RAIN GAUGE.

Lat. Lon.

Time of Observation 10 am

Diameter 5 in

Height of top above Ground 15 in

" " Sea Level 500 ft about

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.00	.49	.22	.00	.03	.00	.00	.00	.00	.00	.13	1
2	.00	.95	.15	.00	.00	.19	.05	.05	.00	.32	.00	.7	2
3	.00	.00	.30	.87	.00	.10	.00	.00	.00	.00	.00	.00	3
4	.00	.00	.25	.20	.08	.02	.00	.11	.00	.96	.00	.02	4
5	.00	.44	.78	.00	.00	.54	.00	.00	.00	.00	.00	.22	5
6	.00	.01	.34	.15	.25	.28	.00	.10	.00	.30	.00	.33	6
7	.00	.00	.18	.26	.23	.00	.00	.00	.00	.31	.01	.15	7
8	.00	.10	.23	.73	.05	.00	.00	.02	.08	.25	.00	.90	8
9	.00	.00	.00	.23	.15	.00	.00	.03	.15	.56	.00	.15	9
10	.04	.00	.00	.00	.10	.06	.00	.45	.18	.00	.00	.03	10
11	.00	.12	.05	.24	.07	.00	.00	.43	.45	.40	1.57	.05	11
12	.02 ~~.04~~	.00	.00	.02	.00	.04	.00	.08	.00	.12	2.20	.00	12
13	.09	.00	.00	.44	.00	.34	.00	.03	.10	.37	.68	1.01	13
14	00	.00	.00	.15	.00	.40	.00	.47	.00	.00	.08	.05	14
15	00	.00	.00	.04	.00	.00	.00	.09	.00	.05	.00	.00	15
16	.15	.00	.00	.16	.00	.12	.00	.00	.00	.05	.27	.93	16
17	.33	.15	.05	.00	.00	.05	.00	.10	.10	.83	.00	.04	17
18	.02	.00	.00	.00	.00	.00	.00	.04	.03	.48	.15	.15	18
19	.68	.04	.00	.00	.00	.00	.00	.00	.23	.46	1.10	.50	19
20	.33	.00	.00	.00	.00	.08	.00	.00	.70	.49	.32	.23	20
21	.35	.00	.00	.00	.00	.82	.07	.00	.05	.06	.66	.00	21
22	.00	.00	.00	.00	.00	.00	.10	.00	.00	.20	.30	.00	22
23	.08	.00	.00	.00	.00	.42	.10	.00	.04	.15	.00	.00	23
24	.03	.01	.00	.00	.00	.08	.20	.00	.09	.62	.00	.94	24
25	.00	.05	.00	.00	.00	.00	.33	.00	.00	.04	.00	.88	25
26	.19	.24	.00	.00	.00	.00	.38	.80	.30	.15	.00	.10	26
27	.31	.16	.00	.00	.02	.00	.00	.45	.01	.00	.00	.00	27
28	.00	.12	.09	.08	.00	.00	.00	.01	.01	.20	.11	.10	28
29	.00		.00	.00	.00	.00	.00	.00	.00	.00	.10	.12	29
30	.00		3.22	.36	.30	.00	.14	.53	.14	.00	.00	.18	30
31	.30		.50		.23		.06	1.45		.00		.02	31
Totals	3.02	2.39	6.64	4.15	1.48	3.57	1.37	5.24	2.66	6.77	7.55	7.30	✓
Total from Jan. 1	3.02	5.41	12.05	16.20	17.68	21.25	22.62	27.86	30.52	37.29	44.84	52.14	✓

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

8.a.

End C.S.

REGISTER OF RAINFALL IN 1902

Kept at St Anns Vicarage Nr Bettesda
in the County of Carnarvon
by Rev Wm Morgan

RAIN GAUGE.
Lat. Long.
Time of Observation 10 am
Diameter 5 in 15
Height of top above Ground ~~18~~ inches
" " Sea Level 500

NOTE.—Full instructions respecting the measurement of rain are given in "*The British Rainfall Organization—Rules for Rainfall Observers,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	—	·01	·48	·14	·05	·05	—	—	·09	—	·01	1
2	·68	—	·38	—	·17	·28	·03	·16	·05	—	·02	·31	2
3	·01	—	·14	·05	·47	—	—	·22	·61	—	—	—	3
4	·57	—	—	·08	·24	—	—	—	·35	·02	·01	—	4
5	·18	—	—	·38	·18	—	·10	—	·08	—	—	—	5
6	·04	—	—	·20	·01	·05	—	·26	—	—	·06	—	6
7	·02	—	—	—	·05	·65	—	·01	·02	—	·16	—	7
8	·~~00~~	·02	·38	—	·04	—	—	·18	—	—	·18	—	8
9	·17	·18	·27	—	—	·06	·06	·02	—	—	·73	—	9
10	·60	·16	·07	—	·16	—	·23	·19	—	·55	·13	·01	10
11	·42	·07	—	—	—	·30	·39	·01	·04	·10	·23	—	11
12	·07	·13	—	—	—	·04	·01	·58	—	·03	·16	—	12
13	·16	—	—	·09	·02	·25	—	·11	—	·84	·13	·04	13
14	—	—	·22	—	—	·17	—	·03	·30	·49	·22	·10	14
15	—	—	·03	—	·09	·17	—	—	·03	·86	·01	3·30	15
16	—	—	—	—	·26	·64	—	—	·04	·35	—	·60	16
17	—	—	—	·06	·33	—	·02	·05	·09	·08	—	·84	17
18	—	—	—	—	1·01	—	—	·20	—	·14	—	·13	18
19	—	—	·30	·12	·10	—	—	·42	—	—	—	—	19
20	·03	—	·15	·10	·04	·52	·07	·06	—	·13	—	·17	20
21	—	—	·10	·22	—	·03	·02	·01	·03	·10	—	·04	21
22	·53	·07	·33	·30	·04	—	—	—	·03	·33	—	·01	22
23	·20	·03	·14	·78	1·14	·11	·15	·40	·15	·04	·53	—	23
24	·25	·23	·05	·10	·02	—	·18	·02	·42	·03	·01	·01	24
25	·36	—	·56	—	·05	—	—	·01	—	—	·05	·03	25
26	·05	—	·01	—	—	—	·47	—	—	·31	·01	·02	26
27	·25	·39	·33	—	·05	—	·50	—	—	·01	—	·02	27
28	·36	·25	—	—	·64	—	—	·02	—	·03	·56	·17	28
29	·28		·19	—	·02	—	—	—	—	—	·78	·01	29
30	·09		·13	·35	·13	·09	—	—	·08	·23	·10	·48	30
31	—		·03		·29		·02	—		—		·48	31
Totals	5·42	1·53	3·82	3·31	5·69	3·41	2·30	2·96	2·32	4·76	4·08	6·78	
Total from Jan. 1												46·38	

K/4,000/11/02

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at St Anns Bethesda
in the County of Carnarvon
by Rev W. Morgan.

Lat. Long.
Nearest Railway Station Bethesda
RAIN GAUGE.
Time of Observation 10 am
Diameter 3 in.
Height of top above Ground 1 ft. 6 in.
" " Sea Level 520 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·80	·21	·03	·43	–	–	·02	·02	·15	·03	·3	1
2	·46	·12	·77	·31	·04	–	–	·20	·23	·21	·28	–	2
3	·80	·06	·82	·02	·57	–	·10	·63	·74	·16	·30	·13	3
4	–	·02	·20	·94	·35	–	–	·12	·01	·12	·01	1·95	4
5	·38	·23	·27	·22	·06	–	·01	·02	·28	·08	–	·26	5
6	1·12	·03	–	·02	–	–	·16	–	–	·26	–	·02	6
7	·81	·20	·17	·01	·11	–	–	·03	–	·52	–	·22	7
8	·11	·57	·01	–	·11	–	–	–	·30	·64	–	·18	8
9	·10	·06	·43	–	·10	–	–	·01	1·40	·08	·60	·15	9
10	·78	–	1·24	–	·07	–	–	·29	·11	·31	·06	·62	10
11	·75	·02	·04	–	·09	–	–	·09	1·53	·14	·03	·46	11
12	–	·15	·06	·01	·07	–	·14	–	·33	·46	·05	1·13	12
13	–	·02	·10	·05	–	–	–	–	·30	·45	·65	·20	13
14	–	·02	·68	·07	·18	·02	–	·16	–	·37	·37	·03	14
15	–	·03	·63	·34	·02	·44	·70	·94	–	·95	·42	·01	15
16	–	·24	·51	·01	·30	·46	·16	·45	–	·14	·14	·02	16
17	11	–	·79	–	·60	·02	·12	·37	–	·07	·17	·02	17
18	–	–	1·08	–	·05	–	·04	·20	–	·01	–	·01	18
19	–	–	·12	–	–	–	–	·25	–	·32	–	–	19
20	–	·07	·14	–	·01	–	·43	·20	–	·22	·01	–	20
21	·01	·89	·25	–	–	–	–	·31	–	·34	·10	–	21
22	·17	·88	·25	–	–	–	·82	·01	·04	·12	·04	·11	22
23	·93	·34	·56	–	·06	–	·38	–	–	·39	·06	·30	23
24	·76	·14	·51	–	–	–	·29	·03	·07	·19	·30	–	24
25	·28	2·02	·16	–	–	·01	–	·84	·01	·37	–	–	25
26	·22	1·48	1·63	·07	–	·29	·20	·01	–	·85	·07	·03	26
27	1·83	·84	·38	–	–	·21	–	·67	·10	·59	·44	–	27
28	·01	·02	·02	–	–	·07	·22	·70	·01	1·51	1·10	–	28
29	–		·32	·19	–	–	·01	·60	·31	·08	·29	–	29
30	·01		·40	·01	·11	–	·01	·08	·09	·35	·13	–	30
31	·10		·32		–		·07	·02		–		–	31
Totals	9·77	9·25	13·07	2·30	3·33	1·52	3·86	7·25	5·88	10·45	5·65	5·88	
Total from Jan. 1	9·77	19·02	32·09	34·39	37·72	39·24	43·10	50·35	56·23	66·68	72·33	78·21	

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

251 days

S.o.

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

22 MAY 1905

Kept at St. Ann's

in the County of Carnarvon

by Rev W Morgan

Lat. .... Long. ....

Nearest Railway Station ....

RAIN GAUGE.
Time of Observation ....
Diameter .... in.
Height of top above Ground .... ft. .... in.
" " Sea Level .... ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	.02	–	1.49	.04	.02	.09	.84	–	.07	1
2	–	.05	–	–	.19	.07	.10	–	–	.09	–	.58	2
3	.36	.07	–	.89	–	–	.04	–	.93	–	–	.11	3
4	.13	.10	–	.08	–	–	.07	–	–	–	–	.34	4
5	.07	.06	–	.43	–	–	.30	.23	.03	.02	–	.57	5
6	–	–	–	.08	.07	–	.05	.09	.44	.22	.05	.36	6
7	.25	.19	.05	.03	.09	–	.11	–	.04	.15	.57	.31	7
8	.50	.05	.21	.08	.03	–	–	–	.18	.11	.07	.16	8
9	.30	.49	.12	.23	.79	.62	–	.17	.02	.06	.72	.22	9
10	.85	.02	–	.15	–	.03	–	–	–	.38	.39	.07	10
11	.24	–	–	–	.07	–	–	.27	–	–	.09	.10	11
12	.24	–	–	–	.07	–	–	–	–	.07	.02	.39	12
13	.95	.81	–	.22	–	.17	.27	–	.62	–	–	.19	13
14	.11	.69	1.25	.10	–	–	.07	.87	.10	–	–	.23	14
15	.04	.23	.13	.36	.10	.41	.19	.05	.03	–	–	–	15
16	.08	.10	.01	–	–	.14	.21	.02	.02	.02	.07	.06	16
17	.07	.11	–	–	–	–	.03	.38	.02	1.67	–	.15	17
18	.48	.13	.04	.08	–	–	–	.15	–	–	–	.77	18
19	.15	.02	.07	–	–	–	–	.10	–	.14	.26	–	19
20	.16	.68	.08	–	–	–	.09	.12	–	.07	.07	–	20
21	.05	.39	.81	.23	–	.02	–	–	–	–	.02	–	21
22	–	.34	.04	.21	.03	–	–	.74	–	–	.26	–	22
23	–	–	.02	.46	–	–	–	.52	–	–	.35	–	23
24	–	–	–	.01	.19	–	.41	.05	–	–	.30	–	24
25	–	–	–	–	.16	–	1.03	–	.04	.15	–	–	25
26	.15	.10	–	–	.08	–	.20	.04	.20	–	–	–	26
27	.70	.37	–	.05	.59	–	–	–	–	–	–	.03	27
28	.94	.02	–	.06	.09	–	–	.07	.03	–	.26	.04	28
29	.02	–	.78	.85	–	–	–	–	–	–	.03	.07	29
30	1.44		.18	.31	–	–	–	–	–	–	–	.23	30
31	.26		.32		.11		.26	.35		–		.07	31
Totals	8.42	5.02	4.11	4.93	2.54	2.89	3.35	4.18	2.79	3.87	4.01	554	
Total from Jan. 1	8.42	13.44	17.55	22.48	25.02	27.91	31.~~46~~ 26	35.84 .44	38.~~43~~ .23	42.30 .10	46.31 .11	51.~~85~~ 65	

K/4000/12/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

Sa.

Ent Rd

FORM A.
BRITISH RAINFALL.

10 JAN

REGISTER OF RAINFALL IN 1905

Kept at St Anns Vicarage

in the County of Carnarvon Bethesda

by Rev: W. Morgan

Lat. Long.

Nearest Railway Station

RAIN GAUGE.
Time of Observation
Diameter in.
Height of top above Ground ft. in.
" " Sea Level ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·08	—	1·86	·06	·06	—	·05	·05	·12	·10	1
2	·03	—	·12	·20	·16	·16	·05	·06	·30	·11	·40	—	2
3	·20	·05	—	·01	·07	—	·03	·06	·06	·04	·01	—	3
4	·05	·05	·14	·19	·10	—	—	·40	·11	·37	—	—	4
5	·62	—	·08	·09	·01	—	—	·46	—	·15	·14	·01	5
6	·45	—	·20	·07	—	—	·30	—	·03	—	·15	·40	6
7	·25	·33	·12	·79	·05	·01	—	—	·20	—	—	·10	7
8	—	—	·21	·40	·04	·03	—	·07	·23	·70	·41	·08	8
9	·63	—	·27	·28	—	—	—	—	·34	·02	·15	·02	9
10	·10	·10	·16	—	—	—	·39	·06	1·35	—	—	—	10
11	·18	—	·75	—	·36	—	·05	—	·10	—	·50	—	11
12	·45	—	·58	·01	·07	—	·02	·01	·02	—	·26	·03	12
13	—	·06	·30	·31	—	·04	·20	—	·10	·10	·03	—	13
14	·03	·15	·46	·14	—	·14	—	—	·04	·01	·01	·03	14
15	—	·10	·91	·01	—	·03	·21	—	—	·15	·04	—	15
16	—	·03	·64	—	—	—	·01	—	·05	·28	·02	—	16
17	·55	·12	·30	—	—	·16	—	—	—	—	·02	—	17
18	·01	·14	·03	—	—	·48	·32	·15	—	·02	—	—	18
19	—	·07	—	·13	—	·30	—	—	—	—	—	·19	19
20	—	·09	—	·21	—	·45	—	·30	·11	—	—	·06	20
21	—	—	—	—	—	·33	—	—	—	·19	·12	·67	21
22	—	—	—	—	—	·09	·02	·13	—	·34	·06	·06	22
23	—	—	—	—	—	—	·29	1·11	—	—	1·08	—	23
24	·12	—	·76	·03	—	—	—	—	—	·05	·04	—	24
25	·37	·07	—	·03	—	—	·43	—	·04	·04	·04	—	25
26	—	·66	·15	·01	·12	—	·08	·32	—	—	·36	·01	26
27	—	·47	·31	·22	—	—	·87	·06	—	·54	·86	—	27
28	—	·03	—	·08	·01	—	—	·17	·11	·04	1·18	·02	28
29	—		·40	·62	·05	—	·01	1·27	·55	·15	·30	·02	29
30	·06		·04	·05	—	—	—	·05	·02	1·63	·04	·04	30
31	·11		·03		—		—	—		·58		—	31
Totals	4·21	2·53	7·04	3·88	2·90	2·28	3·34	4·68	3·81	5·56	6·34	1·84	
Total from Jan. 1	4·21	6·74	13.78	17.66	20.56	22.84	26.18	30.86	34.67	4023	46.57	48.41	
	17	17	23	21	12	13	17	16	19	21	24	16	216

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

ext ayo

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.
18 FEB 1907

Kept at St Anns
in the County of Carnarvon
by Rev W. Morgan

Lat. .... Long. ....
Nearest Railway Station Bethesda
RAIN GAUGE. Time of Observation 10 am
Diameter 5 in.
Height of top above Ground 1 ft. 6 in.
" " Sea Level 500 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·32	·27	–	·10	·15	–	·07	–	–	·02	·06	1
2	·24	–	·66	–	·10	·19	·03	·65	–	·33	·05	·37	2
3	·41	·10	·01	–	·80	–	–	1·81	–	·18	–	·20	3
4	·02	·05	–	–	·43	–	–	·02	–	–	–	·22	4
5	·01	–	–	–	·5	–	–	–	–	·56	·02	·15	5
6	·75	–	·12	–	·10	–	–	–	·32	·21	–	·12	6
7	·19	·06	·02	–	–	–	·04	–	·12	·24	·52	–	7
8	·11	–	2·29	–	–	–	·07	–	–	·14	·25	·34	8
9	·08	·23	·06	–	1·20	–	–	·22	–	·62	·40	·16	9
10	·03	1·02	·03	–	–	–	–	·02	–	·05	·02	·09	10
11	–	·47	·73	–	–	–	·10	·06	–	·20	–	·06	11
12	·75	·07	·60	–	·12	–	–	·04	·13	·30	–	·47	12
13	·58	·16	·20	–	–	–	·17	1·21	–	·41	–	·29	13
14	–	·14	–	·21	–	–	·09	·23	·24	·02	–	·23	14
15	·50	·22	·68	–	–	–	·35	·03	·14	·03	·12	·03	15
16	·05	·20	·38	–	·12	–	·04	·05	·07	·02	·28	·38	16
17	·34	·20	·11	·27	·8	–	·05	·21	–	·32	·57	·03	17
18	·92	–	·10	–	·3	·07	–	·29	–	1·09	·10	–	18
19	·26	–	·06	–	–	–	·33	·01	·02	·15	·26	–	19
20	–	·50	–	–	·40	–	·01	·05	–	·20	·02	–	20
21	·54	–	–	·04	·3	–	–	·35	–	·16	–	–	21
22	–	–	–	·19	–	·10	·13	·08	–	·23	·15	–	22
23	–	–	·20	–	·6	–	–	–	–	·15	·04	–	23
24	–	·02	–	–	·14	·27	·06	·34	–	·43	–	·06	24
25	·81	·16	–	·15	·10	·13	–	·45	–	–	–	·58	25
26	·05	·37	·08	·14	1·35	·52	–	·03	–	–	–	–	26
27	·01	·58	·04	–	·14	1·16	·01	·06	–	·25	·66	·55	27
28	·13	·04	–	·75	·20	–	·05	–	–	·91	·02	·08	28
29	·30		–	·09	–	·08	·07	–	–	·72	·03	·08	29
30	·01		–	·05	–	–	–	–	–	·04	·23	·02	30
31	–		–		·18		–	–		·73		·53	31
Totals	7·09	4·91	6·64	1·89	5·73	2·67	1·60	6·28	1·04	8·69	3·76	5·10	55·40
Total from Jan. 1	23	19	19	9	20	9	16	22	7	27	19	23	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

g 13

Sa. wrongday

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.
7 - JAN 1908

Kept at S^t Anns Vicarage
in the County of Carnarvon
by Wm. Morgan

Lat. Long.
Nearest Railway Station Bethesda
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 500 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	—	—	—	·07	·14	—	·02	—	—	·05	—	1
2	·66	—	·11	—	·52	·11	·07	—	·08	·15	·24	·03	2
3	·26	—	·02	·09	·04	—	·06	·09	·29	·51	—	·18	3
4	·03	—	— ~~·02~~	·36	·35	·01	·16	·08	·13	·01	—	·04	4
5	·10	·04	—	—	—	·44	·05	·04	·24	·02	·01	·63	5
6	—	—	·11	·10	·03	·52	·01	·02	·01	·20	—	—	6
7	·12	—	·08	·32	·19	·01	—	·04	—	·16	—	·46	7
8	—	—	28 ~~·08~~	·23	·04	·08	·38	1.38	—	·18	—	·36	8
9	—	·15	03 ~~·20~~	·04	·25	·04	·22	1.10	—	—	·12	·38	9
10	·12	·01	61 ~~·12~~	—	·15	·38	·27	—	—	·10	·14	·17	10
11	·25	·50	03 ~~·07~~	·02	·58	·23	·01	·07	—	·16	·03	·42	11
12	—	·24	—	·05	·05	·41	—	·26	—	·25	·34	—	12
13	—	·36	·59	·20	·04	·15	—	—	—	1.27	·03	·08	13
14	·19	—	·06	·03	—	·05	·01	—	·06	·17	·01	·64	14
15	—	—	·18	—	—	·12	—	·59	—	·23	·40	·22	15
16	·06	·11	·52	·01	—	·32	—	·21	·01	·61	·01	·01	16
17	·09	·26	1·04	—	—	—	—	·05	·06	1.64	·54	·05	17
18	—	·30	·08	·01	—	·02	—	—	—	·62	·03	·02	18
19	—	·42	·03	—	—	·17	—	·08	—	·47	—	·13	19
20	—	·28	·48	—	—	·43	—	·14	—	·63	·14	·54	20
21	·04	·20	—	·18	—	·86	—	—	—	·48	·10	·47	21
22	·42	·06	·18	·02	—	·22	—	·01	—	·35	—	·07	22
23	·03	—	·03	·01	—	·43	·09	·30	—	·06	·29	·10	23
24	—	—	—	—	—	·43	·03	—	—	—	·14	—	24
25	—	·02	—	·03	·08	·37	·47	—	—	·14	·12	·03	25
26	·04	—	—	—	—	·27	·04	·12	—	·82	·20	—	26
27	·12	—	—	·02	·04	·06	·10	—	—	·02	·46	—	27
28	·18	—	—	·11	—	·10	—	—	—	—	·71	—	28
29	·04		—	·40	—	—	·44	·03	—	—	·17	—	29
30	·03		—	·19	·02	—	·09	·67	—	·23	—	—	30
31	·13		—		·70		—	·06		1·78		·01	31
Total	3.06	2.95	4.38	2.42	3.15	6.37	2.44	5.36	·88	11·26	4·28	5.04	TOTAL for year 51·59
No. of Rain Days	20	14	18	20	16	26	17	21	8	26	22	22	230

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Sca. wrong day. cd by comparison 12.v.09

REGISTER OF RAINFALL IN 1908

Kept at St Ann's Vicarage
in the County of Carnarvon
by Rev Wm Morgan

RAIN GAUGE.
Lat. Lon.
Time of Observation
Diameter 5 in
Height of top above Ground 3 ft
" " Sea Level 540 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·11	·11	·01	·19	·04	—	—	1·15	—	—	—	1
2	—	·05	·06	·01	—	·33	—	·02	·11	—	—	—	2
3	—	·19	·05	·20	·19	·31	—	—	·63	—	—	—	3
4	—	·03	·04	·09	—	·66	—	—	·09	—	—	·04	4
5	—	—	—	·05	·05	—	—	·11	—	—	—	·03	5
6	·34	·03	·40	—	·44	·09	—	·01	·01	—	—	·42	6
7	·81	·06	·21	—	·09	—	—	—	—	—	—	—	7
8	·70	·06	·18	—	·04	·09	·24	—	·03	—	—	·16	8
9	·23	—	·13	—	·69	·04	·22	—	1·93	—	—	1·37	9
10	—	·06	·16	·16	·02	·18	·85	·13	·25	·18	—	·31	10
11	—	·02	·32	·08	—	—	·04	·14	·53	·05	·24	·21	11
12	—	—	·13	·03	—	·48	·63	·02	·27	·01	·32	·62	12
13	—	—	—	·05	·07	·03	·18	—	·01	—	·28	·04	13
14	·01	·02	·03	—	·06	1·20	·08	·18	·04	—	·63	·16	14
15	·07	·06	·02	·04	·15	—	·12	—	·55	—	·10	·81	15
16	·87	·38	·25	—	—	·10	·14	—	·11	·02	—	·12	16
17	1·00	·42	·11	—	—	—	1·05	—	·70	·03	·26	·21	17
18	·18	·36	·04	—	·04	·38	·35	—	·01	·01	·05	·06	18
19	—	·06	—	—	—	—	—	—	—	·05	·82	·09	19
20	·04	·12	·01	—	·03	·01	·21	—	—	·25	·10	·13	20
21	—	·23	—	·08	—	—	·01	·60	·41	·08	·07	—	21
22	—	·24	·19	—	·27	—	—	·23	—	—	1·45	—	22
23	—	·32	·58	·03	·02	·01	—	·11	—	—	·26	·02	23
24	—	·09	·02	·38	·01	·03	—	·37	—	—	·05	—	24
25	—	·04	1·06	·07	·12	—	·12	·10	—	—	·38	—	25
26	·53	·09	·15	·01	—	—	·35	·04	·41	—	·18	—	26
27	·76	·38	·10	—	—	—	—	1·25	·01	·04	·04	·01	27
28	·10	·29	·73	·48	—	—	·02	·51	—	—	·04	—	28
29	·45	·11	·07	·75	—	—	—	·13	·10	·52	·80		29
30	·05		·73	·31	—	—	·01	·04	—	—	—		30
31	·23		·34		·03		—	·02		·20		·32	31
Totals	6·37	3·82	6·22	2·83	2·51	3·38	4·62	4·01	6·75	1·44	6·07	4·53	
Total from Jan. 1	6·37	10·19	16·41	19·24	21·75	25·13	29·75	33·76	40·51	40·95	47·02	52·55 51·55	
	16	25	27	18	18	16	17	18	20	12	18	19	222

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3d.

Sa

Coll. by C. 24.III.10

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.
-3 MAR 1910

Kept at St Anns

in the County of Carnarvon

by Rev W Morgan

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.03	.07	—	—	—	—	.32	.03	.03	.03	.38	1
2	—	.10	.44	.06	—	—	—	—	.06	.08	.32	1.13	2
3	—	.25	—	.14	—	—	.32	—	.45	.67	.06	.46	3
4	—	.18	.02	.06	—	.02	.02	—	.31	.31	—	.05	4
5	.06	—	.05	—	—	—	.06	—	.43	.16	.30	.05	5
6	.10	—	.05	—	—	—	.05	—	.32	.05	.05	.18	6
7	.09	—	.07	—	—	.07	.10	—	.17	.36	—	.07	7
8	.02	—	—	—	—	.02	—	—	.06	.06	—	—	8
9	.21	.53	.00 03	—	—	.03	1.04	—	.02	.05	.20	.60	9
10	.48	.15	.07	—	—	.07	.07	—	—	.11	—	1.24	10
11	.13	.08	.07	.18	—	—	—	—	—	.36	.03	.06	11
12	.06	—	.02	.36	.06	—	.05	—	.36	1.35	.07	—	12
13	.11	—	.07	.47	—	—	.03	.21	.06	.12	.07	—	13
14	.90	.07	—	—	.04	—	.02	—	—	.45	—	—	14
15	.06	—	.02	.30	—	—	.52	.16	—	1.05	—	—	15
16	.16	.07	—	.19	.02	—	.20	.16	—	.45	—	—	16
17	.16	—	.08	.16	.13 .03	—	.07	.32	—	.56	—	—	17
18	.81	—	.19	.06	—	.17	.05	.24	—	.03	—	.33	18
19	—	—	.07	.35	—	.16	—	.07	.12	1.42	—	.22	19
20	—	—	.30	—	—	.25	.41	.96	—	.24	—	—	20
21	—	—	—	—	—	.30	.06	.22	—	.14	.04	2.47	21
22	.07	—	—	.53	.01 .07	.05	.05	.58	—	.34	—	.25	22
23	—	—	.10	.29	.03	.13	.12	.27	.19	1.28	.07	.35	23
24	—	—	.64	.53	.60	.20	.78	.05	.50	.06	.09	.17	24
25	—	—	.21	.40	—	.42	.10	.07	—	.05	.07	.34	25
26	—	.07	—	.28	.10	.04	—	.13	.03	.04	.37	.07	26
27	—	.07	.28	.06	.07	.34	.58	—	1.32	—	.64	.74	27
28	.10	—	.56	.03	.11	1.05	.09	—	.36	—	.70	.14	28
29	.20		.29	—	—	—	.28	.70	—	.21	.15	.07	29
30	.06		.09	.14	.22	~~.04~~	.11	.02	.16	.02	.70	.66	30
31	.09		.28		.16		.08	.02		—		—	31
Total	3.83	1.51	3.81	2.65	1.49 ✓	3.14	5.18	4.44	4.95	10.05	3.72	9.85	TOTAL for year 56.62 ✓
No. of Rain Days	20	11	24	19	12	16	25	17	18	28	18	22	230 ✓

7,000. X. '09.

Cor. by C. 15.V.11.

REGISTER OF RAINFALL IN 1910

FORM A2. BRITISH RAINFALL.

10 FEB 1911

Kept at Sᵗ Anns

in the County of Carnarvon 3

by Rev Wᵐ Morgan

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 450 ft.

Time of Observation 9 am

Nearest Railway Station
Name Bethesda
Distance ¼ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·20	1·35	—	·21	·23	·13	·21	·05	–	·22	·46	1
2	·07	·86	·19	·19	–	·17	·94	·83	·25	·53	·13	·09	2
3	—	·06	–	·02	·34	·15	·02	·18	–	–	–	–	3
4	—	·10	·07	·35	·34	·05	~~·44~~	·02	–	–	·15	·18	4
5	—	·26	—	·82	·22	·16	1·35	–	–	–	·19	·63	5
6	—	·04	·22	·04	·18	–	–	–	–	–	–	·73	6
7	—	·19	·29	—	·32	·09	~~1·35~~	–	—	–	·08	·08	7
8	·45	·11	—	—	·31	·02	–	–	–	·04	·53	·02	8
9	·36	—	1·27	—	·06	–	–	–	–	·04	·07	·80	9
10	·26	·15	–	—	·05	·03	–	–	·08	·35	·54	·30	10
11	·06	·04	·12	—	–	–	–	·20	–	·64	·13	·60	11
12	·43	·03	·02	·54	·04	–	–	·21	–	·02	·55	1·04	12
13	—	·46	·03	·88	–	–	–	–	·02	–	·58	·90	13
14	·07	·60	·10	·02	–	–	–	·41	·02	–	·66	·68	14
15	1·83	·08	—	·40	·32	–	–	–	–	–	·87	·90	15
16	·03	·45	·12	·84	–	–	–	·07	–	·19	–	1·38	16
17	·07	·41	·26	—	·04	–	–	·08	–	·16	·25	·18	17
18	·14	·43	·02	·18	·15	–	–	1·16	–	·69	·02	·03	18
19	·07	·67	·02	·26	·05	–	–	·16	·02	·86	·12	·03	19
20	·09	1·68	—	·40	–	·04	2·42	·58	–	·38	–	·37	20
21	·04	—	·10	·11	–	·36	–	·23	–	–	–	·03	21
22	·28	·16	—	·10	–	·07	2·15	·01	–	—	·08	·18	22
23	·92	·73	—	·43	–	·19	–	·21	–	–	·64	·63	23
24	·15	·03	—	·10	–	·02	·36	·36	–	–	·05	·41 ·11	24
25	—	·19	—	—	–	·05	·55	·77	·01	–	·25	·02	25
26	—	·33	—	·37	–	·01	~~·36~~	1·15	·14	–	·03	·07	26
27	·06	·05	·07	·39	·01	·54	·15	·32	–	–	·44	–	27
28	·37	·41	—	·07	·29	·44	·42	·646 ·64	·01	·13	·06	·12	28
29	·12		—	—	·10	·52	·02	·13	·14	–	–	–	29
30	—		—	·07	·35	·15	·03	·09	–	–	·42	–	30
31	·27		—		·03		–	·06		1·05		·40	31
Total	5·98	8·15	4·09 4·19	6·54	3·47	3·29	6·24	8·48 8·08	·74	5·08	7·06	10·56 10·96	TOTAL for year 69·78
No. of Rain Days	22	26	16	21	19	19	12	23	10	13	24	24	232

69·78

9,000, IX. '10.

5.a

REG … 01

CARNARVON.

BETTWS-Y-COED

"ABERLLYN"

MET/2/4/1/1/6/3/19325

1901 — 1904

Kept at Aberllyn

in the County of C

by Messrs Brun

Lon.

…e of Observation 11 a.m.

…meter 5 inches

…ight of top above Ground 5' 6"

„ „ Sea Level 674 ft.

NOTE.—Full instructions respect … ecting the Systematic Observation and Record of the Rainfall," which is sent post-free on applica … L, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	—	·10	—	·09	—	—	—	—	—	·06	1
2	—	·06	·03	·45	—	·38	—	—	—	·47	—	—	2
3	—	—	·10	·11	—	·13	—	·19	—	·01	—	—	3
4	·09	·03	2·45	—	·28	·08	—	·05	·01	·26	—	·12	4
5	·05	·05	·47	·04	·07	—	—	—	—	·53	—	·14	5
6	—	—	·57	·09	—	—	—	·07	—	·12	—	·42	6
7	·03	·11	·61	·86	—	—	—	—	·16	·28	—	1·35	7
8	—	—	—	·57	·47	—	—	—	·22	—	—	1·65	8
9	—	·09	—	·09	·19	—	—	·51	·05	·07	·63	·07	9
10	—	—	—	·18	—	—	—	—	—	·02	3·18	·19	10
11	—	—	—	·05	—	·08	—	—	·04	·09	·96	·02	11
12	—	·03	—	·17	—	·42	—	—	·04	—	·24	·78	12
13	·05	—	—	—	—	·34	—	·49	—	—	—	·43	13
14	—	—	—	·18	—	—	—	·19	—	·04	—	—	14
15	·13	—	—	·38	—	—	—	—	·31	·37	—	·45	15
16	·06	—	—	—	—	·10	—	·35	·04	·69	·20	·13	16
17	—	—	—	·15	—	—	—	—	·15	·14	·92	·24	17
18	·35	—	—	—	—	·08	—	—	·25	·02	·51	·62	18
19	·73	·05	—	—	—	·16	—	—	·02	·07	·47	—	19
20	·10	—	—	—	—	·79	·03	—	·02	·02	·46	—	20
21	—	—	—	—	—	—	·05	—	—	·04	—	—	21
22	·09	—	—	—	—	·30	—	—	—	·11	—	—	22
23	·18	—	—	—	—	·17	·38	—	—	·10	·02	·76	23
24	·08	—	—	—	—	·05	·45	—	·04	·21	—	—	24
25	·28	·09	—	—	—	—	·45	1·68	·01	—	—	·50	25
26	·33	—	—	—	—	—	·10	—	—	·07	·05	·10	26
27	—	·12	—	·13	—	—	—	·09	·03	·02	·02	·30	27
28	·05	·21	—	—	·05	—	—	—	·05	·03	—	·41	28
29	·03		1·33	·03	·19	—	·05	·84	·03	—	—	·19	29
30	—		·29	—	·22	·10	·13	·54	·22	—	—	·47	30
31	—		·18		—		—	—		—		·43	31
Totals	2·70	·84	6·03	3·58	1·47	3·27	1·64	5·00	1·69	3·78	7·66	9·83	
Total from Jan. 1	2·70	3·54	9·57	13·15	14·62	17·89	19·53	24·53	26·22	30·00	37·66	47·49	

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

5.a

REG 01

Kept at Aberllyn. Bettws-y-Coed.
in the County of Carnarvon.
by Mess^rs Brunner, Mond & Co Ld.

RAIN GAUGE.
Lat. Lon.
Time of Observation 11 a.m.
Diameter 5 inches
Height of top above Ground 5' 6"
" " Sea Level 674 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	—	—	.10	—	.09	—	—	—	—	—	.06	1
2	—	.06	.03	.45	—	.38	—	—	—	.47	—	—	2
3	—	—	.10	.11	—	.13	—	.19	—	.01	—	—	3
4	.09	.03	2.45	—	.28	.08	—	.05	.01	.26	—	.12	4
5	.05	.05	.47	.04	.07	—	—	—	—	.53	—	.14	5
6	—	—	.57	.09	—	—	—	.07	—	.12	—	.42	6
7	.03	.11	.61	.86	—	—	—	—	.16	.28	—	1.35	7
8	—	—	—	.57	.47	—	—	—	.22	—	—	1.65	8
9	—	.09	—	.09	.19	—	—	.51	.05	.07	.63	.07	9
10	—	—	—	.18	—	—	—	—	—	.02	3.18	.19	10
11	—	—	—	.05	—	.08	—	—	.04	.09	.96	.02	11
12	—	.03	—	.17	—	.42	—	—	.04	—	.24	.78	12
13	.05	—	—	—	—	.34	—	.49	—	—	—	.43	13
14	—	—	—	.18	—	—	—	.19	—	.04	—	—	14
15	.13	—	—	.38	—	—	—	—	.31	.37	—	.45	15
16	.06	—	—	—	—	.10	—	.35	.04	.69	.20	.13	16
17	—	—	—	.15	—	—	—	—	.15	.14	.92	.24	17
18	.35	—	—	—	—	.08	—	—	.25	.02	.51	.62	18
19	.73	.05	—	—	—	.16	—	—	.02	.07	.47	—	19
20	.10	—	—	—	—	.79	.03	—	.02	.02	.46	—	20
21	—	—	—	—	—	—	.05	—	—	.04	—	—	21
22	.09	—	—	—	—	.30	—	—	—	.11	—	—	22
23	.18	—	—	—	—	.17	.38	—	—	.10	.02	.76	23
24	.08	—	—	—	—	.05	.45	—	.04	.21	—	—	24
25	.28	.09	—	—	—	—	.45	1.68	.01	—	—	.50	25
26	.33	—	—	—	—	—	.10	—	—	.07	.05	.10	26
27	—	.12	—	.13	—	—	—	.09	.03	.02	.02	.30	27
28	.05	.21	—	—	.05	—	—	—	.05	.03	—	.41	28
29	.03		1.33	.03	.19	—	.05	.84	.03	—	—	.19	29
30	—		.29	—	.22	.10	.13	.54	.22	—	—	.47	30
31	—		.18		—		—	—		—		.43	31
Totals	2.70	.84	6.03	3.58	1.47	3.27	1.64	5.00	1.69	3.78	7.66	9.83	
Total from Jan. 1	2.70	3.54	9.57	13.15	14.62	17.89	19.53	24.53	26.22	30.00	37.66	47.49	

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

S. a

REGISTER OF RAINFALL IN 1902

Kept at Aberllyn Bettws-y-Coed.
in the County of Carnarvon.
by Messrs. Brunner, Mond & Co. Ld.

RAIN GAUGE.
Lat. Lon.
Time of Observation 11 a.m.
Diameter 5 inches
Height of top above Ground 5' 6"
" " Sea Level 674 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·97	—	—	—	·10	·20	·03	·05	·03	—	—	·40	1
2	—	—	·26	·04	—	—	—	—	·50	—	—	·04	2
3	·50	—	—	·27	·09	—	—	·30	·20	—	—	—	3
4	—	—	—	·37	·18	·04	—	—	·14	—	—	—	4
5	·09	—	—	—	·06	·07	—	·37	—	—	·20	—	5
6	·01	—	—	·16	·06	·40	—	·18	—	—	·06	—	6
7	—	—	—	—	·04	·08	—	·45	·03	—	·10	—	7
8	·16	—	·19	—	—	—	·16	·03	—	—	·60	—	8
9	·44	—	·10	—	—	·12	·20	·18	—	1·00	·40	—	9
10	·52	—	·03	—	—	—	·09	—	·26	·30	·01	—	10
11	·11	—	·07	—	—	·09	—	·26	—	·21	·11	—	11
12	—	—	—	·08	·04	·24	—	·08	—	·15	·12	·10	12
13	—	—	—	—	·04	·02	—	—	·08	·46	·09	1·00	13
14	—	—	·30	—	·08	—	—	—	—	·90	·08	·70	14
15	—	—	—	—	·09	·30	—	—	·14	·66	—	1·11	15
16	—	—	—	·02	·20	·05	·01	·36	·15	·14	—	1·45	16
17	—	—	—	—	·14	—	—	·50	·03	·21	—	·15	17
18	—	—	·22	—	·30	·03	—	·26	—	·07	—	·06	18
19	·03	—	·68	·18	·42	·47	—	·04	—	·13	—	·05	19
20	—	—	·30	·20	·30	·02	·21	—	—	·04	—	—	20
21	—	·20	·16	·21	—	—	·02	—	·17	·36	—	—	21
22	—	·16	—	·10	—	·13	·07	·16	·05	·04	—	—	22
23	·27	·15	·09	·03	—	—	·10	·03	·50	—	·13	—	23
24	·03	·04	·46	—	—	—	—	—	—	—	·10	—	24
25	·28	—	·10	—	—	—	—	—	—	·30	·02	—	25
26	·22	·19	·20	—	—	—	·76	·05	—	·10	—	·06	26
27	·40	·31	—	—	·52	—	·30	—	—	·03	·50	·60	27
28	—	—	·06	—	·10	—	—	—	—	—	·20	·40	28
29	—		— ~~·04~~	—	·55	·14	—	—	·05	·02	—	·76	29
30	—		·04	·09	·36	—	·02	—	·02	—	·10	·46	30
31	—		—		·16		—	—		—		·05	31
Totals	4·03	1·05	3·26	1·75	3·83	2·40	1·97	3·30	2·35	5·12	2·82	7·39	
Total from Jan. 1	4·03	5·08	8·34	10·09	13·92	16·32	18·29	21·59	23·94	29·06	31·88	39·27	

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3d.

Exd Cb.

S.a

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Aberllyn, Bettws-y-Coed.
in the County of Carnarvon
by Brunner, Mond & Co Ld

Lat. Long.
Nearest Railway Station Bettws-y-Coed

RAIN GAUGE.
Time of Observation 11 A.M
Diameter 5 in.
Height of top above Ground 5 ft. 6 in.
" " Sea Level 674 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·54	·54	·04	·50	—	—	·19	·75	—	·15	—	1
2	·44	·05	·80	—	·50	—	·10	·18	·65	·43	·21	·26	2
3	—	—	·30	·15	·15	—	—	·21	—	·20	—	1·15	3
4	·70	·23	·32	—	—	—	—	—	·16	·37	—	·02	4
5	1·10	·50	·04	·03	—	—	—	—	—	·65	—	·20	5
6	·90	·50	·12	—	·20	—	—	—	·02	1·18	—	·40	6
7	·50	·40	·08	·04	·02	—	—	—	·41	·60	·13	·28	7
8	·28	—	·12	—	—	—	—	·03	1·80	·13	·20	·35	8
9	·44	—	·50	—	·09	·01	—	·10	·10	·30	·14	·56	9
10	·60	·05	·04	—	·09	—	—	·14	2·01	·20	·05	·37	10
11	—	·03	—	—	·02	—	·13	—	·10	·14	·03	·21	11
12	—	—	·06	—	·02	—	—	—	—	·20	·41	·20	12
13	—	·02	·50	·15	·18	·30	·07	·36	·24	·45	·21	·09	13
14	—	—	·10	·55	·17	·10	·58	·78	—	·86	·30	·07	14
15	—	·08	·50	—	·15	·30	·09	1·20	—	·20	·20	—	15
16	—	·09	·57	—	·50	—	·12	·40	—	·70	·14	·03	16
17	—	—	·62	·03	·15	—	·30	·28	—	·25	—	—	17
18	—	—	1·00	—	—	—	·20	·05	—	·30	—	—	18
19	·06	·46	·64	—	—	—	·20	·15	—	·32	·07	—	19
20	—	1·70	·20	—	—	—	·55	·54	—	·38	·06	—	20
21	·15	1·00	·25	—	—	—	·45	—	—	·21	—	·05	21
22	·66	·80	·50	—	·03	—	—	—	—	·28	·10	·07	22
23	·70	·25	·34	—	—	—	—	—	·07	·30	—	—	23
24	·50	1·78	·16	—	—	·12	—	·30	·13	·60	·02	—	24
25	·70	1·10	·65	·04	—	·30	·15	—	—	·20	·11	·04	25
26	2·07	·30	·10	—	—	·05	·25	·31	·15	·27	·19	—	26
27	·02	—	·09	—	—	—	·09	·60	—	·63	·87	—	27
28	—	·50	·60	·20	—	·02	·02	·24	·12	·01	—	—	28
29	—		·40	·03	·50	—	·01	·20	·26	·73	—	—	29
30	·19		·60	·80	—	—	—	·17	·15	·14	·04	—	30
31	—		—		—		—	—		—		—	31
Totals	10·46	10·38	10·74	2·06	3·27	1·20	3·31	6·43	7·12	11·23	3·63	4·35	
Total from Jan. 1	10·46	20·84	31·58	33·64	~~36·44~~ 36·91	~~38·14~~ 38·11	41·42	47·85	~~55·00~~	~~66·23~~	~~69·86~~	74·18	74·18

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

54·97 66·20 69·83

220

Imp. Sa

End C/c

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

18 JAN 1905

Kept at Aber Llyn. Bettws-y-Coed

in the County of Carnarvon.

by Messrs Brunner, Mond & Co. Ld

Lat. Long.

Nearest Railway Station Bettws-y-Coed

RAIN GAUGE.
Time of Observation 11 a. m
Diameter 5 in.
Height of top above Ground 5 ft. 6 in.
" " Sea Level 674 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·13	—	—	·30	·25	·02	—	—	·10	—	·63	1
2	·14	·04	—	—	·02	—	·06	—	·51	—	—	·11	2
3	—	·14	—	·26	—	—	—	·05	—	—	—	·43	3
4	—	·07	—	1·00	·02	—	·10	·22	—	·02	—	1·30	4
5	—	—	—	·80	·07	—	—	·12	—	·23	·22	·40	5
6	·27	—	·05	·10	·16	—	—	—	·29	·22	—	·14	6
7	·39	·05	·03	·16	·28	—	—	—	·23	·26	·80	·19	7
8	·07	·16	—	—	·20	—	—	·07	·07	·13	·50	Snow not measured	8
9	·18	—	—	—	—	·26	—	—	—	—	·92	·54	9
10	·63	—	—	·15	—	—	—	·15	—	·20	·21	Snow not measured	10
11	·21	·30	—	—	·02	—	—	·06	—	—	·10	·36	11
12	·70	·40	·10	—	—	·14	1·00	—	·46	—	—	·52	12
13	·34	1·00	·20	·07	·01	·12	—	·65	—	—	—	·23	13
14	·02	·30	·15	·35	·02	·10	·10	·45	—	—	·27	·02	14
15	·13	·16	—	·08	—	·17	·20	·05	·08	—	—	·44	15
16	·08	·09	—	—	—	·09	—	·61	—	2·23	—	·88	16
17	·10	·20	·03	—	—	—	—	·20	—	·07	—	·93	17
18	·07	·10	—	—	—	—	—	—	—	—	—	—	18
19	·08	·66	—	—	—	—	—	·25	—	—	·20	—	19
20	·04	1·00	·56	·02	·03	—	—	—	—	·02	·15	—	20
21	—	—	·09	·30	—	—	—	1·15	—	—	Snow not measd	—	21
22	—	—	·09	·05	·20	—	·09	·67	—	—		—	22
23	—	—	—	—	·15	—	—	·14	—	—		—	23
24	—	—	—	—	·13	·20	1·54	·06	—	·18	—	—	24
25	·06	—	—	—	·10	—	·13	—	·19	—	—	·10	25
26	·91	·40	—	·03	·20	—	—	—	—	—	—	·05	26
27	·76	—	·02	—	·40	—	—	—	—	—	·08	·05	27
28	·05	—	·80	·60	—	—	—	—	—	—	—	·06	28
29	·35	·03	·20	·30	—	—	—	·07	—	—	—	·39	29
30	·10		·22	·20	·16	·04	—	·27	·35	—		·02	30
31	—		·18		·30		·19	—		—		·03	31
Totals	5·68	5·23	2·72	4·47	2·77	1·37	3·43	5·24	2·18	3·66	incp	incp	
Total from Jan. 1	5·68	10·91	13·63	18·10	20·87	22·24	25·67	30·91	33·09	36·75		incp	

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

5a

REGIS

CARNARVON.

BETTWS-Y-COED
TYN-Y-BRYN.
1904-1906, 1908-
1910

MET/2/4/1/1/6/3/1368

04.

FORM A.
BRITISH RAINFALL.

JAN 1905

Kept at Bettws
in the County of Carn
by Douglas

Long. 3°.53
Station Bettws-y-Coed
tion 9am. ~~9 p.m.~~
in.
ve Ground 2 ft. 6 in.
Sea Level 152½ ft.

NOTE.—Full instructions respecting th … Rainfall Organization are given in "*Rules for Rainfall Observers*, … to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.01	0.00	0.06	0.46	0.22	0.07	0.00	0.00	0.02	0.00	0.55	1
2	0.10	0.06	0.01	0.60	0.02	0.00	0.09	0.00	0.44	0.00	0.00	0.11	2
3	0.06	0.17	0.00	0.09	0.00	0.00	0.01	0.03	0.00	0.00	0.00	0.09	3
4	0.01	0.07	0.00	0.33	0.01	0.00	0.07	0.20	0.00	0.01	0.00	0.87	4
5	0.00	0.02	0.02	0.70	0.06	0.00	0.00	0.12	0.15	0.10	0.02	0.42	5
6	0.33	0.07	0.01	0.11	0.18	0.00	0.00	0.00	0.09	0.22	0.53	0.07	6
7	0.35	0.31	0.10	0.12	0.12	0.00	0.00	0.00	0.34	0.23	0.30	0.30	7
8	0.08	0.11	0.07	0.04	0.38	0.00	0.00	0.10	0.00	0.24	0.80	0.14	8
9	0.51	0.19	0.00	0.09	0.00	0.19	0.00	0.00	0.00	0.01	0.28	0.49	9
10	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.10	0.21	0.08	10
11	0.14	0.03	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.05	0.01	0.28	11
12	0.69	0.51	0.00	0.10	0.00	0.15	0.79	0.00	0.46	0.00	0.00	0.60	12
13	0.48	0.86	0.32	0.09	0.00	0.10	0.00	0.53	0.05	0.00	0.00	0.18	13
14	0.03	0.11	0.18	0.32	0.01	0.38	0.24	0.39	0.00	0.00	0.00	0.01	14
15	0.14	0.21	0.00	0.05	0.00	0.10	0.10	0.02	0.01	0.04	0.00	0.30	15
16	0.13	0.18	0.00	0.01	0.00	0.20	0.01	0.56	0.00	2.09	0.00	0.42	16
17	0.07	0.17	0.04	0.00	0.01	0.02	0.00	0.20	0.00	0.09	0.00	0.60	17
18	0.07	0.13	0.01	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.03	0.00	18
19	0.06	0.66	0.04	0.00	0.00	0.00	0.07	0.21	0.00	0.00	0.04	0.00	19
20	0.05	0.34	0.45	0.01	0.03	0.00	0.00	0.01	0.00	0.01	0.03	0.00	20
21	0.00	0.49	0.14	0.10	0.09	0.00	0.03	0.94	0.00	0.02	0.46	0.00	21
22	0.00	0.01	0.01	0.21	0.00	0.00	0.07	0.56	0.00	0.00	0.11	0.00	22
23	0.00	0.00	0.00	0.00	0.24	0.00	1.25	0.13	0.00	0.00	0.10	0.00	23
24	0.01	0.00	0.00	0.00	0.01	0.14	0.08	0.00	0.02	0.10	0.00	0.00	24
25	0.11	0.21	0.00	0.00	0.24	0.01	0.15	0.01	0.29	0.00	0.00	0.03	25
26	0.70	0.26	0.00	0.03	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26
27	0.70	0.02	0.01	0.04	0.20	0.00	0.00	0.01	0.00	0.00	0.19	0.04	27
28	0.02	0.00	0.66	0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.03	28
29	0.28	0.00	0.11	0.25	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.39	29
30	0.26	~~0.00~~	0.22	0.00	0.14	0.04	0.07	0.32	0.27	0.00	0.01	0.02	30
31	0.01	—	0.15	—	0.46	—	0.06	0.01	—	0.00	—	0.03	31
Totals	5.73	5.20	2.55	3.80	3.06	1.55	3.16	4.56	2.13	3.33	3.20	5.99	
Total from Jan. 1	5.73	10.93	13.48	17.28	20.34	21.89	25.05	29.61	31.74	35.07	38.27	44.26	

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

220

5a

REGIS 04.

FORM A.
BRITISH RAINFALL.

JAN 1905

Kept at Bettws-y-Coed

in the County of Carnarvon

by Douglas Macdonogh F.R.Met.Soc

Lat. 53°7 Long. 3°.53

Nearest Railway Station Bettws-y-Coed

RAIN GAUGE.
Time of Observation 9 am
Diameter 8 in.
Height of top above Ground 2 ft. 6 in.
" " Sea Level 152½ ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.01	0.00	0.06	0.46	0.22	0.07	0.00	0.00	0.02	0.00	0.55	1
2	0.10	0.06	0.01	0.60	0.02	0.00	0.09	0.00	0.44	0.00	0.00	0.11	2
3	0.06	0.17	0.00	0.09	0.00	0.00	0.01	0.03	0.00	0.00	0.00	0.09	3
4	0.01	0.07	0.00	0.33	0.01	0.00	0.07	0.20	0.00	0.01	0.00	0.87	4
5	0.00	0.02	0.02	0.70	0.06	0.00	0.00	0.12	0.15	0.10	0.02	0.42	5
6	0.33	0.07	0.01	0.11	0.18	0.00	0.00	0.00	0.09	0.22	0.53	0.07	6
7	0.35	0.31	0.10	0.12	0.12	0.00	0.00	0.00	0.34	0.23	0.30	0.30	7
8	0.08	0.11	0.07	0.04	0.38	0.00	0.00	0.10	0.00	0.24	0.80	0.14	8
9	0.51	0.19	0.00	0.09	0.00	0.19	0.00	0.00	0.00	0.01	0.28	0.49	9
10	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.10	0.21	0.08	10
11	0.14	0.03	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.05	0.01	0.28	11
12	0.69	0.51	0.00	0.10	0.00	0.15	0.79	0.00	0.46	0.00	0.00	0.60	12
13	0.48	0.86	0.32	0.09	0.00	0.10	0.00	0.53	0.05	0.00	0.00	0.18	13
14	0.03	0.11	0.18	0.32	0.01	0.38	0.24	0.39	0.00	0.00	0.00	0.01	14
15	0.14	0.21	0.00	0.05	0.00	0.10	0.10	0.02	0.01	0.04	0.00	0.30	15
16	0.13	0.18	0.00	0.01	0.00	0.20	0.01	0.56	0.00	2.09	0.00	0.42	16
17	0.07	0.17	0.04	0.00	0.01	0.07	0.00	0.20	0.00	0.09	0.00	0.60	17
18	0.07	0.13	0.01	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.03	0.00	18
19	0.06	0.66	0.04	0.00	0.00	0.00	0.07	0.21	0.00	0.00	0.04	0.00	19
20	0.05	0.34	0.45	0.01	0.03	0.00	0.00	0.01	0.00	0.01	0.03	0.00	20
21	0.00	0.49	0.14	0.10	0.09	0.00	0.03	0.94	0.00	0.02	0.46	0.00	21
22	0.00	0.01	0.01	0.21	0.00	0.00	0.07	0.56	0.00	0.00	0.11	0.00	22
23	0.00	0.00	0.00	0.00	0.24	0.00	1.25	0.13	0.00	0.00	0.10	0.00	23
24	0.01	0.00	0.00	0.00	0.01	0.14	0.08	0.00	0.02	0.10	0.00	0.00	24
25	0.11	0.21	0.00	0.00	0.24	0.01	0.15	0.01	0.29	0.00	0.00	0.03	25
26	0.70	0.26	0.00	0.03	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	26
27	0.70	0.02	0.01	0.04	0.20	0.00	0.00	0.01	0.00	0.00	0.19	0.04	27
28	0.02	0.00	0.66	0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.03	28
29	0.28	0.00	0.11	0.25	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.39	29
30	0.26	~~0.00~~	0.22	0.00	0.14	0.04	0.07	0.32	0.27	0.00	0.01	0.02	30
31	0.01	—	0.15	—	0.46	—	0.06	0.01	—	0.00	—	0.03	31
Totals	5.73	5.20	2.55	3.80	3.06	1.55	3.16	4.56	2.13	3.33	3.20	5.99	
Total from Jan. 1	5.73	10.93	13.48	17.28	20.34	21.89	25.05	29.61	31.74	35.07	38.27	44.26	

K/4000/12/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper. 3d.

5.a

FORM A.
BRITISH RAINFALL.

18 MAY 1906

REGISTER OF RAINFALL IN 1905

Kept at Bettws y coed
in the County of Carnarvonshire
by H. W. Fot

RAIN GAUGE.
Lat. 53° 7′ Long. 3° 53.
Nearest Railway Station Bettws y coed
Time of Observation 9 am
Diameter in.
Height of top above Ground 2 ft. 6 in.
" " Sea Level 152½ ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·04	0·06	0·01	·07	·19	·28	records missing ·40	0·06	0·08	0·13	0·40	0·01	1
2	0·01	0·05	0·00	·00	·02	·00		0·21	0·07	0·09	0·04	0·00	2
3	0·00	0·16	0·05	·15	·01	·00		·06	0·03	0·57	0·01	0·00	3
4	0·40	0·01	·04	·13	·02	·00		·34	0·01	0·70	0·19	0·01	4
5	0·48	0·00	·03	·09	·00	·00		·01	0·10	0·01	0·33	0·25	5
6	0·02	0·42	·06	·90	·00	·00		·15	0·13	0·04	0·01	0·08	6
7	0·02	0·00	·11	·07	·00	·01		·15	0·49	0·30	0·27	0·24	7
8	0·31	0·01	·42	·30	·00	·00	0·00	·00	0·36	0·00	0·09	0·08	8
9	0·05	0·06	·08	·00	·00	·00	·38	·10	0·71	0·00	0·01	0·00	9
10	0·12	0·03	·96	·00	·08	·00	·00	·02	0·05	0·00	0·60	0·00	10
11	0·53	0·03	·76	·01	·02	·00	·01	·03	0·03	0·00	0·26	0·00	11
12	0·00	0·10	·13	·02	·00	·05	·00	·00	0·46	0·06	0·02	0·00	12
13	0·00	0·00	·11	·05	·00	·10	·00	·00	0·06	0·05	0·01	0·00	13
14	0·00	0·00	·52	·02	·00	·00	·01	·00	0·03	0·18	0·01	0·00	14
15	0·00	0·01	·46	·00	·00	·00	·00	·00	0·02	0·27	0·07	0·00	15
16	0·09	0·25	·26	·00	·00	·07	·00	·00	0·00	0·06	0·02	0·01	16
17	0·41	0·07	·16	·00	·00	records missing 1·87	·12	·28	0·00	0·02	0·00	0·00	17
18	0·00	0·13	·00	·03	·00		·00	·15	0·00	0·03	0·00	0·05	18
19	0·00	0·11	·00	·06	·00		·00	·30	0·01	0·00	0·00	0·06	19
20	0·00	0·00	·00	·00	·00		·00	·00	0·00	0·19	0·02	0·40	20
21	0·00	0·00	·00	·00	·00		·01	·14	0·00	0·06	0·02	0·03	21
22	0·00	0·00	·00	·00	·00		·00	·60	0·00	0·02	0·85	0·00	22
23	0·04	0·00	·35	·05	·00		0·12	·05	0·00	0·13	0·06	0·00	23
24	0·06	0·04	·00	·05	·03		·02	·02	0·04	0·01	0·04	0·00	24
25	0·00	0·27	·07	·02	·00		·01	·65	0·04	0·00	0·33	0·00	25
26	0·00	0·56	·07	·07	·00		·08	·16	0·01	0·48	0·75	0·00	26
27	0·00	0·30	·05	·06	·05		·50	·14	0·02	0·00	0·72	0·05	27
28	0·00	0·09	·80	·46	·00		·00	1·73	0·21	0·29	0·13	0·03	28
29	0·03		03	·17	·04		·10	0·10	0·01	0·80	0·30	0·20	29
30	0·13		·15	1·02	·01		·00	·01	0·02	0·52	0·09	0·06	30
31	0·06		·00		·12		·00	·00		0·01		0·06	31
Totals	2·77	2·76	5·68	3·80	0·59	2·38	1·76	5·46	2·92	5·02	5·59	1·56	
Total from Jan. 1		5·53	11·21	15·01	15·60	17·98	19·74	25·20	28·02	33·04	38·73	40·29	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

M.O. 2.04

completed from M.

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.

7 - NOV 1906

Kept at Bettws y Coed

in the County of Carnarvon

by H. W. Fot

Lat. 53°7′ Long. 3·53′

Nearest Railway Station 1/4 mile

RAIN GAUGE.
Time of Observation 9·am
Diameter in.
Height of top above Ground 2′ ft. 6 in.
" " Sea Level 152·6 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·17	0·01	0·36	0·00	0·06	0·09	0·02	1·79	0·00	0·78	·09	·15	1
2	0·03	0·33	0·01	0·00	0·40	0·00	0·01	1·02	0·00	0·23		·23	2
3	0·05	0·05	0·00	0·00	0·15	0·00	0·00	0·27	0·00	0·00		·18	3
4	0·05	0·00	0·00	0·00	0·01	0·00	0·00	0·02	0·00	1·03	·03	·20	4
5	1·02	0·00	0·18	0·00	0·42	0·00	0·02	0·00	0·28	0·00	·01	·50	5
6	0·25	0·03	0·06	0·00	0·02	0·00	0·01	0·00	0·02	0·09	·28	-	6
7	0·32	0·15	1·32	0·00	0·01	0·00	0·02	0·00	0·00	0·02	·06	·08	7
8	0·15	0·38	0·04	0·00	0·78	0·00	0·00	0·10	0·00	0·17	·31	·34	8
9	0·02	1·02	0·05	0·00	0·00	0·00	0·00	0·07	0·00	0·16		·03	9
10	0·00	0·98	0·50	0·00	0·00	0·00	0·01	0·16	0·00	0·11		·02	10
11	0·73	0·26	0·90	0·00	0·05	0·00	0·00	0·09	0·07	0·10		·43	11
12	0·56	0·04	0·19	0·00	0·02	0·00	0·11	0·85	0·00	0·21		·45	12
13	0·06	0·07	0·01	0·02	0·01	0·00	0·11	0·16	0·74	0·12 0·01		·18	13
14	0·05	0·15	0·78	0·00	0·00	0·005	0·20	0·19	0·57	0·10	·16	·06	14
15	0·77	0·31	0·98	0·00	0·06	0·00	0·03	0·23	0·13	0·57	·68	·38	15
16	0·65	0·10	0·07	0·10	0·31	0·06	0·02	0·15	0·00	0·92	·28	–	16
17	0·89	0·01	0·04	0·00	0·34	0·22	0·02	0·18	0·00	0·22	·29	–	17
18	0·56	0·00	0·10	0·00	0·00	0·00	0·06	0·00	0·12	0·02	·25	–	18
19	0·01	0·57	0·00	0·00	0·23	0·00	0·14	0·005	0·00	0·20	·28	–	19
20	0·21	0·01	0·00	0·03	0·02	0·00	0·00	0·09	0·00	0·16	·16	–	20
21	0·01	0·00	0·00	0·08	0·00	0·005	0·00	0·06	0·00	0·22	·28	–	21
22	0·00	0·01	0·06	0·02	0·04	0·00	0·03	0·00	0·00	0·14	·03	-	22
23	0·01	0·02	0·00	0·19	0·15	0·08	0·00	0·25	0·00	0·00		·06	23
24	0·85	0·27	0·04	0·10	0·36	0·11	0·00	0·57	0·00	0·00		·68	24
25	0·04	0·18	0·02	0·09	0·45	0·58	0·00	0·00	0·00	0·30		·23	25
26	0·00	0·37	0·00	0·01	0·10	0·88	0·00	0·005	0·00	0·95	·40	·35	26
27	0·02	0·02	0·00	0·22	0·09	0·00	0·00	0·00	0·00			·12	27
28	0·20	0·25	0·00	0·11	0·02	0·05	0·06	0·00	0·00	0·73	·04	·16	28
29	0·01		0·00	0·20	0·00	0·00	0·00	0·00	0·00	0·22	1·06	·04	29
30	0·01		0·01	0·02	0·11	0·00	0·00	0·00	0·01	0·14	·09	·22	30
31	0·08		0·00		0·23		0·02	0·00		0·01		·14	31
Totals	7·78	5·53	5·72	1·19	4·44	2·08	1·09	6·20	1·34	7·93	4·78	5·26	53·34
Total from Jan. 1		13·31	19·03	20·22	24·66	26·74	27·83	34·03	35·37	43·30			232

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

Copied by ARP

S.m.a.

made

Ex1055

3/5 06.

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

19 FEB 1909

Kept at Bettws-y-Coed

in the County of Carnarvon

by Dr Hugh Fox.

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.03	.15	—	—	.40	—	—	.04	—	—	—	1
2	—	.07	.27	.12	.33	.10	—	—	.02	—	—	.02	2
3	—	.22	.05	.17	—	.02	—	—	.24	—	—	.02	3
4	—	—	—	.06	.10	—	—	.01	—	—	—	.02	4
5	.28	.01	.30	.01	.58	.05	—	—	—	—	—	.14	5
6	.58	—	.40	—	.05	—	—	—	.01	—	—	—	6
7	.35	—	.11	—	.56	.03	.10	—	—	—	—	.22	7
8	.42	—	.31	—	.31	—	.35	—	1.28	.05	—	.64	8
9	—	.01	.75	.20	.01	—	.92	.06	.27	.02	—	.70	9
10	—	—	.38	.05	—	—	—	.07	.50	.01	.28	.21	10
11	—	—	.01	.03	.02	.38	.56	—	.18	—	.28	.18	11
12	—	—	—	—	.22	.03	—	—	.01	—	.32	.15	12
13	.01	.04	.04	—	.02	1.12	.15	.02	.03	—	.45	.38	13
14	.37	.88	—	.02	.14	—	.04	—	.20	—	.04	.38	14
15	.71	.08	.11	—	.04	.15	.10	—	.28	.09	—	.23	15
16	.67	.35	—	—	.04	—	.68	—	.65	—	.05	.10	16
17	.11	.16	—	—	.10	.80	.22	—	—	.03	.03	.23	17
18	—	.15	.01	—	—	—	—	—	.09	.15	.70	.05	18
19	.01	.05	.02	.02	—	.02	.01	—	.01	.16	.05	.05	19
20	—	.08	—	.04	—	—	—	.87	.21	.05	.08	—	20
21	—	.28	.02	.01	.35	—	—	.23	—	.01	.75	.03	21
22	.01	.53	.25	.03	.03	.03	—	.02	—	—	.12	.01	22
23	—	.15	.07	.17	.01	.01	—	.24	.01	—	.12	—	23
24	—	.01	.44	.05	.18	—	.16	.26	—	—	.34	—	24
25	.55	.04	.07	—	.03	—	.11	.09	.35	.03	.22	—	25
26	.82	.18	—	—	—	—	—	1.20	.01	.03	—	.10	26
27	.22	.31	.41	.37	—	—	.01	.90	.01	—	—	.06	27
28	.49	.23	.03	.41	—	—	—	.15	.04	.76	.84	.03	28
29	.05	—	.40	.27	.02	—	—	.03	—	—	—	.06	29
30	.05		.53	.07	.03	—	—	.10	—	.10	—	.40	30
31	.33		—		.27	—	—	.91		—		.05	31
Total	6.03	3.86	5.13	2.10	3.44	3.14	3.41	5.16	4.44	1.49	4.67	4.48	TOTAL for year 47·
No. of Rain Days	18	21	23	18	22	13	13	16	21	13	16	25	219

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Sh. S.m.a. 463

FORM A.
BRITISH RAINFALL.

-5 FEB 1910

REGISTER OF RAINFALL IN 190~~8~~9

Kept at Betws. y. coed Tyn. y. bryn [illegible]

in the County of Carnarvon

by Dr H. W. Fox

Lat. .... Long. ....

Nearest Railway Station ....

Time of Observation ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " Sea Level .... ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·01	·07		—			·32	·20		·01	·32	1
2		·12	·28	·01					·01	·19		1·64	2
3		·15	·04	·03			·20		·54	·37	·01	·46	3
4		·11	·01			·21			·12	·41		·10	4
5		·02	·10			·03	·08		·41	·13	·12	·07	5
6	·02		·06				·03		·33		·15	·34	6
7	·29								·49	·43	·03	·20	7
8	·05	·10								·04			8
9	·12	·83	·07			·01	·65			·30	·07	·21	9
10	·31	·30	·01			·08				·22	·10	·58	10
11	·13	·01		·06						·25	·12	·02	11
12	·06		·01	·26	·04				·08	·90	·03	·01	12
13	·36		·10	·36			·04		·03	·33			13
14	1·04	·01	·16		·04					1·00			14
15	·33		·03	·62			·24			·32			15
16	·12		·06	·22	·01		·01	·03		·26			16
17	·11		·06	·46	·17			·75		·22	·03	·06	17
18	·30		·05				·06	·10				·38	18
19			·05	·29		·06		·13	·06	·91		·18	19
20			·42			·43	·19	·50		·13	·01		20
21						·30	·01	·07		·36	·07	·78	21
22	·01			·28	·01	·14	·04	·26		·44		·67	22
23			·14	·39		·21	·12	·09	·31	1·47		·22	23
24			·66	·41	·43	·37	·50	·28	1·19	·34	·12	·30	24
25			·18	·21		·38	·20	·02	—	·01	·02	·59	25
26		·03	·02	·37	·15	·03	·05	·01	·03		·16	·06	26
27		·06	·23	·05	·01		·38		1·31		·55	·81	27
28	·15	·05	·53	·15	·12	·05	·09	·03	·12		·79	·33	28
29			·31	·02			·31	·31		·45	·08	·01	29
30	·05		·04	·10	·13		·13	·06	·07	·08	·80	·46	30
31	·08		·40		·07		·05	·06		·01			31
Total	3·58	1·80	4·10	4·29	1·18	2·30	3·38	3·02	5·30	9·57	3·27	8·80	TOTAL for year 50·59
No. of Rain Days	18	13	26	18	11	13	20	16	16	25	19	24	219

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

2/59

FORM A.

BRITISH RAINFALL.
25 JAN 1911

REGISTER OF RAINFALL IN 1910

Kept at Bettws-y-Coed, Tyn-y-bryn

in the County of Carnarvon

by Dr. H. W. Fox

2.

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.21	1.05		.01	.38	.30	.02	.01		.56	.46	1
2		.15	.01	.06		.09	.45	.31	.01	.50	.32	.24	2
3		.16			.07		.02	.02			.05	.10	3
4		.12		.11	.24	.19		.02			.15	.10	4
5		.10	.01	.44	.46	.18	.65	.01			.12	.21	5
6		.54	.20	.03	.26						.58	.31	6
7		.20	.08		.50	.07					.23	.06	7
8	.72	.25	.63		.08	.04					.38	.10	8
9	.66		.40	.03	.03	.06					.07	.21	9
10	.39	.08	.07			.22			.03	.05	.82	.05	10
11	.25	.05	.01		.03			.13		.40	.13	.30	11
12	.31			.25	.04			.04		.12	.49	.37	12
13	.73	.11		.24							.30	.26	13
14	.03	.32	.03	.02				.26	.05		.34	.53	14
15	1.28	.03		.55	.31	.01		.14			.57	.85	15
16	.23	.56	.15	.02				.27		.54	.10	1.19	16
17	.15	.25	.02		.14			.05		.38	.25	.25	17
18	.13	.27	.12	.16	.19			.72		1.005	.02	.02	18
19	.03	.35		.16	.01			.22	.08	1.04	.20	.08	19
20	.09	.97		.03		.02	.95	.50		.43	.02	.29	20
21	.07	.03		.07				.02				.02	21
22	.21	.22		.02		.03	.59	.04			.15	.09	22
23	.52	.32		.22		.30		.15			.58	.64	23
24	.03	.30		.44		.02	.55	.23	.01		.02	.07	24
25		.35		.09		.05	.90	.76			.11	.02	25
26		.10		.02		.01		1.09	.12		.01	.25	26
27	.35	.22		.52		.42	.13	.21			.38	.02	27
28	.40	.20		.15	.01	.67	.31	.86	.05	.15	.25	.12	28
29	.37			.03	.06	.34		.20					29
30	.02				.29	.21		.10			.10		30
31	.28				.27			.02		1.32		.20	31
Total	7.26	6.46	2.78	3.66	3.00	3.31	4.85	6.39	.36	5.935	7.30	7.41	TOTAL for year 58.715
No. of Rain Days	23	26	13	22	18	19	10	25	8	11	28	29	232

6,000. V. '09.

5.0

CARNARVON

1901

MET/2/4/1/1/6/3/859

R 1901

Kept at Glasinfry

in the County of C

by J R Jethri

Lat. Lon.

Time of Observation

Diameter 5"

Height of top above Ground 1

" " Sea Level 201 ft.

NOTE.—Full instructions res respecting the Systematic Observation and Record of the Rainfall," which is sent post-free on application to Mr. Sowerby Wallis or Dr. H. R. Mill, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·68 W3 $1000	·20 SW $3000	—	—	·05 SW5	·08 E4	—	—	·25 S1 TR	—	·01 W2	1
2	·00 E2 $3000	—	·06 W3 $2000	·37 SW6	—	·18 SW4	—	—	—	—	—	—	2
3	—	·02 N1 $1000	·26 W4 $2500	·15 SW $2000	—	·05 SW3	—	·13 SW4	—	·75 SW+W1	—	·01 W1	3
4	—	·50 N1 $500	·48 SW6	—	—	·38 SW3	—	—	—	·02 SW4	—	·16 SW2	4
5	—	—	·08 W5 $2500	·15 SW3	·24 NW1 $3000	—	—	·09 SW4	—	·28 W7	—	·29 $2500 SSW5	5
6	—	·02 N1 $1500	·20 NW5 $2000	—	—	·02 N1	—	—	—	·22 NW6	—	·08 SW5	6
7	—	·03 NW2 $1500	·23 $2500 NW5	·40 SW5	·17 W4	—	—	—	·02 S3	·18 SW2	—	·60 SSW6	7
8	·01 SE4 $500	·02 W2 $2000	—	·20 S4 $2500	·02 W3 $2500	—	—	·54 TR C	·18 S2	·35 W+NW3	—	·19 $2000 W6	8
9	·03 SE5 $1500	—	—	—	·10 NE1	—	—	·43 SW3	·22 W1	—	—	·06 NW7 $1500	9
10	—	—	—	·30 W3 $3000	·08 NE1 $3200	—	—	·10 SW3	·45 W1	·28 W1	1·15 SW+SW3	·04 NW2 $1500	10
11	—	—	—	·02 N2 $2000	·05 W2	·14 SW2	—	·03 S4	—	·07 SW3	2·22 S5 B. 28·8	·85 NE9 $300	B 28·8 11
12	·03 SW3	—	—	—	—	·18 WSW	—	·45 S4	·03 N1	·29 SE1	·38 NE9 $2500	·02 NE8 $1500	12
13	—	—	—	·42 SW3	—	·32 NW3	—	·08 S3	—	— Same depression	·18 NE6 $1500	·03 $1000 NE8	13
14	—	—	—	·18 W3 $2500	—	—	—	—	—	·03 C	·09 N1 $300	·78 S1 $1000	14
15	—	·30 W1 $2000	·08 E3 $2000	—	—	·13 N1	—	·15 S5	—	·15 SE1	—	·06 W1 $1000	15
16	·15 S2	—	—	—	—	—	—	·02 SW3	·10 SE2	·51 SW3	—	—	16
17	·02 SW2	—	—	—	—	—	—	—	·04 W5	·48 S6	·18 W3 $2500	·18 NW2 $1500	17
18	·20 SE3	·02 NW1 $2500	—	—	—	—	—	—	·16 SW5	·31 W1	·35 W5	·50 NW3 $1500	18
19	·48 NE3	—	·02 NE6 $500	—	—	·12 SW4	—	—	·48 SSW7	·35 TR S1	·23 W5	·31 N1 $300	19
20	·25 SW3	—	—	—	—	·55 SW4	·11 TR E1 T.90°	—	—	—	·72 W4	—	20
21	—	—	—	—	—	~~·09~~ ~~W2~~	·06 W1	—	—	—	·22 W3	—	21
22	·10 SW2	—	—	·05 C	—	·31 SW4	·04 NW2	—	—	·15 W1	—	—	22
23	—	·02 W1 $3000	—	—	—	·09 W2	·28 TR C	—	·05 SE2	—	—	·75 S8 $1200	23
24	—	·01 W1	·09 NE3 $0	—	—	—	·28 NE3	—	—	·20 SW3	—	·73 W2 $2000	24
25	—	—	·07 N1 $0	—	·01 E1	—	·45 NW1	·70 W5 (1·15 in 10 hours)	·25 W1	—	—	·15 W3 $2500	25
26	·15 SW	·28 $3000 SW3	·12 NW2 $0	—	—	—	—	·45 N6	—	·07 SW2	—	·05 $2500 S6	26
27	·13 W3	·16 SW2 $3000	·13 N2 $0	·15 $2500 NE2	—	—	—	—	—	·27 SW4	·02 N3	·18 SW5	27
28	·05 W7 $500	·15 SW3 $3000	—	—	—	—	—	—	—	—	·18 NW3	·10 SW6	28
29	·02 NW4 $500	|	2·15 S6 $2500 B 28·8	·28 W2	—	—	—	·80 SW5	·27 N1	·02 SW	—	·02 SW7	29
30	·20 NW3 $300	|	·40 W5 $2000	—	—	—	—	·91 SW3	—	—	·11 W2	·01 SW7	30
31	—	|	·18 W4 $1500	|	·30 SW2	|	·20 C	—	|	—	|	·08 S3	31
amt for month Totals	1.89	2.21	4.75	2.67	·97	2.52	1.50	4.88	2.28	5.23	6.03	6.24	
	1.89	4.03	8.78	11.45	12.42	14.94	16.44	21.32	23.60	28.83	34.86	41.10	
Rainy days from Rainfall	15 / ·12	13 / ·17	16 / ·30	12 / ·22	8 / ·12	13 / ·19	8 / ·19	14 / ·34	12 / ·19	21 / ·24	13 / ·46	26 / ·24	
Rn days Total	15	28	44	56	64	77	85	99	111	132	145	171	

4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3d.

5.a

REGISTER OF RAI 1901

P.T.O.

Kept at Glasinfryn W-Bangor
in the County of Carnarvon
by J R Jethrin Jones

RAIN GAUGE.
Lat. Lon.
Time of Observation
Diameter 5"
Height of top above Ground 1'
" " Sea Level 201 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.68 W3 $1000	.20 SW $3000	—	—	.05 SW 5	.08 E4	—	—	.25 S1 TR	—	.01 W2	1
2	.00 E2 $3000	—	.06 W3 $2000	.37 SW6	—	.18 SW4	—	—	—	—	—	—	2
3	—	.02 N1 $1000	.26 W4 $2500	.15 SW $2000	—	.05 SW3	—	.13 SW4	—	.75 SW+W1	—	.01 W1	3
4	—	.50 N1. $500	.48 ~~$[illegible]~~ SW6	—	—	.38 SW3	—	—	—	.02 SW4	—	.16 SW2	4
5	—	—	.08 W5 $2500	.15 SW3	.24 NW1 $3000	—	—	.09 SW4	—	.28 W7	—	.29 $2500 SSW5	5
6	—	.02 N1 $1500	.20 NW5 $2000	—	—	.02 N1	—	—	—	.22 NW6	—	.08 SW5	6
7	—	.03 NW2 $1500	.23 $2500 NW5	.40 SW5	.17 W4	—	—	—	.02 S3	.18 SW2	—	.60 SSW6	7
8	.01 SE4 $500	.02 W2 $2000	—	.20 S4 $2500	.02 W3 $2500	—	—	.54 TR C	.18 S2	.35 W+NW3	—	.19 $2000 W6	8
9	.03 SE5 $1500	—	—	—	.10 NE1	—	—	.43 SW3	.22 W1	—	—	.06 NW7 $1500	9
10	—	—	—	.30 W3 $3000	.08 NE1 $3200	—	—	.10 SW3	.45 W1	.28 W1	1.15 SW+W3	.04 NW2 $1500	10
11	—	—	—	.02 N2 $2000	.05 W2	.14 SW2	—	.03 S4	—	.07 SW3	2.22 B. S5 28.8	.85 NE9 $300	B.28.8 11
12	.03 SW3	—	—	—	—	.18 WSW	—	.45 S4	.03 N1	.29 SE1	.38 NE9 $2500	.02 NE8 $1500	12
13	—	—	—	.42 SW3	—	.32 NW3	—	.08 S3	—	—	Same depression .18 NE6 $1500	.03 $1000 NE8	13
14	—	—	—	.18 W3 $2500	—	—	—	—	—	.03 C	.09 N1 $300	.78 S1 $1000	.78 14
15	—	.30 W1 $2000	.08 E3 $2000	—	—	.13 N1	—	.15 S5	—	.15 SE 1	—	.06 W1 $1000	15
16	.15 S2	—	—	—	—	—	—	.02 SW3	.10 SE 2	.51 SW3	—	—	16
17	.02 SW2	—	—	—	—	—	—	—	.04 W5	.48 S 6	.18 W3 $2500	.18 NW2 $1500	17
18	.20 SE 3	.02 NW1 $2500	—	—	—	—	—	—	.16 SW5	.31 W1	.35 W5	.50 NW3 $1500	18
19	.48 NE3	—	.02 NE6 $500	—	—	.12 SW4	—	—	.48 SSW7	.35 TR S1	.23 W5	.31 N1 $300	19
20	.25 SW3	—	—	—	—	.55 SW4	.11 TR. E1 T.90°	—	—	—	.72 W4	—	20
21	—	—	—	—	—	~~.09~~ ~~[illegible]~~	.06 W1	—	—	—	.22 W3	—	21
22	.10 SW2	—	—	.05 C	—	.31 SW4	.04 NW2	—	—	.15 W1	—	—	22
23	—	.02 W1 $3000	—	—	—	.09 W2	.28 TR C	—	.05 SE2	—	—	.75 S8 $1200	23
24	—	.01 W1	.09 NE3 $0	—	—	—	.28 NE3	—	—	.20 SW3	—	.73 W2 $2000	24
25	—	—	.07 N1 $0	—	.01 E1	—	.45 NW1	.70 W5 115 in 10 hours	.25 W1	—	—	.15 W3 $2500	25
26	.15 SW	.28 $3000 SW3	.12 NW2 $0	—	—	—	—	.45 N6	—	.07 SW2	—	.05 $2500 S6	26
27	.13 W3	.16 SW2 $3000	.13 N2 $0	.15 $2500 NE2	—	—	—	—	—	.27 SW4	.02 N3	.18 SW5	27
28	.05 W7 $500	.15 SW3 $3000	—	—	—	—	—	—	—	—	.18 NW3	.10 SW6	28
29	.02 NW4 $500		2.15 S6 B.28.8 $2500	.28 W2	—	—	—	.80 SW5	.27 N1	.02 SW	—	.02 SW7	29
30	.20 NW3 $300		.40 W5 $2000	—	—	—	—	.91 SW3	—	—	.11 W2	.01 SW7	30
31	—		.18 W4 $1500		.30 SW2		.20 C	—		—		.08 S3	31
amt for month Totals	1.82	2.21	4.75	2.67	.97	2.52	1.50	4.88	2.28	5.23	6.03	6.24	
	1.82	4.03	8.78	11.45	12.42	14.94	16.44	21.32	23.60	28.83	34.86	41.10	
Rainy days from Rainfall	15 .12	13 .17	16 .30	12 .22	8 .12	13 .19	8 .19	14 .34	12 .19	21 .24	13 .46	26 .24	
Rain day Total	15	28	44	56	64	77	85	99	111	132	145	171	

3/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3d.

S.a.

CARNARVON

CONWAY

"BODLONDEB

MET/2/4/1/6/3/4424

1905 – 06, 08 – 1909.

BRITISH R FALL.
12 MAR 1906

R 1905

Long.

Kept at Bodlondeb

ailway Station Conway

in the County of Car

bservation Nine am

Five in.

by Joseph Tinda

(2 on B)

top above Ground One ft. Three in.

„ Sea Level Forty ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	0·14	"	·06	0·13	·05	0·20	·02	0·16	0·15	0·35	"	1
2	·02	"	"	"	0·15	"	0·14	0·19	·06	0·19	"	"	2
3	·04	"	·04	·06	"	"	"	0·18	"	0·21	"	"	3
4	0·18	"	·03	·07	"	"	"	0·11	"	0·31	0·46	"	4
5	0·41	"	·09	·09	"	"	0·15	·02	"	"	0·26	0·11	5
6	·02	0·48	·08	0·56	"	"	"	"	0·10	"	"	·01	6
7	·03	"	0·18	0·19	·07	0·11	"	"	·05	0·52	"	0·16	7
8	0·30	"	·04	0·17	"	"	"	·03	0·13	"	0·26	0·10	8
9	·06	·04	·09	"	"	"	0·50	·03	0·49	"	"	"	9
10	·08	·08	0·34	"	"	"	·02	"	"	"	0·64	"	10
11	0·22	·03	0·53	"	·04	"	·05	·06	·05	·02	0·17	"	11
12	"	0·16	0·15	·05	"	·01	"	"	0·21	·05	"	"	12
13	"	0·13	0·14	·05	"	0·15	"	"	0·34	·04	·05	"	13
14	"	"	0·45	"	"	"	"	"	·04	·08	·02	"	14
15	"	"	0·23	"	"	"	"	"	"	0·24	·02	"	15
16	0·15	0·16	0·47	"	"	0·16	"	"	"	"	"	"	16
17	0·46	·04	·03	·03	"	0·42	"	·09	"	0·13	·03	"	17
18	"	·04	"	·04	"	0·56	"	"	"	·05	"	0·12	18
19	"	0·12	"	·06	"	0·14	"	0·11	·05	"	"	·08	19
20	"	"	"	"	"	0·14	"	"	"	0·21	·05	0·18	20
21	"	"	"	"	"	·08	·07	·01	"	0·23	"	"	21
22	"	"	"	"	"	"	0·18	1·05	"	"	0·38	"	22
23	"	"	0·50	·03	·05	"	"	"	"	0·17	"	"	23
24	"	"	"	·02	"	"	0·20	"	"	"	·03	"	24
25	"	0·45	0·10	·04	"	"	·09	0·41	"	"	0·27	"	25
26	"	0·40	·04	·03	"	"	0·98	"	"	0·21	0·58	"	26
27	"	0·15	·02	0·13	"	"	"	·07	"	"	1·08	"	27
28	"	·08	0·34	0·27	·05	1·23	"	0·98	0·19	·08	0·27	·02	28
29	"		0·13	"	"	"	·02	·08	"	0·51	·02	0·21	29
30	·02		·09	0·56	"	0·18	"	"	·07	0·73	·03	"	30
31			"		0·21		·04	"		·02		·02	31
Totals	2·01	2·50	4·11	2·51	0·70	3·23	2·64	3·44	1·94	4·15	4·97	1·01	
Total from Jan. 1		4·51	8·62	11·13	11·83	15·06	17·40	21·14	23·08	27·23	32·20	33·21	

18o

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

S.a.

R 1905

BRITISH R ALL.
12 MAR 1906

Kept at Bodlondeb Gardens, Conway N.W.
in the County of Carnarvon
by Joseph Tindall (Head Gardener)

Lat. Long.
Nearest Railway Station Conway

RAIN GAUGE.
Time of Observation Nine am
Diameter Five in. (2 on B)
Height of top above Ground One ft. Three in.
„ „ Sea Level Forty ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	0·14	″	·06	0·13	·05	0·20	·02	0·16	0·15	0·35	″	1
2	·02	″	″	″	0·15	″	0·14	0·19	·06	0·19	″	″	2
3	·04	″	·04	·06	″	″	″	0·18	″	0·21	″	″	3
4	0·18	″	·03	·07	″	″	″	0·11	″	0·31	0·46	″	4
5	0·41	″	·09	·09	″	″	0·15	·02	″	″	0·26	0·11	5
6	·02	0·48	·08	0·56	″	″	″	″	0·10	″	″	·01	6
7	·03	″	0·18	0·19	·07	0·11	″	″	·05	0·52	″	0·16	7
8	0·30	″	·04	0·17	″	″	″	·03	0·13	″	0·26	0·10	8
9	·06	·04	·09	″	″	″	0·50	·03	0·49	″	″	″	9
10	·08	·08	0·34	″	″	″	·02	″	″	″	0·64	″	10
11	0·22	·03	0·53	″	·04	″	·05	·06	·05	·02	0·17	″	11
12	″	0·16	0·15	·05	″	·01	″	″	0·21	·05	″	″	12
13	″	0·13	0·14	·05	″	0·15	″	″	0·34	·04	·05	″	13
14	″	″	0·45	″	″	″	″	″	·04	·08	·02	″	14
15	″	″	0·23	″	″	″	″	″	″	0·24	·02	″	15
16	0·15	0·16	0·47	″	″	0·16	″	″	″	″	″	″	16
17	0·46	·04	·03	·03	″	0·42	″	·09	″	0·13	·03	″	17
18	″	·04	″	·04	″	0·56	″	″	″	·05	″	0·12	18
19	″	0·12	″	·06	″	0·14	″	0·11	·05	″	″	·08	19
20	″	″	″	″	″	0·14	″	″	″	0·21	·05	0·18	20
21	″	″	″	″	″	·08	·07	·01	″	0·23	″	″	21
22	″	″	″	″	″	″	0·18	1·05	″	″	0·38	″	22
23	″	″	0·50	·03	·05	″	″	″	″	0·17	″	″	23
24	″	″	″	·02	″	″	0·20	″	″	″	·03	″	24
25	″	0·45	0·10	·04	″	″	·09	0·41	″	″	0·27	″	25
26	″	0·40	·04	·03	″	″	0·98	″	″	0·21	0·58	″	26
27	″	0·15	·02	0·13	″	″	″	·07	″	″	1·08	″	27
28	″	·08	0·34	0·27	·05	1·23	″	0·98	0·19	·08	0·27	·02	28
29	″		0·13	″	″	″	·02	·08	″	0·51	·02	0·21	29
30	·02		·09	0·56	″	0·18	″	″	·07	0·73	·03	″	30
31			″		0·21		·04	″		·02		·02	31
Totals	2·01	2·50	4·11	2·51	0·70	3·23	2·64	3·44	1·94	4·15	4·97	1·01	
Total from Jan. 1		4·51	8·62	11·13	11·83	15·06	17·70	21·14	23·08	27·23	32·20	33·21	180

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

2+RL

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.
-8 JAN 1907

Kept at The Gardens Bodlondeb Conway N.W.
in the County of Carnarvon N.W.
by Joseph Tindall (Head Gardener)

Lat.......... Long..........
Nearest Railway Station Conway
RAIN GAUGE. Time of Observation 9 am
Diameter Five in.
Height of top above Ground One ft. Three in.
" " Sea Level 40 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·17	"	0·59	"	"	0·35	"	0·70	"	0·32	0·11	0·11	1
2	0·16	0·11	"	"	0·20	"	"	0·97	"	0·20	"	0·16	2
3	·02	"	"	"	0·14	"	"	·02	"	"	"	0·10	3
4	·02	"	"	"	"	"	"	"	"	0·42	"	·03	4
5	1·01	·02	·02	"	·04	"	"	"	0·11	0·10	"	0·23	5
6	0·19	·04	"	"	"	"	"	"	·03	·06	"	"	6
7	0·38	"	0·96	"	"	"	"	·02	"	·04	·09	·03	7
8	·02	0·32	·04	·03	1·45	"	·04	0·10	"	0·10	0·13	0·23	8
9	·13	0·55	·02	"	"	"	"	·03	"	0·17	"	"	9
10	"	0·13	0·25	"	"	"	0·15	0·22	"	0·18	"	"	10
11	0·63	0·48	0·36	"	0·52	"	"	·06	0·23	0·41	"	0·19	11
12	0·27	·05	0·33	"	0·15	"	0·11	0·45	"	0·39	"	0·37	12
13	0·11	0·10	"	0·10	0·39	"	0·21	0·19	·05	·09	"	0·16	13
14	"	0·16	0·24	"	"	"	0·12	"	0·13	·02	·05	·03	14
15	0·32	"	0·36	"	·07	"	·04	"	0·11	·03	0·18	0·38	15
16	0·25	·04	·01	0·13	0·10	"	"	0·18	"	0·11	0·17	"	16
17	0·47	"	·05	"	·02	0·20	"	0·14	"	1·12	0·22	"	17
18	0·30	·02	·05	"	"	"	0·12	"	0·11	0·48	0·55	"	18
19	"	0·36	"	"	0·45	"	"	"	"	0·17	0·17	"	19
20	0·18	"	"	"	·02	·03	"	0·16	·	0·17	"	"	20
21	"	"	"	·03	"	"	"	·03	"	0·10	·03	"	21
22	"	"	0·10	"	·07	"	"	"	"	"	"	"	22
23	"	"	"	0·25	0·17	0·17	"	0·25	"	0·20	"	"	23
24	0·36	·04	"	0·10	0·15	"	"	0·21	"	"	"	0·26	24
25	"	0·20	·01	"	0·10	0·11	"	"	"	"	"	0·16	25
26	"	"	"	·04	·09	0·26	"	·03	"	0·16	0·21	·05	26
27	·02	0·28	"	0·32	·02	"	0·10	"	"	0·30	"	0·12	27
28	"	"	"	0·10	"	"	"	"	"	0·83	"	·04	28
29	·03	"	"	·03	"	"	"	"	"	·09	0·15	"	29
30	0·10	"	"	·03	0·24	"	"	"	·01	0·39	·05	·06	30
31	·02	"	"	"	0·10	"	"	"	"	"		·04	31
Totals	5·06	2·90	3·39	1·16	4·49	1·12	0·89	3·76	0·78	6·65	2·11	2·75	
Total from Jan. 1		7·96	11·35	12·51	17·00	18·12	19·01	22·77	23·55	30·20	32·31	35·06	181

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Copied by ARP   cd by c.   W D I S   cd for S. 12.v.09   3/5 08

S. no. a

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

19 FEB 1909

Kept at Conway (Bodlondeb)

in the County of Carnarvon

by J Tindall

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.04	—	~~.11~~ .07	.12	.39	—	.03	.11	—	—	—	1
2	—	.05	.07	.08	.60	.07	—	—	.02	—	—	—	2
3	—	.10	.02	—	.15	.10	—	—	.37	—	—	.05	3
4	—	—	—	—	.07	—	—	.02	—	—	—	—	4
5	.04	—	.11	—	.18	.08	—	—	—	—	—	.05	5
6	.43	.05	.14	—	.12	—	—	—	—	—	—	.15	6
7	.37	.02	.04	—	.25	.06	—	—	—	—	—	—	7
8	.09	—	.05	—	.12	—	1.45	—	.70	.07	—	.49	8
9	—	.03	.14	.12	—	.05	.54	.25	.30	—	.07	.12	9
10	—	.01	.06	.02	—	—	—	.15	.90	.03	.12	.16	10
11	—	—	—	.04	.03	.24	.53	—	.02	—	—	.05	11
12	—	—	—	.01	.02	—	—	.03	.03	—	.29	.03	12
13	—	—	.04	—	.07	.40	—	.04	—	—	.55	.04	13
14	—	.41	—	—	.11	—	—	—	.11	—	—	.29	14
15	.09	.51	.10	—	—	.02	.12	—	.16	.06	—	.15	15
16	.29	.25	.04	—	—	—	.30	—	.17	—	.09	.07	16
17	.04	.14	—	—	—	.70	—	—	—	—	—	.11	17
18	—	.05	—	—	—		—	—	—	.33	.44	—	18
19	—	.06	—	—	—		.09	—	—	.09	.21	—	19
20	—	.12	—	.10	—		—	.50	.45	.07	.03	—	20
21	—	.11	.04	—	.16		—	.33	.02	—	.45	—	21
22	—	.34	.15	.07	.02		—	—	—	—	.20	—	22
23	—	.04	.02	.03	—		—	.25	—	—	.04	.11	23
24	—	.03	.70	.07	.05		.28	—	—	—	—	—	24
25	.38	.03	—	—	—		—	.06	.19	—	.70	—	25
26	—	.12	.18	—	—		.14	.53	.02	.03	—	—	26
27	.09	.37	.20	.35	—		—	.18	—	—	.02	—	27
28	.23	.02	—	.50	—		—	.10	—	.44	—	— (50)	28
29	.01	—	.42	.64	.02		—	—	—	—	—	—	29
30	.02		.12	.10	.20		—	.11	—	.09	—	—	30
31	.08		—	/	.10		—	.70	—	▲	/	—	31
Total	2.16	2.90	2.64	2.13 ✓	2.39	2.11	3.45	3.28	3.57	1.21	3.21	(2.37)	TOTAL for year 31·42
No. of Rain Days	13	~~22~~	19	13 ✓	18	10	8	15	15	9	13	(14)	174

2·37

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

8a

REGISTER OF RAINFALL IN 1909.

FORM A.
BRITISH RAINFALL.

11 JAN 1910

Kept at The Gardens Bodlondeb Conway

in the County of Carnarvon N. W.

by William Henry Day (Head Gardener)

Lat. Long.

Nearest Railway Station Conway

Time of Observation 9. a.m.

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. Three in.

" " " Sea Level 40. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	"	"	"	"	"	"	"	0„26	0„17	„02	"	0„12	1
2	"	„06	"	"	"	"	"	"	0„10	"	"	0„90	2
3	"	„05	"	"	"	"	„06	"	0„16	0„57	"	0„15	3
4	"	„03	"	0„10	"	0„26	"	"	"	0„14	„02	0„11	4
5	"	"	"	"	"	"	0„22	"	0„15	„05	„09	"	5
6	0„09	"	"	"	"	"	„02	"	"	"	„05	„03	6
7	0„35	"	0„43	"	"	"	„02	"	0„12	0„20	"	"	7
8	"	"	"	"	"	"	"	"	0„15	0„23	"	"	8
9	"	0„55	0„15	"	"	"	0„60	"	"	"	0„10	„02	9
10	0„13	0„15	"	"	"	0„10	"	"	"	„06	„06	0„45	10
11	0„12	"	"	"	"	"	"	"	„05	0„12	„03	0„21	11
12	0„15	"	"	0„37	"	"	"	"	„08	0„57	„02	"	12
13	"	"	"	0„35	„08	"	"	„02	"	„03	"	"	13
14	0„54	„03	"	"	„06	"	„03	"	"	0„33	"	"	14
15	0„20	"	"	0„20	"	"	0„48	"	"	0„37	"	"	15
16	0„02	"	"	„02	"	"	0„10	„05	"	0„20	"	"	16
17	"	"	"	"	„04	"	"	0„52	"	0„11	"	"	17
18	0„23	"	0„13	„03	"	„03	0„15	0„20	"	„03	"	"	18
19	"	"	„02	0„24	"	"	"	"	0„12	0„32	"	0„25	19
20	"	"	"	"	"	0„35	„08	0„55	"	0„13	"	"	20
21	"	"	0„36	"	"	0„10	"	0„17	"	0„11	„05	"	21
22	"	"	"	0„21	"	0„42	"	0„21	"	„05	"	0„75	22
23	"	"	"	0„20	"	0„18	„07	"	0„13	0„56	"	0„20	23
24	"	"	0„48	0„40	0„44	"	0„45	0„20	0„15	0„20	0„12	„04	24
25	"	"	0„10	0„17	0„5	0„10	"	0„10	"	0„12	"	„07	25
26	"	"	"	0„22	„04	„04	"	„06	„04	"	0„11	"	26
27	"	„02	0„11	„07	"	„03	0„57	"	0„75	"	0„13	0„23	27
28	0„09	„03	0„21	0„10	„02	0„11	„06	"	0„43	"	0„52	"	28
29	"	"	0„20	"	"	"	0„75	0„30	„09	0„17	0„14	0„12	29
30	0„06		"	0„25	0„18	"	0„10	"	"	"	0„60	0„20	30
31	0„05	"	0„31	"	"	"	0„12	„04	"	"	"	"	31
Total	2„03	0„92	2„50	2„93	0„91	1„72	3„88	2„68	2„69	4„69	2„04	3„85	TOTAL for year
No. of Rain Days	2„03	2„95	5„45	8„38	9„29	11„01	14„89	17„57	20„26	24„95	26„99	30„84	✓
	12	8	11	15	8	11	17	13	15	23	14	16	163

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S.a

FORM A.
BRITISH RAINFALL.

CARNARVON.

CRICCIETH

"CEFN-MAEN"
MET/2/4/1/1/b/3/4720
1905 - 1910

REGISTER

Kept at Cefn Maen ... Criccieth

in the County of Carnar... 7 a.m

... in.

by Findlay M... ...und 1 ft. ... in.

for J. E. Grean... ... Level 220 ft.

NOTE.—Full instructions respecting the meas... ...l Organization are given in "Rules for Rainfall Observers," sent ... ...are, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.1	0.15		0.62	0.26	0.34		0.2	0.9	0.15	0.29	1
2	0.34		3		21	20	64	0.12	14	11	48		2
3	20	11			13	2	3	21	6	48	6		3
4		1	27	0.16				42		21			4
5	24		40	7				8	5	5			5
6	62	4	17	25		8	10	2		60	45		6
7	4	15	3	50	5			16	20		2	34	7
8	2		9						9			23	8
9	34	10	48								14	10	9
10	6	3	6	7				16	97				10
11	13	1	64		30		24	4			75		11
12	11	14	34		4		20				28		12
13			16				9			17	18		13
14		5	41	17		15			19				14
15			32	6			11			12			15
16		9	32										16
17		3	30			25				17	5		17
18	6	11	7			21	29	18		6			18
19	29	7				29		5					19
20	1	3				29		29					20
21						40				2	39	41	21
22								31		12	50	14	22
23							21	1.44			20		23
24			42										24
25	49	6					9		11			2	25
26		34	32	20			12	81			9		26
27		19	26	50			70	5			72		27
28		2	1	6	21			16		32	85	10	28
29			26	52	31		3	90		22	9	4	29
30				2		10	15	15		1.02	22	11	30
31	4		7							1.00		+.02	31
Totals	2.99	1.59	5.58	2.58	1.87	2.25	3.34	5.55	1.83	4.76	5.62	1.80	
Total from Jan. 1												39.76	

K/5000/11/05.   EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.   Price, on extra tough paper. 3d.

174

S.w

FORM A.
BRITISH RAINFALL.

REGISTER

Kept at Cefn Maen Criccieth
in the County of Carnarvonshire
by Findlay Murchie
for J. E. Greaves Esq

Lat. .... Long. ....
Nearest Railway Station Criccieth
Rain Gauge. Time of Observation 7 a.m
Diameter 8 in.
Height of top above Ground 1 ft. in.
" " Sea Level 220 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		0.1	0.15		0.62	0.26	0.34		0.2	0.9	0.15	0.29	1
2	0.34		3		21	20	64	0.12	14	11	48		2
3	20	11			13	2	3	21	6	48	6		3
4		1	27	0.16				42		21			4
5	24		40	7				8	5	5			5
6	62	4	17	25		8	10	2		60	45		6
7	4	15	3	50	5			16	20		2	34	7
8	2		9						9			23	8
9	34	10	48								14	10	9
10	6	3	6	7				16	97				10
11	13	1	64		30		24	4			75		11
12	11	14	34		4		20				28		12
13			16				9			17	18		13
14		5	41	17		15			19				14
15			32	6			11			12			15
16		9	32										16
17		3	30			25				17	5		17
18	6	11	7			21	29	18		6			18
19	29	7				29		5					19
20	1	3				29		29					20
21						40				2	39	41	21
22								31		12	50	14	22
23							21	1.44			20		23
24			42										24
25	49	6					9		11			2	25
26		34	32	20			12	81			9		26
27		19	26	50			70	5			72		27
28		2	1	6	21			16		32	85	10	28
29			26	52	31		3	90		22	9	4	29
30				2		10	15	15		1.02	22	11	30
31	4		7							1.00		+.02	31
Totals	2.99	1.59	5.58	2.58	1.87	2.25	3.34	5.55	1.83	4.76	5.62	1.80	
Total from Jan. 1												3976	

K/5000/11/05.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper. 3d.

1741

FORM A.
BRITISH RAINFALL.

4 JAN 1907

REGISTER OF RAINFALL IN 1906

Kept at Cefn Maen. Criccieth
in the County of Carnarvonshire
by Findlay Murchie

Lat. Long.
Nearest Railway Station Criccieth

RAIN GAUGE.
Time of Observation 7 a.m
Diameter 8 in.
Height of top above Ground 1 ft. in.
" " Sea Level 220 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.10	0. 0	0.37	0. 0	0. 0	0. 0	0. 0	1.15	0. 0	0.63	0. 6	0.61	1
2	0. 7	0.25	0. 0	0. 0	0.34	0. 0	0. 0	2.28	0. 0	0.15	0. 0	0. 8	2
3	0.11	0. 0	0. 0	0. 0	0.21	0. 0	0. 0	0. 3	0. 0	0. 0	0. 0	0.13	3
4	0.13	0. 0	0. 0	0. 0	0.80	0. 0	0. 0	0. 0	0. 0	1.20	0.10	0. 9	4
5	0.92	0.27	0.10	0. 0	0.25	0. 0	0.14	0. 7	0.14	0.10	0. 0	0.23	5
6	0.39	0. 0	0. 7	0. 0	0. 0	0. 0	0. 4	0. 0	0. 3	0.14	0. 0	0. 0	6
7	0.30	0. 0	0.72	0. 0	0. 1	0. 0	0. 0	0. 0	0. 0	0.20	0. 0	0.11	7
8	0.14	0.16	0. 0	0. 0	0.74	0. 0	0. 0	0.20	0. 0	0.30	0. 0	0.17	8
9	0. 0	0.90	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	0. 0	0. 8	0. 0	0.30	9
10	0. 5	0.25	0.64	0. 0	0. 0	0. 0	0. 6	0.13	0. 0	0.33	0. 0	0.10	10
11	0.35	0.13	0.36	0. 0	0.23	0. 0	0.10	0.15	0.15	0.15	0. 0	0.27	11
12	0.52	0.30	0.14	0. 0	0.11	0. 0	0. 0	1.05	0. 0	0.40	0. 0	0.35	12
13	0. 0	0. 0	0.30	0. 0	0. 0	0. 0	0.36	0.42	0.58	0. 0	0. 0	0. 0	13
14	0.10	0.35	0.49	0. 0	0. 0	0. 0	0.34	0. 4	0.50	0.12	0.21	0. 3	14
15	0.78	0.21	0. 0	0. 0	0.16	0. 0	0. 0	0. 7	0. 8	0. 6	0.26	0.81	15
16	0.24	0.21	0. 0	0. 7	0.13	0. 7	0. 0	0. 6	0. 0	0.35	0.61	0. 1	16
17	0.83	0. 0	0. 5	0. 0	0.10	0.11	0. 2	0.24	0. 0	0.76	0. 3	0. 0	17
18	0.48	0. 5	0.11	0. 0	0. 0	0. 0	0.11	0. 0	0. 0	0. 6	0.40	0. 0	18
19	0. 0	0.57	0. 0	0. 3	0.21	0. 0	0. 0	0.10	0. 0	0. 0	0.30	0. 0	19
20	0.17	0. 0	0. 0	0. 0	0. 0	0.34	0. 0	0.12	0. 0	0.13	0.18	0. 0	20
21	0. 0	0. 0	0.11	0. 0	0. 0	0.21	0.11	0. 1	0. 0	0.24	0.12	0. 0	21
22	0. 0	0. 0	0. 0	0. 7	0.12	0. 2	0.12	0. 0	0. 0	0.15	0. 0	0. 0	22
23	0. 0	0. 0	0. 0	0. 8	0.15	0.82	0. 3	0.41	0. 0	0.38	0. 0	0. 0	23
24	0.43	0.40	0. 0	0.29	0. 8	0.71	0. 0	0.59	0. 0	0. 0	0. 0	0.37	24
25	0. 0	0.11	0.17	0.34	0.40	0.32	0. 0	0.15	0. 0	0. 0	0.14	0.84	25
26	0. 0	0.37	0. 0	0. 1	0.72	0. 0	0. 0	0. 0	0. 0	0.22	0.17	0.44	26
27	0.15	0. 8	0. 0	0.47	0.70	0. 0	0. 0	0. 0	0. 0	0.48	0. 0	snow	27
28	0.10	0.15	0. 0	0.14	0.12	0. 0	0.10	0. 0	0. 0	0. 0	0. 0	snow	28
29	0. 0		0. 0	0.15	0. 9	0. 0	0. 0	0. 0	0. 0	0.18	0. 0	snow	29
30	0. 0		0. 0	0. 5	0. 0	0. 0	0.17	0. 0	0. 0	0.20	0. 0	1.20	30
31	0. 8		0. 0		0. 0		0. 0	0. 0		0. 0		0.33	31
Totals	6.44	4.76	3.63	1.70	5.67	2.60	1.70	7.27	1.48	7.01	2.58	6.47	
Total from Jan. 1	51.31												

K/5000/11/05.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper. 3d.

183

S.a

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.
30 JAN 1908

Kept at Bron Eifion Criccieth
in the County of Carnarvon
by F. Murchie for J. C. Greaves Esq

Lat. Long.
Nearest Railway Station Criccieth
Time of Observation 7. am
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 220 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	58				47	19	7		30	18	12	6	1
2	19			6	9			62	31	35	2	17	2
3				32		95	26	8	11				3
4	11	8				18	10	6	44			29	4
5	6			17		23				46	8		5
6			47	22	76			3		22		58	6
7	30		36	18	4	61			3	42		67	7
8		38	5	8		42	35	86			17	18	8
9	14			9	3	56		75		10		20	9
10	11	21		5	50	6		3					10
11		39			7	31		37		22	25	19	11
12		37	29			35		6		67		35	12
13			6			8	45	50		23	7	81	13
14		29	17			15				33	17	16	14
15	6		10			23				92	47		15
16	10	14	49					25		21		6	16
17			13					10		9			17
18		27				23		7		44			18
19		19	18					12		12	26	38	19
20	15	5		59		52				39		56	20
21	31	8		4		11				10		9	21
22		5	7			15					20		22
23						28		24			13		23
24					18	14	4				15	12	24
25	4					22	70			67	45		25
26	41					4	34			2	27		26
27				3		6					37		27
28	18	37		50		2					27		28
29				12			7	2		21	2		29
30					118			20					30
31					16			3					31
Total	2.74	2.87	2.37	2.45	3.48	6.09	2.38	4.39	1.19	6.35	3.47	4.87	TOTAL for year 42.65
No. of Rain Days	14	13	11	13	10	23	9	18	5	20	17	16	169

.6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Sa.

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.
4 JAN 1909

Kept at Cefn Maen

in the County of Carnarvon

by Findlay Murchie

Lat. Long.

Nearest Railway Station Criccieth

Time of Observation 7 a.m

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 220 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			11			6			3				1
2			7		16	23			5			14	2
3		33		6					2				3
4						55			1				4
5	25	13	34		64							34	5
6	67		9		2								6
7	51		29		82	20	36					17	7
8	22		5	8	78	8	42		73	20		97	8
9			21	23	31	20	112		33			57	9
10		11	16	24				24	75		22	13	10
11				8	2	29	30		7		21		11
12					10		42				11	7	12
13			18			34	25	9	2		76	21	13
14	7	23	7		27				47	11		41	14
15	72	34	11			13	39			6		39	15
16	82	61	3		8		85				22	14	16
17	10	25				12	4			28		12	17
18		12			18				34	33	50	13	18
19		8		6			7			17	3	26	19
20	13							55		12	20	6	20
21				2	25						118	7	21
22		35	29		3							14	22
23		15	10			5	6	65					23
24			90	34	11		41	11			22		24
25	35	20	9	6			11	16	23		9		25
26	23	34						119			4		26
27		11	50	50			19	63	11				27
28	41	23		68				9		77	72		28
29	12	35	28	64				12					29
30	27		27	15	6		4	4		40		1.05	30
31					25			83				7	31
Total	4.87	3.93	4.14	3.04	3.80	2.25	5.03	4.70	3.16	2.44	4.50	5.44	TOTAL for year 47.30 ✓
No. of Rain Days	14	16	19	13	16	11	15	12	13	9	13	19	170 ✓

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 19[illegible]

FORM A2.
BRITISH RAINFALL.
4 JAN 1910

Kept at Cefn Maen

in the County of Carnarvonshire

by Findlay Murchie

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 220 ft.

Time of Observation 7. a.m

Nearest Railway Station
Name Criccieth
Distance 1 mile Direction southeast

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11	4			4			27	36			48	1
2		5					13			70	38	77	2
3	1	1					25		8	46			3
4		9		30					32	20		16	4
5			50			5	26		66	17	23		5
6	14		25				15		38			35	6
7									26	40			7
8										13			8
9	10	47	5				1.18			26	6	46	9
10	70	30					11			14	3	1.37	10
11										28	6	15	11
12	15			42			9			96	3		12
13			31							7	7		13
14	40		8							22	9		14
15	17		2	60			45	11		44			15
16				13		20				39			16
17	5		30	41	27			44		43			17
18	30		5					6				27	18
19	4		15	23		.14				1.50			19
20			17			13	50	42		7			20
21						42	6			22		49	21
22				17	12	16	5	11		34		59	22
23			20	34	2		14	5	11	1.05		25	23
24			48	24	60		1.31	15	1.15	12		24	24
25		3	6	21			6				5	31	25
26		5		15	11	8					36	12	26
27			29	9		36	45		46		50	41	27
28	25		92	15	21	37		48	62		42	9	28
29			36				18			5	13		29
30			33		32		8			19	13	49	30
31	17				15								31
Total	2.59	1.04	4.52	3.44	1.84	1.91	5.45	2.09	4.40	8.79	2.54	7.00	TOTAL for year 45.61
No. of Rain Days	13	8	17	13	9	9	17	9	10	23	14	17	159

7,000. X. '09.

Sa

648

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.
4 JAN 1911

Kept at Cefn Maen

in the County of Carnarvon 4

by J. E. Greaves Esq

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 220 ft.

Time of Observation 7 a.m

Nearest Railway Station
Name Criccieth
Distance 1 mile Direction southeast

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.26	0.37	0.60			0.20	0.06	0.36	0.04		0.10		1
2	0.03	0.21	0.01	0.10	0.24	0.24	0.36	0.56	0.09	0.65	0.16		2
3						0.28	0.16	0.24					3
4		0.22			0.38	0.06					0.07		4
5	0.05	0.34		0.09	0.18	0.74	1.62				0.30	0.52	5
6		0.14	0.08	0.08	0.15						0.24	0.53	6
7		0.24	0.15		0.25	0.13							7
8	0.31		0.30		0.02	0.19		0.12			0.38	0.13	8
9	0.17	0.25	0.30								0.10	0.44	9
10		0.01	0.01			0.18			0.12		1.11	0.26	10
11	0.05										0.08	0.32	11
12	0.14			0.22	0.10			0.42		0.17	0.71	0.49	12
13	0.30	0.21	0.06	0.62				0.17		0.12	0.49	0.16	13
14		0.60	0.11	0.05				0.41			0.46	0.50	14
15	0.90			0.85	0.17						0.22	0.56	15
16	0.05	0.26	0.02					0.23		0.50	0.05	1.23	16
17		0.16		0.04	0.04					0.30	0.12	0.16	17
18		0.26	0.14	0.06	0.43			0.97		0.75	0.07	0.11	18
19		0.17		0.28				0.27		0.56			19
20	0.03	0.56		0.15			1.49	0.48		0.07		0.29	20
21				0.05		0.14		0.05					21
22	0.22							0.07				0.49	22
23	0.66	0.43		0.14		0.21		0.19			1.16		23
24	0.03	0.36		0.33		0.50	0.53	0.17				0.20	24
25		0.11		0.24			0.24	0.69			0.43	0.40	25
26		0.17		0.22				0.46	0.13				26
27	0.41	0.03		0.45		0.34	0.12	0.60			0.17		27
28	0.14	0.37	0.12		0.21	0.26	0.28	0.69		0.34	0.35	0.21	28
29	0.03				0.02	0.29		0.09	0.23				29
30						0.20		0.12					30
31	0.16				0.02					0.63		0.19	31
Total	3.94	5.47	1.90	3.97	2.21	3.96	4.86	7.36	0.61	4.09	6.77	7.19	TOTAL for year 52.33
No. of Rain Days	18	21	12	17	13	15	9	20	5	10	20	19	~~189~~ 179

9,000, IX. '10.

CARNARVON.

CRICCIETH

"TALARVOR"

1903, 1906, 1908.

MET/2/4/1/1/6/3/4722

REC 903

FORM A.
BRITISH RAINFALL.

Kept at Criccieth

in the County of Carn

by 50·28

ong.

ion

ge in.

e above Ground ft. in.

Sea Level ft.

NOTE.—Rain should be measur . Full instructions for the measurement of rain and particulars as to the Bri Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·61		1
2									·66				2
3											·63	·71	3
4													4
5													5
6													6
7													7
8									1·16				8
9												·85	9
10									1·22				10
11												·71	11
12										·66			12
13													13
14							·85						14
15													15
16								·54					16
17			·68										17
18								·81		·53			18
19													19
20								·57		·51			20
21							1·73						21
22	·56												22
23													23
24									·75				24
25			·89										25
26								·65		·70			26
27										1·11	1·64		27
28													28
29													29
30													30
31													31
Total	·56	—	1·57	—	—	—	2·58	2·57	3·79	3·51	2·88	2·27	TOTAL for year 19·73
No. of Rain Days													

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REC 9 03

FORM A. BRITISH RAINFALL.

Kept at Criccieth (Talarvor)

in the County of Carnarvon

by 50·28

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

30·55 " " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·61		1
2									·66				2
3											·63	·71	3
4													4
5													5
6													6
7													7
8									1·16				8
9												·85	9
10									1·22				10
11												·71	11
12										·66			12
13													13
14							·85						14
15													15
16								·54					16
17			·68										17
18								·81		·53			18
19													19
20								·57		·51			20
21							1·73						21
22	·56												22
23													23
24									·75				24
25			·89										25
26								·65		·70			26
27										1·11	1·64		27
28													28
29													29
30													30
31													31
Total	·56	—	1·57	—	—	—	2·58	2·57	3·79	3·51	2·88	2·27	TOTAL for year 19·73
No. of Rain Days													

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Mα

REGISTER OF RAINFALL IN 1906.

Kept at Criccieth (Talarvor)
in the County of Carnarvon.
~~*by*~~ 42·29 f.c. ·425

RAIN GAUGE.
Lat. Lon.
Time of Observation
Diameter 5
Height of top above Ground 2·0
"23·85" 56 Sea Level 49

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to ~~Mr. SOWERBY WALLIS or~~ Dr. H. R. MILL, at 62, Camden Square, London, N.W. 44

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								1·08		·62		·48	1
2								2·15					2
3													3
4										·98			4
5	1·00				·53								5
6													6
7			·51										7
8					·68								8
9		·69											9
10			·45										10
11													11
12								1·04					12
13													13
14													14
15	·64											·78	15
16													16
17	·76												17
18	·51												18
19		·54									·59		19
20													20
21													21
22													22
23						·83				·44			23
24	·46							·45					24
25													25
26					·60	·51							26
27					·62								27
28													28
29													29
30												·50	30
31													31
Totals	3·37	1·23	·96	–	2·43	1·34	–	4·72	–	2·04	·59	1·76	18·44
Total from Jan. 1													23·85

K/1,000/7/01. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

Cpdaex

end .12.V.09

2/60

FORM A.
BRITISH RAINFALL.

22 JAN 1909

REGISTER OF RAINFALL IN 1908

S.m.a.

Kept at Criccieth (Talarvor)

in the County of Carnarvon

by Dr. J. Roberts

Lat. .... Long. ....
Nearest Railway Station ....
Time of Observation ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " Sea Level .... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·25		·05	·29			·46 ~~40~~				1
2		·16	·13			·56			~~·15~~				2
3		·18	·05	·10	·16	·19		·03	~~·40~~				3
4				·03		·29							4
5	·32		·15		·11				·03				5
6	·39	·08	·07		·33	·06			~~·01~~			·30	6
7	·55	·10	·16									·10	7
8	·16				·75	·12	·42		~~·21~~			·04	8
9					·53	·06	·29	·16	·21 ~~·24~~	·10		1·00	9
10		·03	·15			·12	·86	·04	·20		·10	·30	10
11			·16	·05					·49		·11	·09	11
12		·04		·26	·03	·08	·24				·07		12
13					·05	·16	·50				·61	·05	13
14	·07		·12			·23	·16	·07	·06			·18	14
15	·47	·36			·21				·40		·04	·21	15
16	·64	·11	·11			·07	·22					·30	16
17		·34	·09		·02		·61		·49	·11	·05	·09	17
18		·22	·03			·12				·20	·02	·10	18
19	·12	·03			·10					·48	·40		19
20		·07			·03		·06	·45			·04	·20	20
21		·15						·11	·21	·10	·54	·51	21
22		·06	·05	·06	·23			·07		·09	·04	·04	22
23		·06	·09				·03	·37			·10	·03	23
24		·09	·08	·17		·03			·03		·06	·02	24
25			·79	·05			·31	·09	·10				25
26	·10	·06	·05	·03				·11	·21				26
27	·30	·37						·40			·61		27
28	·02	·19	·40	·47			·12	·30		·60		·40	28
29	·25	·32		·49			·02	·04				·12	29
30	·11		·18	·46				·07	·04			·10	30
31	·20		·14					·02		·40			31
Total	3·70	3·02	3·25	2·17 ✓	2·60	2·38	3·87	2·33	2·93 ✓	2·08	2·79	4·18	TOTAL for year 35·30
No. of Rain Days	14	20	20	11	13	14	13	15	13 ✓	8	14	20	175

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S.a.

CARNARVON.

DOLGA ROG

"ALUMINUIM WORKS"

1908 1910

Met/2/4/1/V/b/3/5304

FORM A.
BRITISH RAINFALL.
26 MAY 1909

REC 1908

Kept at aluminium

Dolgar

in the County of C

by J R Jun

ong. 3. 50. 18

ion Taly Cafn

9 a.m.

ge 5 in.

e above Ground 1 ft. in.

Sea Level 22 ft.

NOTE.—Rain should be measure … previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.62			.19				1
2		.06		.07	.15	.09							2
3		.22	07	.24	.16	.03			.26			.04	3
4	.14		.07	.04	.14			.08					4
5			.40		.58			.02.				.16	5
6	.46	.02.	.68										6
7	.35						.13		.01			.65	7
8	.24		.61		.08	.05	.46		1.35	.04		.66	8
9		.01	.62	.24	.09	.09	.68	.04	.45	.10		.54	9
10			.50					.09	1.23		.29	.24	10
11					[illegible]	.26	.70		.05		.35	.30	11
12					.03	.05					.36	.10	12
13			.05	.07	.14	.73	.31	.06	.09		.90	.47	13
14	.35	.75		.02	.13		.06		.20		.04	.16	14
15	.63	.47				.26	.11		.28	.08		.15	15
16	.31	.44	.07				.54		.35	.01	.05	.24	16
17	.20	.19	.10		.03	.84	.11				.03	.04	17
18		.26							.04	.45	.88		18
19		.14						~~95~~	.02	.18	.07	.11	19
20	.01	.05		.07				.95	.33	.15			20
21		.31	20		.26			.16			.09	.01	21
22	.01	.65		.01	.07			.07			.90		22
23		.14	.01	.11	.16			.16	.01		.22		23
24		.02	73	.08	.11		.05	.27			.20		24
25	.62	.03	16				18	.06	.46		.46		25
26	.44	.10						.91		.03	.02		26
27	.20	.27	38	.27				.43	.01			30	27
28	.31	.04	30	.37				.05	.06	.95		Snow	28
29	.22		53	.58				.09			.75	.60	29
30	.01		71		.05			.16		.10		.95	30
31	.34		02		18			1.64✝					31
Total	4.84	4.17	6.20	2.17	2.36	3.02	3.33	5.24	5.39	2.04	5.61	5.72	TOTAL for year 50.15
No. of Rain Days	17	19	19	13	16	10	11	17	18	10	16	18	184

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

✝ Maximum in 24 hours = 1.64

S.a.

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.
26 MAY 1909

Kept at aluminium Works.
in the County of Dolgarrog, Taly Cafn Carnarvon
by J R Jones

Lat. 53.11.28 Long. 3.50.18
Nearest Railway Station Taly Cafn
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 22 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.62			.19				1
2		.06		.07	.15	.09							2
3		.22	07	.24	.16	.03			.26			.04	3
4	.14		.07	.04	.14			.08					4
5			.40		.58			.02				.16	5
6	.46	.02	.68										6
7	.35						.13		.01			.65	7
8	.24		.61		.08	.05	.46		135	.04		.66	8
9		.01	.62	.24	.09	.09	.68	.04	.45	.10		.54	9
10			.50					.09	1.23		.29	.24	10
11					[illegible]	.26	.70		.05		.35	.30	11
12					.03	.05					.36	.10	12
13			.05	.07	.14	.73	.31	.06	.09		.90	.47	13
14	.35	.75		.02	.13		.06		.20		.04	.16	14
15	.63	.47				.26	.11		.28	.08		.13	15
16	.31	.44	.07				.54		.35	.01	.05	.24	16
17	.20	.19	1.0		.03	.84	.11				.03	.04	17
18		.26							.04	.45	.88		18
19		.14						~~95~~	.02	.18	.07	.11	19
20	.01	.05		.07				.95	.33	.15			20
21		.31	20		.26			.16			.09	.01	21
22	.01	.65		01	.07			.07			.90		22
23		.14	.01	.11	.16			.16	.01		.22		23
24		.02	73	.08	.11		.05	.27			.20		24
25	.62	.03	16				18	.06	.46		.46		25
26	.44	.10						.91		.03	.02		26
27	.20	.27	38	.27				.43	.01			.30	27
28	.31	.04	30	.37				.05	.06	.95			28
29	.22		53	.58				.09			.75	.60	29
30	.01		71		.05			.16		.10		.95	30
31	.34		02		18			1.64 +					31
Total	4.84	4.17	6.20	2.17	2.36	3.02	3.33	5.24	5.39	2.09	5.61	5.72	TOTAL for year 50.15
No. of Rain Days	17	19	19	13	16	10	11	17	18	10	16	18	184

Snow

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

+ Maximum in the times = 1.64

5a ~~No~~ 90 Corr for auth 27.IV.11

FORM A.
BRITISH RAINFALL.

-8 FEB 1911

REGISTER OF RAINFALL IN 1910

2

Kept at Bodgethin
Dolgarrog, Talycafn NW
in the County of Carnarvon
by J R Gethin Jenks

P.T.O.

Lat. Long.
Nearest Railway Station Talycafn
Time of Observation 9 Am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~2~~ 1 ft. in.
" " " Sea Level 20 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.15	.72	.00	.00	.23	.10	.06	.00	.00	.35	.36	1
2	.00	.05	.00	.00	.06	.11	.32	.00	.10	1.15	.24	.25	2
3	.00	.10	.00	.06	.07	.00	.00	.07	.00	.00	.03	.12	3
4	.00	.05	.00	.10	.06	.18	.00	.00	.00	.00	.24	.14	4
5	.00	.06	.00	.35	.40	.25	.35	.03	.00	.00	.19	.52	5
6	.00	.15	.18	.00	.12	.03	.00	.10	.00	.00	.75	.28	6
7	.01	.17	.00	.00	.33	.08	.00	.00	.00	.00	.22	.08	7
8	.30	.13	.52	.00	.02	.01	.00	.00	.00	.00	.32	.04	8
9	.41	.03	.33	.00	.00	.11	.00	.00	.00	.00	.00	.34	9
10	.28	.00	.06	.00	.00	.00	.00	.00	.00	.00	.97	.04	10
11	.25	.03	.00	.00	.00	.00	.00	.08	.00	.61	.10	.24	11
12	24	.00	.00	.41	00	00	00	06	00	06	55	41	12
13	.28	.16	.05	.19	.00	.00	.00	.00	.00	.00	.28	.50	13
14	.01	.11	.00	.03	.20	.00	.00	.32	.10	.00	.23	.65	14
15	.63	.35	.00	36	.00	.11	.00	.00	.00	.00	.60	.98	15
16	.08	.40	.03	.03	.00	.00	.00	.58	.00	.00	.15	2.18	16
17	.12	.35	.00	.08	.05	.00	.00	.00	.00	.40	.04	.64	17
18	.25	.06	.04 ~~17~~	~~.05~~ ~~35~~ .17	.35 ~~.00~~	.00	.00	0.62	0.00	1.51	.25	.11	18
19	.32	.16	.00	.03	.00	.00	.08	07	0.02	1.02	.00	.00	19
20	.00	.73	.00	.11	.00	.00	.38	.40	.00	.27	.00	.00	20
21	.27	.16	.08	.08	.00	.20	.00	.12	.00	.00	00	.30	21
22	01	18	00	00	00	03	.36	05	00	00	.62	.04	22
23	27	23	00	21	00	16	06	21	00	00	00	50	23
24	03	24	00	52	00	07	40	16	02	00	00	10	24
25	03	27	00	05	00	00	46	1.16	00	00	25	.08	25
26	20	00	00	00	00	00	00	2.12	20	00	34	19	26
27	10	04	00	25	00	25	15	.45	00	00	23	00	27
28	32	00	00	14	00	27	26	51	00	20	00	03	28
29	62		00	02	02	26	03	11	00	00	00	00	29
30	00		00	00	17	24	00	05	00	00	18	00	30
31	12		00		19		00			.81		25	31
Total	5.17	4.36	1.99 1.99	3.19	2.04	2.59	2.87	7.33	.44	6.03	7.13	9.37	TOTAL = 52.51 52.51
No. of Rain Days	24	24	9	19	13	17	11	21	5	9	22	26	= 200

one cyclone
total 3.80

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

NOTES. for the Year

This record was measured at a new Station
viz:- 4 miles ~~NE~~ SW of Talycafn Station -

On June 7:- During a Thunderstorm 3 Cows were killed
in the district.

The driest month (Sep.) was exceptionally low only .44
" wettest " (Dec) " " high = 9.37

There were 6 records above 1 inch
" " 2 " " 2 inches

The heavy rainfall of Aug 26 (2.12) fell at the rate of .20 per hour
The high rainfall of Dec 15. 16 & 17 =3.80 was the precipitation from
One depression as described in my letter Dec. 19.10

The rainfall for the last 3 months of the year was double
(.40) per raining day of what it was for the rest of the year viz. .20.

8a.

CARNARVON.

DOLWYDDELAN.

1901

MET/2/4/1/1/6/3/5313

an Rainfall

Nos.						1.	Dolwyddelan Dist.				Glasin-fryn	Idwal Lake	Snowdon
						8	1	14	5	2	11	6	
Last date measured						ne 30	June 30	June 30	June 30	June 30	June 30	July 18	June 30
July 31											1.50		
Aug. 20							6.35	5.70					
" 31	15.50	16.25	17.21	12.66	10.57	10.85					4.88		
Sep. 14												20.50	
" 30											2.28		
Oct. 23	14.40	15.06	17.01	11.90	9.52	8.42							
Nov. 1							26.10		41.60	46.50	5.16		
" 15							8.50						
" 30											6.03	29.60	
Dec. 5	15.35	17.10	17.76	11.90	10.50	9.60							

Snowdon Gauge not yet measured

J R [illegible] Junr
Glasinfryn
Dec. 9/01

an Rainfall

	Eigiau District						Dolwyddelen Dist				Glasinfryn	Idwal Lake	Snowdon
Nos	8	5	15	16	17	18	1	14	5	2	11	6	
Last date ~~measured~~	June 30	June 30	June 30	June 30	June 30	June 30	June 30	June 30	June 30	June 30	June 30	July 18	June 30
July 31											1.50		
Aug. 20							6.35	5.70					
„ 31	15.50	16.25	17.21	12.66	10.57	10.85					4.88		
Sep. 14												20.50	
„ 30											2.28		
Oct. 23	14.40	15.06	17.01	11.90	9.52	8.42							
Nov. 1							26.10		41.60	46.50	5.16		
„ 15							8.50						
„ 30											6.03	29.60	
Dec. 5	15.35	17.10	17.76	11.90	10.50	9.60							

Snowdon Gauges not yet measured

J R Gethin Junr
[illegible]
Dec. 9/01

5.a

CARNARVON.

LAKE COWLYD "A"

1901 — 1910

MET/2/4/1/1/6/3/9406

REC 9 01

Kept at Lake (Lon.

in the County of Car ne of Observation

by Mr T. B. Farring meter 8 ins

ight of top above Ground 1' 3"

" " Sea Level 1168

NOTE.—Full instructions respecti *cting the Systematic Observation and Record of the Rainfall*," which is sent post-fr , at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·50								1
2			·40										2
3							·40						3
4										2·00			4
5			3·00	1·10		·50							5
6												1·20	6
7		1·00	·60										7
8					·70					1·00			8
9					·10								9
10				2·00				1·90				2·10	10
11									1·20	·10	·80		11
12			·40	·60									12
13						·90						·90	13
14	·40							1·50	·20		4·00		14
15				·80									15
16		·70											16
17				·60					·80				17
18	1·00					·60				1·50			18
19								·70			2·60		19
20						·20			1·20			2·30	20
21													21
22											2·00		22
23	2·00			·30									23
24						1·90						2·00	24
25							1·50			·80			25
26	·60												26
27									1·00			·70	27
28		1·60											28
29								3·10					29
30			3·80				·70						30
31	2·50				·60			1·90		·70		3·10	31
Totals	6·50	3·30	8·20	5·40	1·90	4·10	2·60	9·10	4·40	6·10	9·40	12·30	
Total from Jan. 1		9·80	18·00	23·40	25·30	29·40	32·00	41·10	45·50	51·60	61·00	73·30	

T. B. Farrington Assoc M. Inst. C.E.
Llandudno.
Jan 14th 1902

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

5.a

REGISTER OF RAINFALL IN 1901

Kept at Lake Cowlyd

in the County of Carnarvonshire

by Mr T. B. Farrington Assoc. M. Inst. C. E.

RAIN GAUGE.

Lat. .... Lon. ....

Time of Observation ....

Diameter 8 ins

Height of top above Ground 1' 3"

" " Sea Level 1168

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.50								1
2			.40										2
3							.40						3
4										2.00			4
5			3.00	1.10		.50							5
6												1.20	6
7		1.00	.60										7
8					.70					1.00			8
9					.10								9
10				2.00				1.90				2.10	10
11									1.20	.10	.80		11
12			.40	.60									12
13						.90						.90	13
14	.40							1.50	.20		4.00		14
15				.80									15
16		.70											16
17				.60					.80				17
18	1.00					.60				1.50			18
19								.70			2.60		19
20						.20			1.20			2.30	20
21													21
22											2.00		22
23	2.00			.30									23
24						1.90						2.00	24
25							1.50			.80			25
26	.60												26
27									1.00			.70	27
28		1.60											28
29								3.10					29
30			3.80				.70						30
31	2.50				.60			1.90		.70		3.10	31
Totals	6.50	3.30	8.20	5.40	1.90	4.10	2.60	9.10	4.40	6.10	9.40	12.30	
Total from Jan. 1		9.80	18.00	23.40	25.30	29.40	32.00	41.10	45.50	51.60	61.00	73.30	

T. B. Farrington Assoc M. Inst CE
Llandudno,
Jan 14th 1902

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

S.o

End C.S.

REGISTER OF RAINFALL IN 1902

Kept at Cowlyd Lake.

in the County of Carnarvonshire.

by – L. B. Farrington. Assoc. M. Inst. C.E.

RAIN GAUGE.

Lat. Long.

Time of Observation

Diameter 8"

Height of top above Ground 1' 3"

" " Sea Level 1168.

NOTE.—Full instructions respecting the measurement of rain are given in "*The British Rainfall Organization—Rules for Rainfall Observers,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2					·80							1.20	2
3													3
4	1.00		1.10	·70		·50			1.60				4
5								·60					5
6											·40		6
7					1.20								7
8								1.20					8
9	·50			·80			·10						9
10			·70							·90			10
11	1.10					·90	·80		·60				11
12													12
13		1.10				·50					2.00		13
14			1.00					1.20		1.00			14
15												4.00	15
16					·80	·60				3.70			16
17													17
18									·90			2.90	18
19													19
20						·90					·60		20
21			·10										21
22							·30	1.40					22
23				2.70	1.70					1.20			23
24						·20							24
25	·80	1.00							1.30				25
26			1.60									·50	26
27		·10									·90		27
28	1.50												28
29					·90			·80					29
30						·50	2.70			·80	1.20		30
31					1.10							2.70	31
Totals	4.90	2.20	4.50	4.20	6.50	4.10	3.90	5.20	4.40	7.60	5.10	11.30	
Total from Jan. 1	4.90	7.10	11.60	15.80	22.30	26.40	30.30	35.50	39.90	47.50	52.60	63.90	

K/4,000/11/02

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

S.A.

En d C.J

REGISTER OF RAINFALL IN 1903.

FORM A.
BRITISH RAINFALL.

Kept at Cowlyd Lake.

in the County of Carnarvonshire.

by T. B. Farrington. Assoc M. Inst. C.E.
Trinity Square. Llandudno.

Lat. Long.

Nearest Railway Station Llanrwst.

RAIN GAUGE.
Time of Observation
Diameter 8. in.
Height of top above Ground 1 ft. 3 in.
" " Sea Level 1168 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3			2·90				·20		1·90		·50		3
4								·80				2·90	4
5		1·70	·20										5
6													6
7	7·50			1·10	2·10		·90		·40				7
8										3·90		·90	8
9		1·30											9
10												1·30	10
11									5·00				11
12	1·80		2·00							2·20	1·00		12
13					·20			·20					13
14				1·00								1·30	14
15					·70				·80	2·80			15
16			1·60			·90							16
17							1·50				1·60		17
18					·80			4·50					18
19			3·00										19
20		·90											20
21							·90	·60					21
22													22
23	1·20.	4·10								4·10		·60	23
24			6·50				·60						24
25											1·60		25
26	3·50		1·10					1·80					26
27		4·90				·60				1·70	·80		27
28								·50					28
29													29
30	2·60				·80				1·20		2·50		30
31			3·30				1·50	1·10		1·90			31
Totals	16·60.	12·90	20·60	2·10	4·60	1·50	5·60	9·50	9·30	16·60	8·00	7·00	
Total from Jan. 1		29·50	50·10	52·20	56·80	58·30	63·90	73·40	82·40	99·30	107·30	114·30	

T. B. Farrington
Assoc M Inst CE

K/5000/10/03.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

~~[illegible]~~ S. a

REGISTER OF RAINFALL IN 1904.

FORM A.
BRITISH RAINFALL.
-6 FEB 1905

Kept at Cowlyd Lake

in the County of Carnarvon

by T. B. Farrington Assoc. M. Inst. C.E.

Lat. Long.

Nearest Railway Station

RAIN GAUGE.
Time of Observation
Diameter 8 in.
Height of top above Ground 1 ft. 3 in.
" " Sea Level 1168 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2						1·80							2
3													3
4		·70											4
5							·90	·60					5
6				3·10	1·50				1·10	·50		3·50	6
7	1·20										·30		7
8												·60	8
9		·90							·50				9
10			·60		·60	·50				·90	3·30		10
11													11
12								1·00					12
13	4·80			·70					1·20			2·60	13
14													14
15			·90	·60			1·80				·30		15
16		2·30				2·60							16
17								3·00					17
18										2·30			18
19		·80									·20	6·20	19
20													20
21	·80						·70						21
22													22
23		3·10						2·80					23
24											1·10		24
25			1·60		1·30					·20			25
26	·30												26
27					·70								27
28				1·10							·80		28
29	3·00	·60					1·80						29
30	·90			·30		·30			1·00			·60	30
31			2·60					·60					31
Totals	11·00	8·40	5·70	5·80	4·10	5·20	5·20	8·00	3·80	3·90	6·00	13·50	
Total from Jan. 1	11·00	19·40	25·10	30·90	35·00	40·20	45·40	53·40	57·20	61·10	67·10	80·60	

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

S-a.

E.O.C.b

REGISTER OF RAINFALL IN 1905

F
BRITISH RAINFALL.
8 - JAN 1906

Kept at Lake Cowlyd

in the County of Carnarvon

by T. B. Farrington, Assoc. M. Inst. C.E.

Lat. .... Long. ....

Nearest Railway Station Llanrwst

RAIN GAUGE.
Time of Observation ....
Diameter 8 in.
Height of top above Ground 1 ft. 3 in.
" " Sea Level 1168 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2					·50					1·10	·90		2
3			·50	·20			·80	·90					3
4					·40								4
5	1·40									2·30			5
6	1·60					·70	·50				·90		6
7			1·00	2·20					·70			1·60	7
8		·80						1·70					8
9										·90	·40		9
10	1·40		1·20										10
11				·50			·50		2·70			·40	11
12	1·10												12
13			2·90								1·70		13
14				·60					·70				14
15													15
16		·80	2·00										16
17										1·60			17
18													18
19	·60												19
20		·90	·20			2·40	·50						20
21								1·60				1·20	21
22						·40							22
23											2·30		23
24			·90				·30	2·00		·80			24
25					·60								25
26				·30									26
27							·10				2·80		27
28		1·40		·40				1·70					28
29			1·60		·70								29
30				2·80							2·30	·50	30
31	·80							1·10		3·10			31
Totals	6·90	3·90	10·30	7·00	2·20	3·50	2·70	9·00	4·10	9·80	11·30	3·70	
Total from Jan. 1		10·80	21·10	28·10	30·30	33·80	36·50	45·50	49·60	59·40	70·70.	74·40	

T. B. Farrington
Dec. 1905

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.
19 JAN 1907

Kept at Lake Cowlyd.
in the County of Carnarvonshire
by T. B. Farrington, Assoc M Inst C E.

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " Sea Level 1168 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·40				·70							1
2			2·00					2·40		·90			2
3					1·00							·80	3
4	·80							2·10		·70			4
5		1·00											5
6												1·70	6
7					1·10								7
8	1·90	·70	2·30						·70	2·20	·60		8
9													9
10					·90							1·00	10
11	1·20									·70			11
12			2·60								·20		12
13		2·70										1·00	13
14					·30			2·00					14
15		1·00	1·30								1·20		15
16	4·90							1·00		1·00			16
17					·80		1·00					·80	17
18	1·60								1·30	1·30			18
19			1·10				·70				1·90		19
20		1·20						·90					20
21					·80								21
22	1·40							·50		1·60	·90		22
23				·40									23
24					·60								24
25	1·30					1·00				·90			25
26		·90		·90									26
27													27
28					1·20	1·20		1·20					28
29										3·60	2·00		29
30	·80			1·00									30
31										·70		3·00	31
Total	13·90	7·90	9·30	2·30	6·70	2·90	1·70	10·10	2·00	13·60	6·80	8·30	TOTAL for year 85·50
No. of Rain Days	16	14	13	8	15	6	7	14	2	22	15	17	149

J. B. Farrington
Assoc. M. Inst. C.E.
18 Jany 1907

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sma

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.
14 FEB 1908

Kept at Cowlyd Lake
in the County of Carnarvon
by T. B. Farrington Assoc. M. Inst. C. E.

Lat. Long.
Nearest Railway Station Llanrwst
Time of Observation
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " Sea Level 1168. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2					1.00								2
3	1·20									1·20			3
4				·40		1·40	·40		1.00				4
5								·50				1·50	5
6						1·50							6
7	·90		·50										7
8					·80			1·10		·80			8
9						·80			·50		·30	2·20	9
10										·30			10
11		·70	1·60				·90						11
12				1·00								1·40	12
13					1·50	1·80		1·10					13
14	·30	·70	·60								·12		14
15				·40				·80		3·50			15
16												1·80	16
17						·60		·40		1·50			17
18		1·20	2·40										18
19												·60	19
20													20
21		1·60	1·00			1·40					1·00		21
22								·70		1·90			22
23					·10							1·80	23
24	·60					1·30							24
25				·20			·70				2·00		25
26										1·00		·01	26
27						~~1·00~~		·70					27
28	·60					1·00					1·70		28
29													29
30				1·40			·50	·80			·80		30
31	·20									1·30			31
Total	3·80	4·20	6·10	3·40	3·40	9·80	2·50	6·10	1·50	11·50	5·92	9·31	TOTAL for year 69·53
No. of Rain Days													

T. B. Farrington

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Sa.!

Vl. 1908:

REGISTER OF RAINFALL IN 19~~08~~8

FORM A.
BRITISH RAINFALL.

6 APR 1909

Kept at Llyn Cowlyd
in the County of Carnarvon
by J. B. Farrington Assoc. M. Inst. C. E.

Lat. Long.
Nearest Railway Station Llanrwst
Time of Observation
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " Sea Level 1168 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2											.13		2
3		.70							.17			.01	3
4			.30		.22	.60							4
5													5
6		.18					.03	.11					6
7				.60	1.20							.33	7
8										.02			8
9	1.90		2.20				.80					2.00	9
10		.04						.20	3.60			.54	10
11					1.00	.30							11
12			2.00							.18	.80		12
13	.04			.20			1.80	.10					13
14					.30							.90	14
15													15
16	2.20					2.30					1.50		16
17		1.80	.30				1.80		2.40			.90	17
18					.50	.90		.09					18
19			.02								1.40		19
20	.90	.80					.12			.90			20
21								1.00	.25			.35	21
22						.02				.27			22
23			.20								2.00		23
24		1.60				.02		.70	.02			.15	24
25					.80								25
26			1.00							.03	1.40		26
27		.60		.30			.60	2.00					27
28					.02				.50				28
29		.24								1.40			29
30	2.80		1.70	1.80			.04		.31		1.10		30
31			.80		.60			2.90				.56	31
Total	7.84	5.96	8.52	2.90	4.64	4.14	5.19	7.10	7.25	2.80	8.33	5.74	TOTAL for year 70.41
No. of Rain Days	11	15	15	13	18	9	9	16	16	6	13	15	156

J. B. Farrington

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

S.m.a.

RE

4348

LAKE COWLYD. "A"

FFRITH CARREG WEN

1909 - 10

FORM A2.
BRITISH RAINFALL.

14 JUL 1910

Kept at "A" Ffrith

in the County of Ca

by T. B. Farrington

in.

ound 1 ft. — in.

Level ft.

a.m.

me Llanrwst

tance Direction

IMPORTANT NOTI … he result entered to the previous day. If an Ob … sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·06					·21	·30	·04	·02	·36	1
2		·35	·08	·05						1·14	·04	1·69	2
3		·68	·16	·09			·33		·69	·18		·91	3
4		·41				·29	·02		·48	·76	·18	·10	4
5	·03		·31			·07	·36		·37	·05	·21	·05	5
6	·08		·36				·06		1·13		·07	·20	6
7	·44	·03	·13				·09		·67	1·01		·45	7
8	·14	·02							·07	·24		·02	8
9	·30	1·69	·15			·02	·92			·49	·26	·66	9
10	·42	·54	·09			·13				·48	·11	1·11	10
11	·29			·08						·33	·16	·02	11
12			·06	·53	·21		·08		·54	·98	·17	·04	12
13	·23		·21	·68			·04	·05	·03	·11			13
14	1·73	·08			·09		·06			1·90			14
15			·25	·85			·53			·25			15
16	·21			·64	·01		·16	·02		·27			16
17	1·52		·09	·56	·15			1·71		·70	·01	·06	17
18	1·32		·10	·03		·06	·07	·16		·03		·08	18
19			·04	·38				·33	·07	1·26		·11	19
20			·35			·46	·44	·64		·23			20
21						·41	·08	·54		·23	·12	·78	21
22	·04			·45		·36	·10	·30		1·14		1·89	22
23			·26	·56	·01	·21	·49	·35	·31	3·13	·01	·18	23
24			·89	·38	·65	·53	1·15	·15	1·63	·28	·31	·21	24
25			·27	·40		·34	·19	·01		·07	·03	·69	25
26	·01			·58	·29	·06		·10	·10	·02	·24	·02	26
27		·15	·56	·20	·14		·64		1·47		·96	1·45	27
28	·17	·07	1·18	·01	·14	·03	·16		·70		·94	·53	28
29	·04		·88	·05			·53	·40		·35	·02		29
30	·14		·10	·32	·31		·11	·09	·07	·03	·88	·94	30
31	·24		·45		·11		·19	·08					31
Total	7·37	4·02	7·03	6·84	2·11	2·97	6·80	5·14	8·63	15·70	4·74	12·55	TOTAL for year 83·90
No. of Rain Days	19	10	23	19	11	13	23	16	16	27	19	24	220

7,000. X. '09.

S.m.a.

RE

FORM A2.
BRITISH RAINFALL.

14 JUL 1910

Kept at "A" Ffrith Carreg Wen

in the County of Carnarvon

by T. B. Farrington Assoc. M. Inst. C. E.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Llanrwst
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·06					·21	·30	·04	·02	·36	1
2		·35	·08	·05						1·14	·04	1·69	2
3		·68	·16	·09			·33		·69	·18		·91	3
4		·41				·29	·02		·48	·76	·18	·10	4
5	·03		·31			·07	·36		·37	·05	·21	·05	5
6	·08		·36				·06		1·13		·07	·20	6
7	·44	·03	·13				·09		·67	1·01		·45	7
8	·14	·02							·07	·24		·02	8
9	·30	1·69	·15			·02	·92			·49	·26	·66	9
10	·42	·54	·09			·13				·48	·11	1·11	10
11	·29			·08						·33	·16	·02	11
12			·06	·53	·21		·08		·54	·98	·17	·04	12
13	·23		·21	·68			·04	·05	·03	·11			13
14	1·73	·08			·09		·06			1·90			14
15			·25	·85			·53			·25			15
16	·21			·64	·01		·16	·02		·27			16
17	1·52		·09	·56	·15			1·71		·70	·01	·06	17
18	1·32		·10	·03		·06	·07	·16		·03		·08	18
19			·04	·38				·33	·07	1·26		·11	19
20			·35			·46	·44	·64		·23			20
21						·41	·08	·54		·23	·12	·78	21
22	·04			·45		·36	·10	·30		1·14		1·89	22
23			·26	·56	·01	·21	·49	·35	·31	3·13	·01	·18	23
24			·89	·38	·65	·53	1·15	·15	1·63	·28	·31	·21	24
25			·27	·40		·34	·19	·01		·07	·03	·69	25
26	·01			·58	·29	·06		·10	·10	·02	·24	·02	26
27		·15	·56	·20	·14		·64		1·47		·96	1·45	27
28	·17	·07	1·18	·01	·14	·03	·16		·70		·94	·53	28
29	·04		·88	·05			·53	·40		·35	·02		29
30	·14		·10	·32	·31		·11	·09	·07	·03	·88	·94	30
31	·24		·45		·11		·19	·08					31
Total	7·37	4·02	7·03	6·84	2·11	2·97	6·80	5·14	8·63	15·70	4·74	12·55	TOTAL for year 83·90 ✓
No. of Rain Days	19	10	23	19	11	13	23	16	16	27	19	24	220 ✓

7,000. X. '09.

[illegible] "A" Ex. Hub

REGISTER OF RAINFALL IN 1910

FORM A2. BRITISH RAINFALL. 26 JAN 1911

Kept at Lake Cowlyd. (Watershed)

in the County of Carnarvon 2

by T. B. Farrington Assoc. M. Inst. C. E.

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level ~~468~~ ft.

Time of Observation

Nearest Railway Station
Name Llanrwst
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·52	1·52		·08	·46	·28	·09	·11	·25	·69	·51	1
2		·19	·28			·04	·94	·56	·14	1·15	·46	·28	2
3		·03		·02	·30			·26			·03		3
4	·07	·52		·29	·42	·30		·02			·21	·37	4
5		·16		·74	·55	·39	1·12	·10			·54	·54	5
6		·81	·44		·38						·31	·88	6
7	·04	·39	·28		·44	·08					·55	·06	7
8	1·98	·37	·75		·09	·05					·57	·30	8
9	1·24	·07	·57	·09	·04	·06					·22	·47	9
10	·41	·18	·10			·19			·03	·15	·90	·19	10
11	·03	·05	·04	·02				·35		·55	·37	·23	11
12	·17	·06		1·06	·05			·07		·11	1·30	·65	12
13	1·31	·14	·02	·61							·36	·60	13
14		·99	·05	·03				·21	·09		1·07	·86	14
15	1·92	·05		·48	·32	·02		·20			·02	2·12	15
16	·30	1·90	·25	·19				·52		·70	·03	2·94	16
17	·23	·57	·38	·07	·22			·05		·42	·88	·57	17
18	·32	·26	·06	·30	·29			1·01		1·21		·05	18
19	·04	·61	·07	·24	·03			·42	·08	1·53	·39	·09	19
20	·13	1·24		·29		·04	1·54	·84		·51		·66	20
21	·03	·14	·04	·10		·35	·06	·08				·09	21
22	·40	·09		·06		·11	·65	·09			·06	·08	22
23	·94	1·07		·20		·27	·02	·20			·69	1·26	23
24	·12	·07		·78		·10	·54	·27			·10	·36	24
25	~~·09~~	·45		·19			2·85	1·49	·04	·03	·14	·12	25
26		·21		·02		·02	·12	2·62	·41		·02	·34	26
27	·09	·50	·03	1·20	·01	·44	·31	·85			·51		27
28	·35	·30		·20	·20	·78	·44	·47	·02	·26	·41	·12	28
29	·69			·07	·14	1·06	·12	·16				·02	29
30	·67			·02	·29	·51	·10	·27			·13		30
31	·39				·17		·07	·03		1·44		·56	31
Total	11·84	11·94	4·88	7·27	4·02	5·27	9·16	11·23	·92	8·31	10·96	15·32	TOTAL for year 101.12
No. of Rain Days	24	~~23·00~~ 28	16	24	18	19	15	25	8	13	26	28	244

T. B. Farrington 25/1/11

244 ✓

7,000. X. '09.

S.w.a.

4348/1

LAKE COWLYD, "B"

FFRITH FAWR

1909 – 10

ME/2/4/1/1/6/3/9405

FORM A2.
BRITISH RAINFALL.
14 JUL 1910

REC

Kept at "B" Ffrith
in.
und 1 ft. — in.
in the County of Carn
Level ft.
by T. B. Farrington
w.
e Llanrwst
ance Direction

IMPORTANT NOTE e result entered to the previous day. If an Obs sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·10					·18	·39	·02	·01	·28	1
2		·31	·15	·02						1·16	·05	1·26	2
3		·56	·20	·04			·37		·80	·14		·19	3
4		·53				·21	·04		·52	·49	·21	·45	4
5	·02		·34			·03	·38		·32	·36	·28	·21	5
6	·10		·28				·10		·85		·04	·30	6
7	·40	·02	·10				·15		·55	1·02		·57	7
8	·10	·01							·05	·28		·04	8
9	·24	·90	·09			·01	·95			·52	·32	·82	9
10	·40	·34	·07			·09				·53	·18	1·08	10
11	·20			·06						·30	·17	·01	11
12			·09	·56	·24		·04		·52	·73	·22	·03	12
13	·15		·27	·60			·02	·04	·02	·08			13
14	1·91	·11			·08		·19			2·02			14
15			·69	·80			·52			·30			15
16	·35			·60	·01		·24	·01		·35			16
17	2·08		·12	·58	·11			1·73		·65	·01	·04	17
18	1·62		·25	·14		·05	·10	·13		·01		·07	18
19			·16	·36				·34	·12	1·13		·09	19
20			·49			·41	·40	·58		·17			20
21						·22	·06	·57		·30	·10	1·25	21
22	·02			·39		·20	·17	·35		1·21		2·32	22
23			·24	·52	·04	·40	·45	·40	·28	3·08	·02	·16	23
24			·94	·31	·52	·55	·95	·19	1·54	·32	·27	·23	24
25			·25	·35		·43	·12	·02		·02	·02	·63	25
26	·01			·56	·19	·09		·12	·08	·02	·25	·04	26
27		·17	·62	·23	·16		·68		1·20		·90	1·26	27
28	·20	·04	1·19	·02	·12	·05	·20		·67		·71	·36	28
29	·06		·66	·03			·45	·42		·23	·02		29
30	·12		·07	·30	·32		·10	·18	·04	·02	·60	·87	30
31	·21		·34		·13		·12	·11					31
Total	8·21	2·99	7·71	6·47	1·92	2·74	6·80	5·37	7·95	15·46	4·38	12·50	TOTAL for year 82·50
No. of Rain Days	19	10	23	19	11	13	23	16	16	27	19	24	220

7,000. X. '09.

S.W.a.

FORM A2.
BRITISH RAINFALL.
14 JUL 1910

REC

Kept at "B" Ffrith Fawr, Cowlyd,
in the County of Carnarvon
by T. B. Farrington Assoc. M. Inst. C.E.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level ft.
Time of Observation 9 a.m.
Nearest Railway Station Name Llanrwst
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·10					·18	·39	·02	·01	·28	1
2		·31	·15	·02						1·16	·05	1·26	2
3		·56	·20	·04			·37		·80	·14		·19	3
4		·53				·21	·04		·52	·49	·21	·45	4
5	·02		·34			·03	·38		·32	·36	·28	·21	5
6	·10		·28				·10		·85		·04	·30	6
7	·40	·02	·10				·15		·55	1·02		·57	7
8	·10	·01							·05	·28		·04	8
9	·24	·90	·09			·01	·95			·52	·32	·82	9
10	·40	·34	·07			·09				·53	·18	1·08	10
11	·20			·06						·30	·17	·01	11
12			·09	·56	·24		·04		·52	·73	·22	·03	12
13	·15		·27	·60			·02	·04	·02	·08			13
14	1·91	·11			·08		·19			2·02			14
15			·69	·80			·52			·30			15
16	·35			·60	·01		·24	·01		·35			16
17	2·08		·12	·58	·11			1·73		·65	·01	·04	17
18	1·62		·25	·14		·05	·10	·13		·01		·07	18
19			·16	·36				·34	·12	1·13		·09	19
20			·49			·41	·40	·58		·17			20
21						·22	·06	·57		·30	·10	1·25	21
22	·02			·39		·20	·17	·35		1·21		2·32	22
23			·24	·52	·04	·40	·45	·40	·28	3·08	·02	·16	23
24			·94	·31	·52	·55	·95	·19	1·54	·32	·27	·23	24
25			·25	·35		·43	·12	·02		·02	·02	·63	25
26	·01			·56	·19	·09		·12	·08	·02	·25	·04	26
27		·17	·62	·23	·16		·68		1·20		·90	1·26	27
28	·20	·04	1·19	·02	·12	·05	·20		·67		·71	·36	28
29	·06		·66	·03			·45	·42		·23	·02		29
30	·12		·07	·30	·32		·10	·18	·04	·02	·60	·87	30
31	·21		·34		·13		·12	·11					31
Total	8·21	2·99	7·71	6·47	1·92	2·74	6·80	5·37	7·95	15·46	4·38	12·50	TOTAL for year 82·50
No. of Rain Days	19	10	23	19	11	13	23	16	16	27	19	24	220

7,000. X. '09.

Sma made "B"

FORM A2. BRITISH RAINFALL. 26 JAN 1911

REGISTER OF RAINFALL IN 1910

Kept at Lake Cowlyd (Watershed)
in the County of Carnarvon 2
by T. B. Farrington Assoc. M. Inst. C. E.

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level ~~1700~~ ft.

Time of Observation

Nearest Railway Station
Name Llanrwst
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·71	1·62		·06	·43	·24	·07	·08	·19	·41	·75	1
2		·25	·40			·07	1·14	·62	·09	1·07	·35	·45	2
3		·09		·01	·25			·21			·02		3
4	·02	·55		·13	·39	·49		·01			·16	·21	4
5		·11		·42	·61	·61	1·24	·07			·40	·52	5
6		·84	·36		·43						·23	·85	6
7	·03	·32	·25		·38	·12					·45	·03	7
8	1·25	·20	·79		·14	·09					·52	·35	8
9	·60	·05	·53	·05	·03	·05					·13	·33	9
10	·13	·15	·13			·23			·04	·17	·75	·15	10
11	·01	·07	·06	·04				·21		·51	·42	·12	11
12	·22	·08		1·08	·02			·02		·05	1·05	·57	12
13	1·44	·11	·02	·62							·30	·54	13
14		·95	·08	·02				·16	·11		1·15	·78	14
15	1·63	·03		·38	·35	·01		·13			·05	2·02	15
16	·35	1·81	·19	·23				·53		·66	·10	2·15	16
17	·14	·54	·36	·02	·19			·04		·49	1·07	·65	17
18	·29	·10	·05	·45	·30			1·03		1·25		·07	18
19	·03	·53	·09	·32	·02			·53	·09	1·25	·48	·11	19
20	·10	1·02		·26		·10	1·36	·80		·55		·52	20
21	·02	·12	·05	·07		·57	·12	·10				·35	21
22	·54	·07		·05		·08	·70	·02			·05	·05	22
23	·82	1·03		·18		·23	·05	·12			·52	1·15	23
24	·07	·04		·70		·05	·59	·18			·08	·40	24
25		·39		·12			2·58	1·10	·03	·02	·16	·10	25
26		·18		·03		·02	·03	2·02	·33		·03	·37	26
27	·07	·94	·01	1·02	·03	·47	·25	·51			·53		27
28	·29	·99		·15	·18	·85	·30	·13	·01	·28	·60	·09	28
29	·65			·05	·11	1·15	·05	·14				·05	29
30	·60			·01	·25	·53	·13	·30			·20		30
31	·85				·15		·02	·05		1·38		·44	31
Total	10·16	12·27	4·99	6·41	3·89	6·09	8·80	9·10	·78	7·87	10·21	14·17	TOTAL for year 94·74
No. of Rain Days	24 244	28	16	24	18	19	15	25	8	13	26	28	244

T. B. Farrington & Co 25/1/11

7,000. X. '09.

S.m.a.

4347

LAKE COWLYD, "C"
LLETHYR GWYN
1909 – 10.

MET/2/4/1/1/6/3/9408

FORM A2.
BRITISH RAINFALL.

14 JUL 1910

R 9

Kept at "C" L ... 5 in.
Ground 1 ft. – in.
in the County of Ca ... Sea Level ... ft.
by T. B. Farr ... a.m.
Name Llanrwst
Distance ... Direction ...

IMPORTANT NO ... the result entered to the previous day. If an ... versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·15					·13	·14	·01	·04	·15	1
2		·32	·10	·07						1·47	·14	1·25	2
3		·64	·08	·13			·42		·56	·16		·08	3
4		·52				·20	·05		·44	·57	·18	·30	4
5	·04		·36			·04	·43		·39	·08	·30	·03	5
6	·15		·10				·12		·55		·03	·45	6
7	·31	·02	·13				·13		·52	1·06		1·02	7
8	·08	·01							·06	·22		·15	8
9	·20	·60	·17			·01	·87			·55	·22	·90	9
10	·42	·29	·06			·10				·53	·09	1·09	10
11	·21			·14						·55	·15	·01	11
12			·13	·54	·18		·06		·36	1·08	·19	·02	12
13	·13	·52	·19	·62			·03	·03	·02	·12			13
14	1·08	·07			·10		·01			1·72			14
15			·34	1·14			·40			·23			15
16	·22			1·02	·02		·15	·02		·22			16
17	1·54		·94	·54	·13			1·36		·54	·01	·02	17
18	1·06		1·23	·10		·07	·07	·07		·05		·04	18
19			1·03	·40				·34	·09	1·25		·03	19
20			·67			·43	·34	·72		·40			20
21						·45	·03	·66		·15	·15	1·02	21
22	·03			·56		·42	·21	·42		·83		2·04	22
23			·41	·60	·06	·25	·55	·31	·42	2·52	·03	·13	23
24			1·16	·55	·74	·68	1·08	·13	1·53	·24	·33	·19	24
25			·30	·45		·59	·37	·01		·02	·04	·60	25
26	·01			·54	·24	·10		·09	·26	·01	·26	·01	26
27		·10	·58	·23	·26		·63		1·22		·84	1·65	27
28	·12	·08	1·26	·01	·16	·03	·18		·73		·61	·19	28
29	·13		·75	·01			·47	·39		·19	·01		29
30	·12		·18	·21	·34		·07	·05	·03	·01	·64	·82	30
31	·30		·37		·14		·14	·03					31
Total	6·18	3·17	10·69	7·86	2·37	3·37	6·81	4·76	7·34	14·78	4·26	12·19	TOTAL for year 83·78
No. of Rain Days	19	11	23	19	11	13	23	16	16	27	19	24	221

7,000. X. '09.

S.m.a.

REGISTER OF RA[illegible]9

FORM A2.
BRITISH RAINFALL.

14 JUL 1910

Kept at "C" Llethyr Gwyn.
in the County of Carnarvon
by T. B. Farrington Assoc. M. Inst. C.E.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.
Time of Observation 9 am.
Nearest Railway Station Name Llanrwst. Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·15					·13	·14	·01	·04	·15	1
2		·32	·10	·07						1·47	·14	1·25	2
3		·64	·08	·13			·42		·56	·16		·08	3
4		·52				·20	·05		·44	·57	·18	·30	4
5	·04		·36			·04	·43		·39	·08	·30	·03	5
6	·15		·10				·12		·55		·03	·45	6
7	·31	·02	·13				·13		·52	1·06		1·02	7
8	·08	·01							·06	·22		·15	8
9	·20	·60	·17			·01	·87			·55	·22	·90	9
10	·42	·29	·06			·10				·53	·09	1·09	10
11	·21			·14						·55	·15	·01	11
12			·13	·54	·18		·06		·36	1·08	·19	·02	12
13	·13	·52	·19	·62			·03	·03	·02	·12			13
14	1·08	·07			·10		·01			1·72			14
15			·34	1·14			·40			·23			15
16	·22			1·02	·02		·15	·02		·22			16
17	1·54		·94	·54	·13			1·36		·54	·01	·02	17
18	1·06		1·23	·10		·07	·07	·07		·05		·04	18
19			1·03	·40				·34	·09	1·25		·03	19
20			·67			·43	·34	·72		·40			20
21						·45	·03	·66		·15	·15	1·02	21
22	·03			·56		·42	·21	·42		·83		2·04	22
23			·41	·60	·06	·25	·55	·31	·42	2·52	·03	·13	23
24			1·16	·55	·74	·68	1·08	·13	1·53	·24	·33	·19	24
25			·30	·45		·59	·37	·01		·02	·04	·60	25
26	·01			·54	·24	·10		·09	·26	·01	·26	·01	26
27		·10	·58	·23	·26		·63		1·22		·84	1·65	27
28	·12	·08	1·26	·01	·16	·03	·18		·73		·61	·19	28
29	·13		·75	·01			·47	·39		·19	·01		29
30	·12		·18	·21	·34		·07	·05	·03	·01	·64	·82	30
31	·30		·37		·14		·14	·03					31
Total	6·18	3·17	10·69	7·86	2·37	3·37	6·81	4·76	7·34	14·78	4·26	12·19	TOTAL for year 83·78 ✓
~~No. of~~ Rain Days	19	11	23	19	11	13	23	16	16	27	19	24	221 ✓

7,000. X. '09.

Sura "C" ~~W~~ ~~HRB~~ cond for arith 28.IV.11

REGISTER OF RAINFALL IN 1910

FORM A2. BRITISH RAINFALL. 26 JAN 1911

Kept at Lake Cowlyd (Watershed)

in the County of Carnarvon 2

by T. B. Farrington Assoc. M. Inst. C. E.

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level ~~1700~~ ft.

Time of Observation

Nearest Railway Station
Name Llanrwst
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	1·27	1·25		·04	·49	·16	·05	·10	·29	·21	·58	1
2		·53	·14			·10	·98	·51	·06	1·29	·15	·32	2
3		·12		·01	·15			·18			·02		3
4	·01	·58		·05	·27	·47		·02			·03	·35	4
5		·27		·38	·53	·57	1·39	·06			·18	·59	5
6		·97	·54		·33						·10	1·01	6
7	·02	·31	·32		·26	·06					·25	·15	7
8	1·55	·24	·83		·10	·04					·51	·47	8
9	1·12	·10	·64	·03	·02	·09					·14	·53	9
10	·14	·17	·13			·24			·02	·06	1·02	·20	10
11	·07	·09	·03	·08				·45		·52	·40	·29	11
12	·26	·03		1·05	·01			·18		·05	1·57	·53	12
13	1·80	·12	·01	·63							·11	·57	13
14		·79	·07	·06				·38	·06		1·02	·66	14
15	2·07	·04		·53	·35	·01		·25			·01	2·05	15
16	·18	2·02	·15	·21				·55		·55	·02	2·40	16
17	·07	·58	·11	·02	·32			·08		·22	·68	·53	17
18	·14	·23	·04	·25	·14			1·03		1·04		·03	18
19	·01	·57	·05	·15	·01			·58	·07	1·53	·27	·06	19
20	·07	1·17		·14		·09	1·72	·52		·52		·63	20
21	·05	·13	·05	·05		·56	·20	·07				·15	21
22	·24	·10		·03		·08	·76	·12			·11	·04	22
23	·56	1·52		·08		·31	·12	·24			·53	1·19	23
24	·05	·22		·40		·08	·69	·32			·07	·22	24
25		·74		·11			1·69	1·53	·05	·01	·11	·05	25
26		·47		·01		·04	·08	2·05	·36		·01	·14	26
27	·05	·99	·02	1·04	·01	·41	·40	·63			·53		27
28	·27	·07		·15	·12	·60	·60	·20	·03	·16	·54	·06	28
29	·53			·08	·05	·90	·14	·11				·01	29
30	·69			·01	·37	·22	·17	·28			·10		30
31	·59				·20		·07	·02		1·41		·47	31
Total	10·56	14·44	4·38	5·55	3·28	5·36	9·17	10·41	·76	7·65	8·63	14·22	TOTAL for year 94·40 94·40
No. of Rain Days	24 244	28	16	24	18	19	15	25	8	13	26	28	244

J. B. Farrington 25/1/11

7,000. X. '09.

S.m.a.

FORM A2.
BRITISH RAINFALL.

14 JUL 1910

4348/2

LAKE COWLYD, "D"
GORS-Y-LLITHRIG
1909 – 10
MET/2/4/1/1/6/3/9407

REG

Kept at "D" Gors-
in the County of Carn
by T. B. Farrington

in.
nd 1 ft. in.
Level ft.
w
Llanrwst
nce Direction

IMPORTANT NOTE result entered to the previous day. If an Observer prefers al rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·10					·17	·52	·05	·05	·26	1
2		·27	·08	·03						1·40	·16	1·11	2
3		·54	·16	·08			·45		·65	·21		·14	3
4		·62				·18	·03		·56	·52	·20	·41	4
5	·02		·29			·02	·33		·52	·38	·33	·18	5
6	·07		·25				·21		1·48		·05	·22	6
7	·49	·06	·15				·28		·86	1·03		·33	7
8	·15	·02							·14	·18		·06	8
9	·38	·62	·25			·01	1·10			·29	·23	·58	9
10	·62	·25	·13			·07				·33	·15	1·07	10
11	·19			·09						·42	·21	·02	11
12			·17	·58	·26		·04		·39	·74	·38	·04	12
13	·18	1·10	·28	·65			·02	·04	·01	·06			13
14	1·04	·53			·17		·17			1·63			14
15			·61	·58			·63			·21			15
16	·15			·54	·02		·40	·01		·29			16
17	1·02		·58	·52	·12			1·92		·52	·01	·07	17
18	·53		1·20	·05		·04	·10	·12		·02		·05	18
19			·65	·26				·48	·25	·78		·04	19
20			·85			·38	·49	·62		·20			20
21						·53	·10	·56		·10	·11	1·12	21
22	·07			·38		·48	·08	·32		·82		1·69	22
23			·35	·42	·05	·32	·40	·44	·45	2·03	·02	·15	23
24			1·10	·30	·70	·63	·91	·18	1·75	·15	·42	·25	24
25			·35	·29		·60	·14	·02		·03	·02	·56	25
26	·01			·52	·23	·12		·20	·15	·02	·23	·03	26
27		·13	·52	·21	·10		·84		1·30		·88	·69	27
28	·15	·17	·53	·01	·07	·07	·17		·65		·69	·39	28
29	·04		·57	·02			·56	·48		·25	·03		29
30	·09		·04	·53	·28		·08	·25	·05	·03	·70	·56	30
31	·18		·19		·12		·10	·13					31
Total	5·42	4·31	9·40	6·06	2·12	3·45	7·63	5·94	9·73	12·69	4·87	10·22	TOTAL for year 81·84 ✓
No. of Rain Days	19	11	23	19	11	13	23	16	16	27	19	24	221 ✓

7,000. X. '09.

S.m.a.

REGISTER OF RAINFALL

FORM A2.
BRITISH RAINFALL.

14 JUL 1910

Kept at "D" Gors-y-Llithrig

in the County of Carnarvon

by T. B. Farrington Assoc. M. Inst. C. E.

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Llanrwst.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·10					·17	·52	·05	·05	·26	1
2		·27	·08	·03						1·40	·16	1·11	2
3		·54	·16	·08			·45		·65	·21		·14	3
4		·62				·18	·03		·56	·52	·20	·41	4
5	·02		·29			·02	·33		·52	·38	·33	·18	5
6	·07		·25				·21		1·48		·05	·22	6
7	·49	·06	·15				·28		·86	1·03		·33	7
8	·15	·02							·14	·18		·06	8
9	·38	·62	·25			·01	1·10			·29	·23	·58	9
10	·62	·25	·13			·07				·33	·15	1·07	10
11	·19			·09						·42	·21	·02	11
12			·17	·58	·26		·04		·39	·74	·38	·04	12
13	·18	1·10	·28	·65			·02	·04	·01	·06			13
14	1·04	·53			·17		·17			1·63			14
15			·61	·58			·63			·21			15
16	·15			·54	·02		·40	·01		·29			16
17	1·02		·58	·52	·12			1·92		·52	·01	·07	17
18	·55		1·20	·05		·04	·10	·12		·02		·05	18
19			·65	·26				·48	·25	·78		·04	19
20			·85			·38	·49	·62		·20			20
21						·53	·10	·56		·10	·11	1·12	21
22	·07			·38		·48	·08	·32		·82		1·69	22
23			·35	·42	·05	·32	·40	·44	·45	2·03	·02	·15	23
24			1·10	·30	·70	·63	·91	·18	1·75	·15	·42	·25	24
25			·35	·29		·60	·14	·02		·03	·02	·56	25
26	·01			·52	·23	·12		·20	·15	·02	·23	·03	26
27		·13	·52	·21	·10		·84		1·30		·88	·69	27
28	·15	·17	·53	·01	·07	·07	·17		·65		·69	·39	28
29	·04		·57	·02			·56	·48		·25	·03		29
30	·09		·04	·53	·28		·08	·25	·05	·03	·70	·56	30
31	·18		·19		·12		·10	·13					31
Total	5·42	4·31	9·40	6·06	2·12	3·45	7·63	5·94	9·73	12·69	4·87	10·22	TOTAL for year 81·84
No. of Rain Days	19	11	23	19	11	13	23	16	16	27	19	24	221

7,000. X. '09.

[illegible] "D" [illegible]

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.

26 JAN 1911

Kept at Lake Cowlyd (Watershed)

in the County of Carnarvon 2

by T. B. Farrington Assoc. M. Inst. C. E.

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level ~~1900~~ ft.

Time of Observation

Nearest Railway Station
Name Llanrwst.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	1·35	1·54		·14	·45	·31	·06	·07	·32	·37	1·02	1
2		·49	·18			·15	1·52	·84	·11	1·35	·20	·31	2
3		·15		·03	·28			·23			·01		3
4	·02	·64		·11	·45	·41		·03			·10	·30	4
5		·19		·88	·57	·59	1·56	·09			·21	·55	5
6		·89	·41		·55						·15	·91	6
7	·05	·40	·20		·57	·15					·30	·04	7
8	1·16	·36	·64		·15	·10					·45	·21	8
9	·72	·14	·55	·04	·04	·03					·20	·49	9
10	·15	·13	·11			·17			·03	·08	·57	·18	10
11	·05	·04	·10	·06				·18		·53	·32	·25	11
12	·10	·09		1·03	·04	~~·03~~		·03		·06	1·02	·58	12
13	1·35	·10	·03	·57							·22	·52	13
14		·86	·10	·08				·18	·08		1·04	·75	14
15	1·10	·02		·51	·39	·03		·06			·02	2·15	15
16	·15	1·36	·40	·27				·51		·64	·05	2·55	16
17	·10	·48	·69	·03	·25			·02		·60	·63	·52	17
18	·27	·12	·25	·48	·28			·55		1·45		·09	18
19	·02	·54	·16	·41	·04			·51	·05	1·53	·33	·04	19
20	·13	·77		·33		·12	1·38	·53		·62		·57	20
21	·02	·09	·07	·09		·53	·14	·03				·18	21
22	·26	·05		·11		·12	·53	·05			·15	·03	22
23	·59	1·15		·12		·20	·03	·08			·58	1·21	23
24	·09	·10		·66		·06	·52	·14			·17	·30	24
25		·62		·22			3·43	1·07	·02	·03	·18	·08	25
26		·36		·02		·03	·04	2·07	·31		·02	·32	26
27	·11	·63	·04	1·01	·05	·49	·35	·61			·55		27
28	·31	·09		·17	·23	·89	·37	·17	·01	·32	1·05	·07	28
29	·63			·04	·17	1·25	·04	·20			~~·35~~	·08	29
30	·52			·02	·40	·47	·09	·26			·35		30
31	·68				·18		·05	·04		1·49		·52	31
Total	8·59	12·21	5·47	7·29	4·78	6·24	10·36	8·49	·68	9·02	9·24	14·82	TOTAL for year 97·19
No. of Rain Days	24 244	28	16	24	18	19	15	25	8	13	26	28	244

T. B. Farrington 25/1/11

7,000. X. '09.

S.a.

REGI ...08

FORM A.
BRITISH RAINFALL.
26 MAY 1909

CARNARVON.

LAKE EIGIAU
DAM. SITE
1908
MET/2/4 A/1/6/3/10469

Kept at Eigia La ... Taly Cafn

in the County of Carna ... Arn.

... 5 in.

... bove Ground 1 ft. in.

by J. R. Lethrie ... Sea Level 1280 ft.

NOTE.—Rain should be measured d ... Full instructions for the measurement of rain and particulars as to the British ... servers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.22	.05	.02		.54			.17				1
2		.02	.16	.20	.36	.28			.10				2
3		.29	.05	.31		.15			.70			.07	3
4	.43	.16		.14	.28			.13					4
5	~~.43~~		.70		1.43	.17						.36	5
6	.68	.06	.37		.06								6
7	.97	.06	.36		.94		.32					.90	7
8	.18	.02	.88		.45		.84		3.00	.17		1.61	8
9			1.26		.17	.37	1.14	.13	1.20	.16		1.00	9
10		.05	.64	.12			.74	.15	1.32		.37	.60	10
11				.10		.46					1.12	.16	11
12				.04	.18	.06	.26	.03			.62	.10	12
13	.03	.10	.09		.07	1.64		.13			1.20	.26	13
14	.62	1.78			.35		.05		65		.04	.97	14
15	1.56	.25	.39		.10	.43	.32		33	10		.20	15
16	.83	.67	.04	~~.20~~			1.41		109		.16	.52	16
17	.60	.51		~~.03~~	.22	1.22	.47			09	.07	.35	17
18		.33	.04	~~.15~~						59	1.65	.12	18
19	.05	.45		~~.25~~					07	21	.05	.12	19
20		.30		.16				1.10	28	20	.24		20
21		.49		.03	.38			.15			2.57	.35	21
22		.84	.62	.15				.20			.48	.06	22
23		.27	.02	.25	.13			.22			.34	.04	23
24		.09	1.00	.18	.44		.25	.40			1.40		24
25	.84	.16	.33		.21		.46	.41	75	.02	.50		25
26	1.38	.52	.03					1.64		.09	.08		2
27	.39	.27	.50	.81				.94			.16	.52	27
28	.56	.12	.25	.52				.19	60	2.05	1.38	.08	28
29	.02		1.15	.72				.08				.10	29
30	.13		.98	.25	.06					.18		1.00	30
31	.22		.06		.31			223				1.50	31
Total	9.49	8.03	9.97	4.00	6.14	5.32	6.26	7.83	10.26	3.86	12.43	10.99	TOTAL for year 94.5
No. of Rain Days	17	24	23	16	18	10	11	16	13	11	18	23	2

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

max. in 24 hours 3.00 on Sep. 8

S.a.

REGI 8

FORM A.
BRITISH RAINFALL.
26 MAY 1909

Kept at Eigiau Lake

in the County of Carnarvon

by J. R. Lethbridge Jones

Lat. Long.

Nearest Railway Station Taly Cafn

Time of Observation 9 Am.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " Sea Level 1280 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.22	.05	.02		.54			.17				1
2		.02	.16	.20	.36	.28			.10				2
3		.29	.05	.31		.15			.70			.07	3
4	.43	.16		.14	.28			.13					4
5	~~.43~~		.70		1.43	.17						.36	5
6	.68	.06	.37		.06								6
7	.97	.06	.36		.94		.32					.90	7
8	.18	.02	.88		.45		.84		3.00	.17		1.61	8
9			1.26		.17	.37	1.14	.13	1.20	.16		1.00	9
10		.05	.64	.12			.74	.15	1.32		.37	.60	10
11				.10		.46					1.12	.16	11
12				.04	.18	.06	.26	.03			.62	.10	12
13	.03	.10	.09		.07	1.64		.13			1.20	.26	13
14	.62	1.78			.35		.05		65		.04	.97	14
15	1.56	.25	.39		.10	.43	.32		33	10		.20	15
16	.83	.67	.04	~~.20~~			1.41		1.09		.16	.52	16
17	.60	.51		~~.08~~	.22	1.22	.47			09	.07	.35	17
18		.33	.04	~~.15~~						59	1.65	.12	18
19	.05	.45		~~.25~~					07	21	.05	.12	19
20		.30		.16				1.10	28	20	.24		20
21		.49		.03	.38			.15			2.57	.35	21
22		.84	.62	.15				.20			.48	.06	22
23		.27	.02	.25	.13			.22			.34	.04	23
24		.09	1.00	.18	.44		.25	.40			1.40		24
25	.84	16	.33		.21		.46	41	75	.02	.50		25
26	1.38	.52	.03					1.64		.09	.08		2
27	.39	.27	.50	.81				.94			.16	.52	27
28	.56	.12	.25	.52				.19	60	2.05	1.38	.08	28
29	.02		1.15	.72				.08				.10	29
30	.13		.98	.25	.06					.18		1.00	30
31	.22		.06		.31			2.23				1.50	31
Total	9.49	8.03	9.97	4.00	6.14	5.32	6.26	7.83	10.26	3.86	12.43	10.99	TOTAL for year 94.58
No. of Rain Days	17	24	23	16	18	10	11	16	13	11	18	23	2

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

max. in 24 hours 3.00 on Sep. 8

S.a

—

LLANBEDR. -Y- CENNIN
LLYNDULYN OLD GAUGE

MET/2/4/LA/6/3/10151

1901 - 1910

19 01

Kept at [cut off] Lat. Lon.

in the County [cut off] Time of Observation

Diameter 8 inches

by C. S. [cut off] Height of top above Ground 1' 6"

" " Sea Level 1632 ft

NOTE.—Full inst[cut off] [cut off]pecting the *Systematic Observation and Record of the Rainfall*," whic[cut off] [cut off]LL, at 62, Camden Square, London, N.W.

Date.	Jan.								Sept.	Oct.	Nov.	Dec.	*Date.*
	in.								in.	in.	in.	in.	
1	~~·25~~										·30		1
2	·25		0·78				·45						2
3						·61		·30					3
4												·85	4
5			4·00	2·66						·95			5
6					·65			·80					6
7						·40				3·00			7
8			2·24									1·30	8
9				2·96					1·16				9
10	0·12				1·65			2·04				·75	10
11										1·00			11
12				0·50					·79				12
13								1·50				3·55	13
14											7·50		14
15						4·15				·90			15
16				2·00									16
17	0·50							2·5				2·70	17
18											1·05		18
19	1·10	0·70								2·00			19
20													20
21									3·26				21
22	1·50		0·15			1·83							22
23											4·60		23
24	·60								·26				24
25						1·26							25
26	2·46						2·70			1·43			26
27		2·13						3·9					27
28	0·58				·09				·50				28
29				0·15							·53		29
30			4·00										30
31	0·15				1·10			1·80				1·50	31
Totals	7·26	2·83	11·17	10·53	3·49	8·25	3·15	12·84	5·97	9·28	13·98	10·65	
Total from Jan. 1	7·26	10·09	21·26	31·79	35·28	43·53	46·68	59·52	65·49	74·77	88·75	99·40	

C Paley Observer
13th Jany 1902.

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

S.a

REGISTER OF RAINFALL IN 1901

Kept at Dulyn
in the County of Carnarvon
by C. P. Stephenson Esq. Assoc M. Inst. C.E.

RAIN GAUGE.
Lat. Lon.
Time of Observation
Diameter 8 inches
Height of top above Ground 1' 6"
" " Sea Level 1632 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~·25~~			2·26							·30		1
2	·25		0·78				·45						2
3						·61		·30					3
4												·85	4
5			4·00	2·66						·95			5
6					·65			·80					6
7						·40				3·00			7
8			2·24									1·30	8
9				2·96					1·16				9
10	0·12				1·65			2·04				·75	10
11										1·00			11
12				0·50					·79				12
13								1·50				3·55	13
14											7·50		14
15						4·15				·90			15
16				2·00									16
17	0·50							2·5				2·70	17
18											1·05		18
19	1·10	0·70								2·00			19
20													20
21									3·26				21
22	1·50		0·15			1·83							22
23											4·60		23
24	·60								·26				24
25						1·26							25
26	2·46						2·70			1·43			26
27		2·13						3·9					27
28	0·58				·09				·50				28
29				0·15							·53		29
30			4·00										30
31	0·15				1·10			1·80				1·50	31
Totals	7·26	2·83	11·17	10·53	3·49	8·25	3·15	12·84	5·97	9·28	13·98	10·65	
Total from Jan. 1	7·26	10·09	21·26	31·79	35·28	43·53	46·68	59·52	65·49	74·74	88·75	99·40	

C. Paley Stephenson
13th Jany 1902.

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.
PRICE 3D.

5.0 Ex'd J. M. P. Mr. Wallis

REGISTER OF RAINFALL IN 1902

Kept at Dulyn
in the County of Carnarvon
by E. P. Stephenson Esq Assoc. M. Inst. C.E.

RAIN GAUGE.
Lat. Lon.
Time of Observation
Diameter 8"
Height of top above Ground 1' 6"
" " Sea Level 1.632

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.83									1
2					1.88			0.45				1.50	2
3						0.36							3
4				0.40						0.25			4
5					0.60		0.27	0.45	1.80				5
6	3.00					0.52					0.38		6
7				0.92						0.05			7
8								1.18					8
9													9
10					0.48						0.60		10
11	2.72					0.88	1.40			1.70			11
12								1.50	0.68				12
13	0.25									0.80		0.37	13
14			2.60			0.84		0.50					14
15											1.40		15
16					1.02								16
17						0.84							17
18				0.06						3.15	1.00		18
19							0.10		1.82			9.08	19
20					1.24	0.90		1.50		0.90			20
21	0.20		1.39	1.00			0.35						21
22									0.37				22
23					1.10	0.16	0.34	0.50					23
24		2.39											24
25			1.00				0.50				1.00		25
26				2.32				0.16					26
27									1.25				27
28		0.50					2.58			0.70			28
29			1.46		1.18			0.09			3.45		29
30						0.20							30
31	2.68				3.90							4.00	31
Totals	8.85	2.89	6.45	5.53	11.40	4.70	5.54	6.33	5.92	7.55	7.83	14.95	
Total from Jan. 1	8.85	11.74	18.19	23.72	35.12	39.82	45.36	51.69	57.61	65.16	72.99	87.94	

E. P. Stephenson
21 Jan. 03

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3d.

REGISTER OF RAINFALL IN 1903

FORM A.
BRITISH RAINFALL.

Kept at Dulyn
in the County of Carnarvon
by Wm H P Stephenson Assoc M Inst C E

Lat. Long.
Nearest Railway Station
RAIN GAUGE.
Time of Observation
Diameter 8 in.
Height of top above Ground 1 ft. 6 in.
" " Sea Level 1652 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					0.54				0.95				1
2						0.60				1.15			2
3								1.07	1.45		0.65		3
4		4.02			1.71		0.20					2.31	4
5			4.60							0.95			5
6								0.15					6
7							0.55						7
8	7.45				0.15							1.36	8
9		1.36		3.95			0.10						9
10										4.35			10
11									6.77				11
12					0.48					1.65		4.00	12
13		0.63											13
14								1.40			1.25	0.28	14
15										3.00			15
16					0.45	1.56			0.65		1.36		16
17		0.55					1.20			0.65			17
18					2.00			5.10					18
19												0.08	19
20													20
21											0.30		21
22							1.52	0.40		1.45			22
23	4.20										1.50		23
24			12.05				0.45		0.25				24
25													25
26												1.14	26
27	2.10		2.00			0.60				4.95			27
28		11.00		1.15			1.15	2.30	0.32		8.60		28
29													29
30									0.60	2.15	0.66		30
31													31
Totals	14.05	14.56	18.65	5.10	5.63	2.76	5.47	10.42	10.99	20.30	14.32	9.25	
Total from Jan. 1	14.05	31.61	50.26	55.36	60.99	63.75	69.22	79.94	90.93	111.23	125.55	134.80	

W H Stephenson
Assoc M Inst CE

K/1000/10/03.

8th January 1904

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

5a

End Cb

FORM A.
BRITISH RAINFALL.

17 JAN 1905

REGISTER OF RAINFALL IN 1904

Kept at Dulyn

in the County of Carnarvon

by W. E. P. Stephenson Assoc: M. Inst: C.E.

Lat. Long.

Nearest Railway Station

RAIN GAUGE.
Time of Observation
Diameter 8 in.
Height of top above Ground 1 ft. 6 in.
" " Sea Level 1632 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				3.80					0.33				1
2		1.60					0.65						2
3						2.55							3
4										0.95	0.05		4
5		1.60						0.74	0.50				5
6				2.75									6
7			0.66		1.50							3.20	7
8		0.50					~~0.80~~	0.75		0.85			8
9	1.55						0.80		1.50				9
10					0.75						4.65		10
11		0.73								0.78			11
12				1.30				0.30					12
13									1.70			3.32	13
14					0.15	1.07	0.65						14
15				0.90		0.90		1.50					15
16						1.80	1.56		0.15				16
17										2.00			17
18			1.63			0.06					0.48		18
19		2.10						1.33					19
20													20
21													21
22	0.30	6.30	0.70	0.45				~~3.36~~		0.73		2.35	22
23								3.36					23
24					0.10								24
25							1.56						25
26				1.05			0.55	0.47					26
27		0.40			0.80								27
28													28
29									0.18		2.65		29
30	2.97			0.40									30
31												0.60	31
Totals	4.82	13.23	2.99	10.65	3.30	6.38	5.77	8.45	4.36	5.31	7.83	9.47	
Total from Jan. 1	4.82	18.05	21.04	31.69	34.99	41.37	47.14	55.59	59.95	65.26	73.09	82.56	

[illegible] above in [illegible] 16.1.05

K/4000/12/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper. 3d.

Glyndulyn

Good W R.

REGISTER OF RAINFALL IN 1905.

FORM A.
BRITISH RAINFALL.

16 JAN 1906

Kept at Dulyn.

in the County of Carnarvon.

by Mr E P Stephenson Assoc M Inst C E

Lat. Long.

Nearest Railway Station

RAIN GAUGE.
Time of Observation
Diameter 8 in.
Height of top above Ground 1 ft. 6 in.
" " Sea Level 1632 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2						0.10				0.90			2
3	0.63										4.65		3
4							0.65						4
5					4.10			2.40	1.55				5
6						0.22				2.00		1.93	6
7			1.00				0.80						7
8				3.00				0.20	0.99		1.65		8
9		1.00				0.11							9
10	4.50				0.20								10
11							0.45	0.25		0.50			11
12									1.91				12
13			5.00	0.90									13
14		1.40										0.35	14
15						0.35		0.06	0.55				15
16	1.20				0.29						2.35		16
17													17
18				0.95					0.40				18
19						1.26	0.70	0.45		3.85			19
20		0.80											20
21						2.00							21
22			4.00						0.10			1.65	22
23													23
24	1.20										1.95		24
25								2.55					25
26													26
27		2.00			0.09					0.65			27
28													28
29				2.08		0.20	2.80	3.10	0.57				29
30					0.22						6.00		30
31	0.66		2.80				0.06	0.90					31
Totals	8.19	5.20	12.80	6.93	4.90	4.24	5.46	9.91	6.07	7.90	16.60	3.93	
Total from Jan. 1	8.19	13.39	26.19	33.12	38.02	42.26	47.72	57.63	63.70	71.60	88.20	92.13	

E P Stephenson
Assoc. M. Inst. C.E.
15-1-06

Edaero

REGISTER OF RAINFALL IN 1906

FORM A.
BRITISH RAINFALL.
17 JAN 1907

Kept at Dulyn,
in the County of Carnarvon
by Mr E. P. Stephenson. Assoc. M. Inst. C. E.

Lat. Long.
Nearest Railway Station
RAIN GAUGE. Time of Observation
Diameter 8 in.
Height of top above Ground 1 ft. 6 in.
" " Sea Level 1632 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3								4.20			0.18		3
4	1.20												4
5										3.15			5
6			0.30			1.45						3.95	6
7		1.70											7
8													8
9					4.05		0.13						9
10	3.40							0.70			0.95		10
11									1.10	2.00			11
12													12
13													13
14		4.80					0.05	3.25	0.75				14
15												2.65	15
16			6.64				0.50						16
17	5.23							1.10					17
18				0.30	1.65					3.50			18
19							1.50					1.35	19
20			0.55										20
21		2.00							0.40				21
22						0.42		1.95					22
23											4.00		23
24					1.05							0.60	24
25	4.90												25
26										3.08			26
27			0.10	1.45		2.15				0.90			27
28		4.32											28
29								1.65					29
30				1.45	2.22						2.09		30
31	1.10									2.60			31
Totals	15.83	12.82	7.59	3.20	8.97	4.02	2.18	12.85	2.25	15.23	7.22	8.55	
Total from Jan. 1	15.83	28.65	36.24	39.44	48.41	52.43	54.61	67.46	69.71	84.94	92.16	100.71	

E P Stephenson
Assoc. M Inst. C.E.
16th January 1907

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

5a

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

16 JAN 1908

Kept at Dulyn.

in the County of Carnarvon.

by Mr E. P. Stephenson. Assoc. M. Inst. C. E.

Lat. ________ Long. ________

Nearest Railway Station ________

Time of Observation ________

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 1632 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							0·47						1
2										0·07			2
3					2·00			0·42	0·80				3
4				0·85		0·50			0·25	0·87	0·30		4
5						1·90	0·70						5
6					0·70			0·50				2·20	6
7						0·25		0·60	0·10	1·58			7
8								1·00					8
9			0·90					0·95			0·25	1·50	9
10					1·35		1·40			0·40			10
11				1·70		0·60				0·70			11
12						1·40		0·45		0·20			12
13					1·25								13
14		1·35				0·60						4·30	14
15			3·25							3·40	0·80		15
16								1·55			0·10		16
17						0·70		0·25	0·25			0·80	17
18										2·00	0·45		18
19	7·70												19
20				0·06				0·65					20
21			3·40								0·24	0·55	21
22		4·35		0·10		2·00				2·56			22
23								0·78					23
24					0·16	1·98							24
25											1·68		25
26				0·45			0·80	0·55		1·40		0·98	26
27													27
28						1·18				0·60			28
29				1·45									29
30	1·64							0·56			3·00		30
31					0·90		0·48			1·80			31
Total	9·34	5·70	7·55	4·61	6·36	11·11	3·85	8·26	1·40	15·58	6·82	10·33	TOTAL for year 90·91
No. of Rain Days	12	10	13	13	14	24	14	18	6	20	19	17	~~180~~

E. P. Stephenson
Assoc. M. Inst. C. E.
15.1.08

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S.a.

REGISTER OF RAINFALL ~~IN~~ 1908

FORM A.
BRITISH RAINFALL.

16 JAN 1909

Kept at Dulyn

in the County of Carnarvon

by Mr E. P. Stephenson Assoc. M. Inst. C. E.

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 1632 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									2.50				2
3													3
4						1.20			0.86				4
5		1.85	0.85										5
6					1.95								6
7													7
8													8
9	3.60					1.05	0.60		4.00	0.18		3.65	9
10			3.60										10
11				0.75		0.45	1.40		2.00		0.30		11
12		0.80											12
13							0.55						13
14					1.45		0.45			0.06			14
15									0.48				15
16				0.15		1.80			0.30		2.60	3.35	16
17			1.60				2.00						17
18						2.00	0.60						18
19		2.90											19
20					0.35						1.90		20
21							0.15					1.60	21
22	3.40				0.50				0.64	1.06			22
23													23
24		4.70		0.65			0.10	2.15			4.40		24
25					0.50	0.25							25
26			2.60						0.93				26
27							0.80	0.30					27
28	3.60							2.35					28
29		0.95							0.73				29
30				2.55						2.00	2.55		30
31			2.40		0.30			0.25				1.80	31
Total	10.60	11.20	11.05	4.10	5.05	6.75	6.65	5.05	12.44	3.30	11.75	10.40	TOTAL for year 98.34
No. of Rain Days	13	19	15	15	16	12	12	14	20	10	15	16	177.

E. P. Stephenson
Assoc. M. Inst. C. E.
15 Jany 09

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

S-a

REGISTER OF RAINFALL IN 1909.

FORM A.
BRITISH RAINFALL.
11 JAN 1910

Kept at Dulyn

in the County of Carnarvon

by Mr E P Stephenson. Assoc M Inst C E.

Lat. Long.
Nearest Railway Station Talycafn
Time of Observation
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 1632 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2			0.35	1.30									2
3					0.48								3
4						0.35						3.20	4
5													5
6		2.70						1.35					6
7						0.25							7
8				0.55									8
9													9
10							2.90						10
11									3.20				11
12		2.20											12
13			4.60					0.25					13
14	2.60			1.55	0.45		3.20						14
15										4.90			15
16													16
17													17
18		0.15	1.40						0.80	3.00		2.17	18
19	4.20							2.05					19
20					0.25						0.75		20
21				1.90									21
22													22
23			0.50									3.90	23
24								2.25	0.55				24
25													25
26			2.30										26
27													27
28				3.60	1.40		5.05						28
29									3.50				29
30			2.55			3.45					4.90		30
31								2.70		5.60		3.20	31
Total	6.80	5.05	11.70	8.90	2.58	4.05	11.15	8.60	8.05	13.50	5.65	12.47	TOTAL for year 98.50
No. of Rain Days	~~18~~	~~9~~	~~23~~	~~15~~	~~10~~	~~14~~	~~19~~	~~13~~	~~12~~	~~24~~	~~16~~	~~16~~	~~189~~

E P Stephenson
Assoc. M Inst C.E.
10th Jany 1910

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sa

Ex P

REGISTER OF RAINFALL IN 1910

FORM A.
BRITISH RAINFALL.
13 JAN 1911

Kept at Dulyn

in the County of Carnarvon

2

by Mr E. P. Stephenson Assoc. M. Inst C. E.

Lat. Long.

Nearest Railway Station Salycafu

Time of Observation

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 1632 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2								0.22					2
3		1.70				0.52			0.55				3
4							1.50						4
5							0.33			2.00			5
6				0.70	2.70	0.70		1.04	0.83				6
7	0.40											3.25	7
8						0.50	1.40				2.44		8
9													9
10			3.44										10
11					0.92								11
12		2.25								1.31			12
13											~~3.00~~		13
14	4.20					0.12						5.70	14
15				2.00					0.25		3.00		15
16			0.39					0.88					16
17			0.45										17
18											1.75		18
19		6.50			1.04			1.17		2.25			19
20									0.15				20
21			1.04				1.60					7.80	21
22	3.80		0.15			1.15				2.60	0.90		22
23				1.95	0.06		0.30						23
24								1.18					24
25													25
26		2.43							0.28				26
27				0.20		0.85	1.20						27
28		1.50										3.10	28
29											1.45		29
30						2.20	0.55		0.10				30
31	4.00				1.25			4.50		1.12			31
Total	12.40	14.38	5.47	4.85	5.97	6.04	6.88	8.99	2.16	9.28	9.54	19.85	TOTAL for year 105.81
No. of Rain Days	~~22~~	~~22~~	~~12~~	~~18~~	~~15~~	~~14~~	~~12~~	~~22~~	~~7~~	~~11~~	~~21~~	~~27~~	~~203~~

W. Ward 17 Jan 1911

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

LLANBEDR - Y - CENNIN
PLASDULYN

MET/2/4/LL/6/3/10157

1901 — 1910

8.a

…01

Kept at Llan…
in the County of
by E.P. Stephens

Lon.
…f Observation
…er 8 inches
…of top above Ground 1 ft
„ Sea Level 509 ft

NOTE.—Full instructions … the Systematic Observation and Record of the Rainfall," which is sent … 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.								in.	in.	in.	
1	~~·14~~												1
2	·14	0.15	0·3				·18						2
3													3
4													4
5			2·13	1·05		·45				·40			5
6				0·07	·23								6
7										1·00			7
8			1·50									·80	8
9		0·50							·46				9
10	·05			1·50	·54			2·24				·50	10
11													11
12										·50			12
13				0·26							3·70		13
14									·36			1·10	14
15						2·65							15
16		·32		0·65							·50		16
17								1·00	·26	·60			17
18											·50		18
19	·88									·87			19
20			0·04									1·80	20
21						·73			1·15				21
22													22
23		0·11									1·70		23
24												2·05	24
25						·84							25
26	2·08						1·45			·45			26
27								2·5					27
28		0·48	1·00						·15				28
29				0·23							·19	·95	29
30			2·25				~~0·13~~ ~~0·30~~		·40				30
31	1·11				·48		0·30 ✓	1·00				1·17	31
Totals ✓	4·26	1·56	7·50	4·40	1·28	4·64	1·93 ~~1·76~~	6·74	2·78	3·82	6·59	8·37	
Total from Jan. 1	4·26 ✓	5·82 ✓	13·32 ✓	17·72 ✓	19·00 ✓	23·67 ✓	~~25·43~~ ✓ 25·60	~~32·17~~ ✓ 32·34	~~34·95~~ ✓ 35·12	~~38·77~~ ✓ 38·94	~~45·36~~ 45·53	~~53·43~~ ✓ 53·90	✓

Stephens
13th Jan 1902

K/4,000/12/01.

EDWARD STANFORD, LONG ACRE, W.C.

PRICE 3D.

8.a

REGISTER OF RAINFALL IN 1901

Kept at Llanbedr

in the County of Carnarvon

by E P Stephenson Esq. Assoc M. Inst C.E.

RAIN GAUGE.

Lat. Lon.

Time of Observation

Diameter 8 inches

Height of top above Ground 1 ft

" " Sea Level 509 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~.11~~			0.64									1
2	.14	0.15	0.58				.18						2
3													3
4													4
5			2.13	1.05		.45				.40			5
6				0.07	.23								6
7										1.00			7
8			1.50									.80	8
9		0.50							.46				9
10	.05			1.50	.57			2.24				.50	10
11													11
12										.50			12
13				0.26							3.40		13
14									.36			1.10	14
15						2.65							15
16		.32		0.65							.50		16
17								1.00	.26	.60			17
18											.50		18
19	.88									.87			19
20			0.04									1.80	20
21						.73			1.15				21
22													22
23		0.11									1.70		23
24												2.05	24
25						.84							25
26	2.08						1.45			.45			26
27								2.5					27
28		0.48	1.00						.15				28
29				0.23							.19	.95	29
30			2.25				~~0.13~~ ~~0.30~~		.40				30
31	1.11				.48		0.30	1.00				1.17	31
Totals	4.26	1.56	7.50	4.40	1.28	4.67	1.93 ~~1.76~~	6.74	2.78	3.82	6.59	8.37	
Total from Jan. 1	4.26	5.82	13.32	17.72	19.00	23.67	~~25.43~~ 25.60	~~32.17~~ 32.34	~~34.95~~ 35.12	~~38.77~~ 38.94	~~45.36~~ 45.53	~~53.73~~ 53.90	✓

[illegible] Stephenson 13th Jan 1902

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

S.o. [illegible] [illegible]

REGISTER OF RAINFALL IN 1902

Kept at Llanbedr

in the County of Carnarvon

by E. P. Stephenson Esq. Assoc. M. Inst. C.E.

RAIN GAUGE.

Lat. ...... Lon. ......

Time of Observation ......

Diameter 8"

Height of top above Ground 1 ft

" " Sea Level 509

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2								1.06				1.00	2
3					0.94								3
4	1.23									0.12			4
5				0.79			0.11						5
6	0.72								0.80				6
7				0.25		0.84							7
8		0.14	0.32					1.10			0.53		8
9													9
10					0.43								10
11	0.50						0.53			1.46			11
12													12
13	0.08								0.26			0.11	13
14		0.72	0.46			0.64							14
15										1.15	1.10		15
16								0.63					16
17					0.72								17
18										1.15			18
19				0.16			0.17		0.75			4.04	19
20					1.00								20
21						0.85							21
22		0.11	0.98										22
23						0.16		0.81	0.65				23
24	0.28			1.38	0.92								24
25										0.46			25
26			0.50										26
27									0.25			0.22	27
28		0.95											28
29			0.58					0.15			1.50		29
30				0.10		0.41							30
31	1.32				1.40							2.30	31
Totals	4.13	1.92	2.84	2.68	5.41	2.90	0.81	3.75	2.71	4.34	3.13	7.67	
Total from Jan. 1	4.13	6.05	8.89	11.57	16.98	19.88	20.69	24.44	27.15	31.49	34.62	42.29	

E Passey Stephenson
21st Jany 1903

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

Form A. British Rainfall.

REGISTER OF RAINFALL IN 1903

Kept at Llanbedr

in the County of Carnarvon

by Mr E P Stephenson Assoc M Inst C E

Rain Gauge.

Lat. .... Long. ....

Nearest Railway Station ....

Time of Observation ....

Diameter 8" in.

Height of top above Ground 1 ft. .... in.

" " Sea Level 509 ft.

Note.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2					0.64								2
3	1.52									0.85	0.34		3
4				2.15			0.10						4
5			2.30						1.72			2.36	5
6													6
7		1.25	0.60										7
8					1.05			0.45					8
9				0.10									9
10	3.45								3.17	2.96			10
11			1.00				0.15						11
12									·76			3.00	12
13													13
14		0.50	0.50								1.25	0.25	14
15								1.48					15
16					0.52	0.81							16
17							0.85			3.75			17
18				1.05	0.52								18
19									0.30			0.20	19
20													20
21		1.10	3.40								0.92		21
22								2.40					22
23													23
24	3.32									1.36			24
25							1.05						25
26									0.55			0.45	26
27						0.35							27
28		6.10	2.40								3.62		28
29								1.60					29
30					0.60								30
31	1.45									2.77			31
Totals	9.74	8.95	10.20	3.30	3.33	1.16	2.15	5.93	6.50	11.69	6.13	6.26	
Total from Jan. 1	9.74	18.69	28.89	32.19	35.52	36.68	38.83	44.76	51.26	62.95	69.08	75.34	

E P Stephenson
6th Jan. 04

K/1000/10/03. 5th January 1904

EDWARD STANFORD, 12, 13, & 14 Long Acre, W.C.

Price, on extra tough paper, 3d.

5a

9023

FORM A.
BRITISH RAINFALL.

17 JAN 1905

REGISTER OF RAINFALL IN 1904

Kept at Llanbedr
in the County of Carnarvon
by Mr. E. P. Stephenson assoc: M. Inst. C.E.

RAIN GAUGE.
Lat. Long.
Nearest Railway Station
Time of Observation
Diameter 8 in.
Height of top above Ground 1 ft. in.
" " Sea Level 509 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							0·17			0·27			1
2							0·04						2
3									0·55				3
4	0·75					1·00							4
5													5
6		0·76					0·15	0·56					6
7					0·48								7
8	1·40									0·65			8
9				2·25									9
10									0·35			2·25	10
11						0·58							11
12			0·45								2·36		12
13		2·35						0·18					13
14					0·70								14
15			0·68							0·40			15
16				0·90			0·82						16
17									0·75	1·20		1·25	17
18	0·60					1·12							18
19											0·14	0·46	19
20		1·77						2·42					20
21													21
22	0·82									0·10			22
23			0·46	0·62			0·90						23
24													24
25						0·18							25
26								2·50			0·87		26
27		1·42											27
28					1·25								28
29	3·65									0·05			29
30				0·50			0·88				0·85		30
31			2·15		0·70							0·30	31
Totals	7·22	6·30	3·74	4·27	3·13	2·88	2·96	5·66	1·65	2·67	4·22	4·26	
Total from Jan. 1	7·22	13·52	17·26	21·53	24·66	27·54	30·50	36·16	37·81	40·48	44·70	48·96	

E. P. Stephenson
assoc. M. Inst. C.E.
16.1.05

K/1000/5/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

C Plasdulyn

[illegible]

REGISTER OF RAINFALL IN 1905.

FORM A.
BRITISH RAINFALL.

16 JAN 1906

Kept at Llanbedr

in the County of Carnarvon

by Mr. E P Stephenson assoc M Inst C E.

Lat. Long.

Nearest Railway Station

RAIN GAUGE.
Time of Observation
Diameter 8 in.
Height of top above Ground 1 ft. - in.
" " Sea Level 509 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					0.50								1
2									0.22				2
3					1.50	0.22							3
4		0.24									2.31		4
5								1.08					5
6													6
7	1.50						0.36			1.91			7
8				1.95									8
9						0.11			1.13			0.66	9
10													10
11		0.60	2.20								2.20		11
12	1.25				0.05			0.30					12
13							0.43						13
14										0.88			14
15				0.63									15
16									0.65				16
17						0.76							17
18	0.71	0.60	3.15								0.16		18
19								0.16					19
20				0.36									20
21						2.14	0.10			1.35			21
22									0.10				22
23												0.95	23
24													24
25	0.10	0.24	0.80								1.03		25
26								3.30					26
27													27
28		2.00								0.56			28
29				0.98			1.40		0.30				29
30											3.40		30
31	0.16		0.90					1.60					31
Totals	3.72	3.68	7.05	3.92	2.05	3.23	2.29	6.44	2.40	4.70	9.10	1.61	
Total from Jan. 1	3.72	7.40	14.45	18.34	20.42	23.65	25.94	32.38	34.78	39.48	48.58	50.19.	

E P Stephenson assoc M Inst C E
15–1–06

K/1000/5/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

FORM A.
BRITISH RAINFALL.
17 JAN 1907

REGISTER OF RAINFALL IN 1906.

Kept at Llanbedr.
in the County of Carnarvon.
by Mr E. P. Stephenson. Assoc. M. Inst. C. E.

Lat. Long.
Nearest Railway Station
RAIN GAUGE. Time of Observation
Diameter 8 in.
Height of top above Ground 1 ft. – in.
„ „ Sea Level 509 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								0.25					1
2						0.60							2
3		1.08									0.10		3
4								1.45					4
5					1.40								5
6	2.55									1.67			6
7							0.05						7
8									0.40			1.47	8
9													9
10		2.30	2.10								0.95		10
11								0.25					11
12					1.37								12
13	1.50									2.12			13
14				0.12			0.43		0.60				14
15												1.90	15
16													16
17		1.85	3.43								1.28		17
18								1.95					18
19					0.80								19
20	2.85									2.30			20
21				0.08			0.65						21
22									0.20			0.45	22
23						0.22							23
24		0.55	0.38								1.10		24
25								0.80					25
26					1.28								26
27	1.40									1.30			27
28		2.40		1.30									28
29												1.45	29
30				0.50		0.75					1.26		30
31			0.05		0.22					2.45		0.30	31
Totals	8.30	8.18	5.96	2.00	5.07	1.57	1.13	4.70	1.20	9.84	4.69	5.57	
Total from Jan. 1	8.30	16.48	22.44	24.44	29.51	31.08	32.21	36.91	38.11	47.95	52.64	58.21	

Assoc M Inst C.E.
16 Jany 1907

K/1000/5/04.
EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.
Price, on extra tough paper, 3d.

So.

FORM A.
BRITISH RAINFALL.

16 JAN 1908

REGISTER OF RAINFALL IN 1907

Kept at Llanbedr

in the County of Carnarvon

by Mr E. P. Stephenson Assoc. M. Inst. C. E.

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 509 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							0.36						1
2			0.05								0.12		2
3								0.38					3
4					1.70								4
5	1.53	0.15								0.76			5
6				0.50			0.40						6
7									0.63			1.95	7
8						1.00							8
9			0.60								0.15		9
10								1.12					10
11					1.40								11
12	0.30									1.90			12
13				1.06	0.25		0.80						13
14												3.00	14
15						1.20							15
16		1.07	1.70								0.37		16
17								1.50	0.05				17
18													18
19										4.15			19
20				0.03									20
21			1.37									0.72	21
22						1.30							22
23		2.28									0.93	0.09	23
24								0.64					24
25					0.25								25
26	0.57			0.10						0.90			26
27							0.58						27
28													28
29						1.58							29
30	0.57			0.70							1.87		30
31					0.52		0.20	0.66		1.50			31
Total	2.97	3.50	3.72	2.39	4.12	5.08	2.34	4.30	0.68	9.21	3.44	5.76	TOTAL for year 47.51
No. of Rain Days	12	10	13	13	14	24	14	18	6	20	19	17	~~180~~

E P Stephenson Assoc. M. Inst. C.E. 15.1.08

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sa

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.
16 JAN 1909

Kept at Llanbedr
in the County of Carnarvon
by Mr E C Stephenson Assoc M Inst C.E.

Lat. ________ Long. ________
Nearest Railway Station ________
Time of Observation ________
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " Sea Level 509 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		2.68											1
2													2
3													3
4				0.45									4
5									1.66			0.06	5
6						1.10							6
7			1.05										7
8		0.33						0.16					8
9	1.48				1.56								9
10										0.10			10
11				0.15			1.35						11
12									3.10			2.70	12
13						0.35							13
14			1.81								1.75		14
15		1.63											15
16					0.35								16
17			0.35							0.06			17
18	0.97			0.05			1.63						18
19									0.77			1.50	19
20						1.70							20
21										0.70	1.30		21
22		1.73						0.65					22
23					0.32							0.10	23
24													24
25				0.33			0.21						25
26									0.78				26
27							0.26						27
28			1.80								1.86		28
29		1.07						2.50	0.18				29
30				1.45	0.07						0.61		30
31			1.05		0.15			0.50		1.23		0.80	31
Total	2.45	7.44	6.06	2.43	2.45	3.15	3.45	3.81	6.49	2.09	5.52	5.16	TOTAL for year 50.50
No. of Rain Days	13	19	15	15	16	12	12	14	20	10	15	16	177

E Paley Stephenson
Assoc M Inst C.E.
15 Jan. 09

1,000, XI, '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

53

REGISTER OF RAINFALL IN 1909.

FORM A. BRITISH RAINFALL.

11 JAN 1910

Kept at Llanbedr
in the County of Carnarvon
by Mr E. P. Stephenson Assoc M. Inst C E.

Lat. .... Long. ....
Nearest Railway Station Talycafn
Time of Observation ....
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 509. ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2										0.05			2
3													3
4									0.66			2.60	4
5				0.25		0.23							5
6		1.50	0.50								0.10		6
7								0.25					7
8													8
9	0.70									1.80			9
10							1.46						10
11									1.60			1.14	11
12						0.10							12
13		1.62	0.42								0.64		13
14								0.04	0.55				14
15					0.27								15
16	2.60									2.50			16
17		0.05		1.55			0.48						17
18			0.50									0.07	18
19						0.02							19
20													20
21								1.80					21
22					0.08								22
23	1.00									2.25			23
24				1.17			0.53						24
25									1.11			2.33	25
26						1.30							26
27			1.50								1.02		27
28							1.25	0.68					28
29					0.77								29
30	0.14			1.64		0.56			1.20	2.25	1.90		30
31			1.62		0.05		0.50	1.00				1.60	31
Total	4.44	3.17	4.54	4.61	1.17	2.21	4.22	3.77	5.12	8.85	3.66	7.74	TOTAL for year 53.50
No. of Rain Days	18	9	23	15	10	14	19	13	12	24	16	16	189

E P Stephenson
Assoc M Inst C E
10th Jany. 1910

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sa

Ex 95

REGISTER OF RAINFALL IN 1910

FORM A1. BRITISH RAINFALL.

13 JAN 1911

Kept at Llanbedr

in the County of Carnarvon. 2

by Mr. E. G. Stephenson. Assoc. M. Inst. C.E.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 509 ft.

Time of Observation

Nearest Railway Station
Name Talysarn
Distance - Direction -

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2							0.60	0.10					2
3									0.25			0.85	3
4						0.62							4
5		1.04	1.26							1.20	1.53		5
6								0.40					6
7					1.30								7
8							1.85						8
9				0.84									9
10			1.95									1.80	10
11						0.83							11
12		1.10									2.35		12
13								0.12					13
14					0.60	0.05							14
15	2.90								0.10				15
16				2.20									16
17												6.00	17
18													18
19		2.75	0.45								2.11		19
20					0.65			1.32					20
21													21
22	2.07		0.04							3.17			22
23				1.15			1.05						23
24												1.12	24
25						0.70							25
26		2.04									1.40		26
27								4.00					27
28		1.20											28
29	1.23									0.20			29
30				1.54		1.00	1.82		0.18		0.60		30
31	0.90				0.50			1.10		0.70		0.48	31
Total	7.10	8.13	3.70	5.73	3.05	3.20	5.32	7.04	0.53	5.27	7.99	10.25	TOTAL for year 67.31
No. of Rain Days	~~22~~	~~22~~	~~12~~	~~18~~	~~15~~	~~14~~	~~12~~	~~22~~	~~7~~	~~11~~	~~21~~	~~27~~	~~203~~

W. Ward
1st Jan 1910

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

Smea

REGIST

CARNARVON

LLANBERIS

"GLYN PADAM"

1910
MET/2/4/1/1/6/3/10154

FORM A2.
BRITISH RAINFALL.
26 JUN 1911

Kept at Glyn Padarn L
in the County of Carnarvon
by J. Milton

·5" in.
Ground 1 ft. 6 in.
Sea Level 390 ft.
a. m
name Llanberis
Distance ½ mile Direction S.E.

IMPORTANT NOTE.—Ra… measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·015	·312	1·171	?	·250	·234	·217	·343	·093	·031	·187	·312	1
2	·010	·375	·031	?	·435	·156	1·036	·937	·186	·750	·062	·031	2
3		·062		?	·435	·125		·435			·062		3
4		·250		1·187 ?		·062		·046			·093	·187	4
5		·156		?	·250	·203					·250	·312	5
6		·093	·375	?	·125		1·343				·843		6
7		·250	·308	?	·217	·125					·093		7
8	·406	·156	·750		·125						·562		8
9	·250	·015	·625		·093						·062	absent: on return gauge overflowing, contained 2·5"	9
10	·156	·125	·031		·156	·031			·186 ~~·046~~	·046	·750		10
11	·015	·010	·125					·280	~~1·187~~	1·187	·125		11
12	·343	·031		·937	·093			·186	~~·015~~	·015	·646	·876	12
13	·468	·531	·062	·435	·020						·625	·531	13
14		·843	·187					·435			·389	·750	14
15	1·435			·937	·280						·625	·937	15
16	·062	·375	·625					·280	~~·062~~	·062		1·500	16
17	·010	·718	·312	·010				·031	~~·156~~	·156	·406	·156	17
18	·125	·312		·156	·187			1·218	~~·718~~	·718	·093	·031	18
19	·062	·625		·500	·031			·156	·062 ~~·687~~	·687	·312	·093	19
20		1·062		·140		·093	2·187	·562	~~·389~~	·389		·375	20
21		·010	·093	·140		·171		·280				·031	21
22	·687 ~~·171~~	·187		·093		·125	·156	·062			·093	·097	22
23	·937	·687		·406		·312	·031	·156			·640	·577	23
24	·217	·375		·342		·203	·468	·280	·062		·062	·312	24
25		·187		·125			·312	1·250			·218	·062	25
26		·406					·593	·968	·312		·015	·218	26
27	·312	·625	·093	·187		·687	·515	·875			·406		27
28	·062	·031			·375	·343	·375	·187	·156 ~~·125~~	·125	·435	·145	28
29	·125			·015	·093	·468	·015	·125				·015	29
30					·375	·062	·093	·093			·156		30
31	·531				·031			·015		·778			31
Total	6·228	8·809	4·788	5·610	3·571	3·400	7·341	9·200	1·057	4·944	8·210	10·047	TOTAL for year
No. of Rain Days	20	27	14		18	16	13	23	7	12	26		73·205

9,000, IX. '10.

Sun

REGIST

FORM A2.
BRITISH RAINFALL.
26 JUN 1911

Kept at Glyn Padarn Llanberis (Llanrug)
in the County of Carnarvon
by J Milton —

not strictly accurate

Rain Gauge: Pattern	
Diameter of top	6" in.
Height of top above Ground	1 ft. 6 in.
" " " Sea Level	390 ft.
Time of Observation	9 a. m
Nearest Railway Station: Name	Llanberis
Distance	1/2 mile
Direction	S E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·015	·312	1·171	? 1·187	·250	·234	·217	·343	·093	·031	·187	·312	1
2	·010	·375	·031	?	·435	·156	1·036	·937	·186	·750	·062	·031	2
3		·062		?	·435	·125		·435			·062		3
4		·250		?		·062		·046			·093	·187	4
5		·156		?	·250	·203					·250	·312	5
6		·093	·375	?	·125		1·343				·843	absent; on return gauge overflowing, contained 2·5"	6
7		·250	·308	?	·217	·125					·093		7
8	·406	·156	·750		·125						·562		8
9	·250	·015	·625		·093						·062		9
10	·156	·125	·031		·156	·031			~~·046~~ ·186	·046	·750		10
11	·015	·010	·125					·280	~~1·187~~	1·187	·125		11
12	·343	·031		·937	·093			·186	~~·015~~	·015	·646	·876	12
13	·468	·531	·062	·435	·020						·625	·531	13
14		·843	·187	·937				·435			·389	·750	14
15	1·435				·280						·625	·937	15
16	·062	·375	·625					·280	~~·062~~	·062		1·500	16
17	·010	·718	·312	·010				·031	~~·156~~	·156	·406	·156	17
18	·125	·312		·156	·187			1·218	~~·718~~	·718	·093	·031	18
19	·062	·625		·500	·031			·156	~~·687~~ ·062	·687	·312	·093	19
20		1·062		·140		·093	2·187	·562	~~·389~~	·389		·375	20
21		·010	·093	·140		·171		·280				·031	21
22	~~·171~~ ·687	·187		·093		·125	·156	·062			·093	·097	22
23	·937	·687		·406		·312	·031	·156			·640	·577	23
24	·217	·375		·342		·203	·468	·280	·062		·062	·312	24
25		·187		·125			·312	1·250			·218	·062	25
26		·406					·593	·968	·312		·015	·218	26
27	·312	·625	·093	·187		·687	·515	·875			·406		27
28	·062	·031			·375	·343	·375	·187	~~·125~~ ·156	·125	·435	·145	28
29	·125			·015	·093	·468	·015	·125				·015	29
30					·375	·062	·093	·093			·156		30
31	·531				·031			·015		·778			31
Total	6·228	8·809	4·788	5·610	3·571	3·400	7·341	9·200	1·057	4·944	8·210	10·047	TOTAL for year
No. of Rain Days	20	27	14		18	16	13	23	7	12	26		73·205

Section **A** for th

No. 4360

METFORM 1090
(*Rev. Feb. 1965*)
Kept at

in the County of

Diameter of funnel of ga
Height of top of gauge a
Height of ground above
THE MORNING MEAS
An observer who does not *the following*
year in the space on the ri *f*

Jan. 1, following

LLANDUDNO

MET/2/4/LL/6/3/10209

1901 – 1910

Date	Jan.	Feb.	M								.	Dec.		Date
	in.	in.										in.	†	
1	01	31	08	01	–	17	12	–	–	28	–	–		1
2	–	–	17	38	–	01	01	–	–	01	–	–		2
3	–	05	11	09	–	04	–	–	–	43	–	01		3
4	–	32	40	–	–	08	–	01	–	–	–	08		4
5	–	–	16	02	11	04	–	05	–	22	–	33		5
6	–	–	15	11	02	–	–	01	01	10	01	06		6
7	–	09	15	18	–	–	–	–	02	11	–	55		7
8	–	–	–	10	05	–	–	–	05	36	–	10		8
9	01	–	01	–	10	05	–	1·41	20	–	–	11		9
10	–	05	01	21	05	–	–	41	14	16	55	12		10
11	–	01	–	–	–	06	–	03	–	01	1·82	24		11
12	01	01	–	04	–	26	–	10	02	11	25	51		12
13	03	16	–	06	–	54	–	25	10	01	02	01		13
14	–	–	–	03	–	–	01	05	–	–	20	–		14
15	–	–	01	17	–	–	–	01	–	02	05	20		15
16	06	–	–	–	–	–	05	20	20	27	01	02		16
17	01	–	–	02	–	–	–	08	01	22	02	21		17
18	14	–	–	–	–	01	–	–	01	37	42	29		18
19	39	01	–	–	–	19	–	–	13	05	14	04		19
20	10	–	–	–	–	14	04	–	01	–	27	–		20
21	–	–	–	–	–	–	13	–	–	01	28	–		21
22	03	01	–	–	–	25	–	–	01	01	–	01		22
23	01	–	–	–	–	02	23	–	01	01	–	50		23
24	05	02	02	–	–	–	34	–	–	03	–	01		24
25	11	02	–	–	–	–	95	28	10	33	–	21		25
26	17	09	07	–	10	–	03	25	+	02	–	01		26
27	19	01	01	04	21	–	01	–	–	–	03	04		27
28	11	21	–	–	–	–	–	–	–	–	05	07		28
29	20	×	1·05	22	20	–	10	16	21	03	02	10		29
30	04	X	09	–	12	04	08	55	05	–	02	01		30
31	–	X	12	X	–	X	–	–	X	–	X	11		31
TOTAL	1·67	1·37	2·61	1·68	·96	1·90	2·10	3·85	1·28	3·17	4·16	3·95	Year's Total 28·70	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)..................(P.T.O.)

Section **A** for th

No. 4360

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1961

Kept at Llandudno

in the County of

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	31	08	01	–	17	12	–	–	28	–	–		1
2	–	–	17	38	–	01	01	–	–	01	–	–		2
3	–	05	11	09	–	04	–	–	–	43	–	01		3
4	–	32	40	–	–	08	–	01	–	–	–	08		4
5	–	–	16	02	11	04	–	05	–	22	–	33		5
6	–	–	15	11	02	–	–	01	01	10	01	06		6
7	–	09	15	18	–	–	–	–	02	11	–	55		7
8	–	–	–	10	05	–	–	–	05	36	–	10		8
9	01	–	01	–	10	05	–	1·41	20	–	–	11		9
10	–	05	01	21	05	–	–	41	14	16	55	12		10
11	–	01	–	–	–	06	–	03	–	01	1·82	24		11
12	01	01	–	04	–	26	–	10	02	11	25	51		12
13	03	16	–	06	–	54	–	25	10	01	02	01		13
14	–	–	–	03	–	–	01	05	–	–	20	–		14
15	–	–	01	17	–	–	–	01	–	02	05	20		15
16	06	–	–	–	–	–	05	20	20	27	01	02		16
17	01	–	–	02	–	–	–	08	01	22	02	21		17
18	14	–	–	–	–	01	–	–	01	37	42	29		18
19	39	01	–	–	–	19	–	–	13	05	14	04		19
20	10	–	–	–	–	14	04	–	01	–	27	–		20
21	–	–	–	–	–	–	13	–	–	01	28	–		21
22	03	01	–	–	–	25	–	–	01	01	–	01		22
23	01	–	–	–	–	02	23	–	01	01	–	50		23
24	05	02	02	–	–	–	34	–	–	03	–	01		24
25	11	02	–	–	–	–	95	28	10	33	–	21		25
26	17	09	07	–	10	–	03	25	+	02	–	01		26
27	19	01	01	04	21	–	01	–	–	–	03	04		27
28	11	21	–	–	–	–	–	–	–	–	05	07		28
29	20	×	1·05	22	20	–	10	16	21	03	02	10		29
30	04	X	09	–	12	04	08	55	05	–	02	01		30
31	–	X	12	X	–	X	–	–	X	–	X	11		31
TOTAL	1·67	1·37	2·61	1·68	·96	1·90	2·10	3·85	1·28	3·17	4·16	3·95	Year's Total 28·70	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section **A** for the entry of Daily Observations Station No. 4360

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1962

Kept at Llandudno
in the County of
Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	21	-	11	-	13	25	03	07	01	-	01	24		1
2	~~01~~ 01	-	12	01	13	-	-	03	19	-	-	16		2
3	~~19~~ 31	-	-	19	02	-	07	-	13	-	07	-		3
4	~~49~~ 18	-	-	49	08	-	01	-	13	-	01	-		4
5	~~21~~ 01	-	-	21	01	04	-	48	-	-	05	-		5
6	~~01~~ 01	-	03	01	01	21	-	04	06	-	10	-		6
7	-	14	10	-	05	03	-	28	-	01	01	-		7
8	01	21	20	-	-	04	01	02	-	-	16	-		8
9	21	25	02	-	-	-	16	04	-	89	02	-		9
10	31	45	-	-	-	-	05	01	25	26	01	-		10
11	13	10	03	-	04	03	-	26	01	03	06	-		11
12	02	01	01	12	02	10	-	23	02	23	02	-		12
13	-	-	05	-	01	07	-	07	05	27	05	-		13
14	01	-	03	-	05	05	-	-	02	22	01	63		14
15	~~04~~ -	01	-	01	13	16	-	-	01	33	-	14		15
16	~~10~~ -	-	.05	10	22	01	-	~~·05~~ ·11	09	03	-	35		16
17	-	-	~~0~~ -	-	42	-	-	10	-	16	-	13		17
18	~~06~~ -	-	17	05	03	02	01	13	-	01	-	01		18
19	~~02~~ -	-	10	02	-	21	14	03	-	09	-	05		19
20	-	-	09	05	-	02	01	01	01	01	-	-		20
21	14	08	16	29	03	01	08	01	06	18	08	-		21
22	~~08~~ 10	03	03	08	80	15	02	02	05	02	08	-		22
23	~~04~~ 01	06	06	04	01	01	13	04	~~03~~ 33	-	01	-		23
24	13	12	40	-	01	-	-	-	-	-	08	01		24
25	06	01	01	-	-	-	33	-	-	04	01	05		25
26	10	08	12	-	02	-	47	-	-	-	03	01		26
27	*11	09	02	-	20	-	01	-	-	06	17	35		27
28	16	01	05	-	06	-	-	-	-	01	56	03		28
29	09	X	03	22	16	33	01	-	01	07	07	23		29
30	01	X	03	10	31	01	01	-	-	-	01	17		30
31	-	X	16	X	06	X	-	-	X	-	X	10		31
TOTAL	~~2·37~~ 2·33	~~1·64~~ 1·65	2·18	~~202~~ 199	~~298~~ 301	1·75	~~1·53~~ 1·55	~~1·95~~ 1·98	~~1·40~~ 1·43	~~2·9X~~ 2·92	~~1·65~~ 1·68	~~2·65~~ 2·66	Year's Total	
*Days with .01 in. or more.													25·13	
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

REGISTER OF RAINFALL IN 1903.

FORM A.
BRITISH RAINFALL.

Kept at Llandudno-

in the County of Carnarvonshire

by Mr Wm. Little:

Lat. 53°20'30" Long. 3° 50'

Nearest Railway Station Llandudno

RAIN GAUGE
Time of Observation 9 am.
Diameter 5" in.
Height of top above Ground 1 ft. – in.
" " Sea Level 72 ft.

4360

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·14	·25	·16	·17	–	–	·28	·34	·10	·22	–	1
2	·58	·01	·22	·01	·23	–	·05	·12	·67	·33	·19	01 ~~·005~~	2
3	01 ~~·005~~	–	·08	·27	·40	–	–	·03	–	·02	01 ~~·005~~	·90	3
4	·18	·01	·30	·08	·04	–	01 ~~·005~~	–	·05	·02	–	·05	4
5	·71	–	·01	01 ~~·005~~	·07	–	·05	–	01 ~~·005~~	·14	–	·18	5
6	·22	01 ~~·005~~	·01	–	·07	–	–	–	–	·40	–	·06	6
7	·12	·16	–	·01	·11	–	–	–	·08	·36	–	·05	7
8	·10	–	–	–	–	–	–	–	·58	·05	·27	·14	8
9	·19	–	·36	–	·07	·03	–	·08	·16	·41	·02	·14	9
10	·61	–	01 ~~·005~~	–	·04	–	–	–	1·14	·05	·02	·40	10
11	–	·02	·01	·03	–	–	·23	01 ~~·005~~	·08	·06	·01	·30	11
12	–	·02	–	·07	01 ~~·005~~	–	–	–	·27	·40	·38	·15	12
13	–	·03	·20	–	01 ~~·005~~	·05	01 ~~·005~~	·08	·02	·10	·01	·10	13
14	–	–	·74	·16	·02	·15	·41	·18	–	·30	·27	·03	14
15	–	·21	·08	–	·03	·38	·04	·08	–	–	·14	·06	15
16	–	·10	·04	–	·16	·01	·13	·34	–	·06	·08	·04	16
17	01 ~~·005~~	–	·78	–	–	–	·20	·71	–	·01	–	·01	17
18	–	–	·06	–	–	–	·01	·15	–	·10	–	–	18
19	–	·08	01 ~~·005~~	–	–	–	·03	·14	–	·11	–	–	19
20	–	·36	·01	–	–	–	–	·30	–	·09	·07	–	20
21	01 ~~·005~~	·74	–	–	–	–	·37	01 ~~·005~~	–	·06	·01	–	21
22	·40	·27	–	–	·04	–	·36	–	–	·40	01 ~~·005~~	·08	22
23	·21	–	·06	–	–	·02	·13	–	·10	·15	·16	–	23
24	·10	·33	·12	–	–	·08	–	·35	·35	·13	–	–	24
25	·03	·49	·48	–	–	·26	·12	–	–	·19	·07	·01	25
26	·72	·40	·03	–	–	·12	–	·02	·02	·33	·23	–	26
27	·01	–	–	–	–	·01	·40	·34	–	·92	·85	–	27
28	–	·05	·08	·11	01 ~~·005~~	–	–	·21	·14	·01	·26	–	28
29	–	X	·20	·01	·23	–	01 ~~·005~~	·06	·02	·09	SNOW ·61	–	29
30	–	X	·13	·36	–	–	·01	01 ~~·005~~	·04	–	·01	–	30
31	·26	X	·05	X	–	X	01 ~~·005~~	·02	X	·04	X	–	31
Totals	4·50 ~~4·425~~	3·43 ~~3·425~~	4·32 ~~4·31~~	1·28 ~~1·275~~	1·71 ~~1·675~~	1·11	2·58 ~~2·56~~	3·52 ~~3·505~~	4·07 ~~4·0675~~	5·43	3·90 ~~3·89~~	2·71 ~~2·705~~	38·56
Total from Jan. 1		~~7·91~~	~~12·22~~	~~13·495~~	~~15·19~~	~~16·30~~	~~18·86~~	~~22·365~~	~~26·43~~	~~31·86~~	~~35·75~~	~~38·455~~	

K/1000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

206

Section **A** for the entry of Daily Observations

Station No. 4360

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN ~~196~~ 1895 1904

Kept at ~~Cambridge Bt Gdn~~s

in the County of Llandudno

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	01	–	01	05	1·00	01	–	–	–	–	51		1
2	·24	16	–	18	–	–	05	–	30	–	–	02		2
3	01	60	–	10	–	–	03	–	–	–	–	01		3
4	–	10	–	11	–	–	07	20	–	04	–	05		4
5	–	–	–	16	–	–	03	–	10	03	01	20		5
6	02	10	–	03	02	–	03	–	–	23	16	04		6
7	05	10	07	03	04	–	–	–	02	07	20	11		7
8	49	25	08	12	30	–	–	01	02	13	30	16		8
9	37	02	–	15	–	40	–	–	–	10	16	44		9
10	20	–	–	–	–	–	–	15	–	02	14	03		10
11	29	03	–	–	–	–	–	02	–	–	–	05		11
12	41	32	–	11	–	18	37	–	33	–	–	18		12
13	09	34	40	06	–	10	01	20	–	–	–	18		13
14	–	12	10	03	–	14	01	03	01	–	–	–		14
15	06	05	01	–	–	02	01	01	–	01	01	06		15
16	–	03	–	–	–	–	01	43	04	46	–	–		16
17	23	02	02	–	07	–	–	35	–	02	–	70		17
18	01	14	–	–	–	–	–	–	–	–	10	–		18
19	05	10	–	–	–	–	02	01	–	–	–	–		19
20	01	14	17	–	–	–	–	–	–	–	01	–		20
21	–	12	–	01	18	–	03	70	–	02	22	–		21
22	–	–	–	16	01	–	16	57	–	–	05	–		22
23	–	–	–	–	06	–	49	17	–	01	04	–		23
24	–	–	–	–	01	06	66	07	03	15	–	–		24
25	01	04	–	–	03	03	33	01	06	–	–	–		25
26	05	20	–	–	16	–	01	–	–	–	–	01		26
27	24	01	–	03	54	–	–	–	–	–	40	01		27
28	01	–	26	08	–	–	–	–	–	–	02	–		28
29	30	–	13	12	–	–	–	–	–	–	02	21		29
30	22	X	01	–	04	–	02	30	24	–	–	02		30
31	12	X	06	X	34	X	02	03	X	–	X	02		31
TOTAL	3·48	3·00	1·31	1·49	1·85	1·93	2·37	3·26	1·15	1·29	1·84	3·01	Year's Total 25 98	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Sa

Corrd by L Obsr. 24·11·06

REGISTER OF RAINFALL IN 1905

Kept at Llandudno

in the County of Carnarvonshire

by William Little

Lat. 52° 20′ 30″ Long. 3° 50′

Nearest Railway Station Llandudno

RAIN GAUGE.
Time of Observation 9 a. m
Diameter 5 in.
Height of top above Ground 1 ft. – in.
" " Sea Level 72 ft.

4360

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·25	–	·04	·05	·09	·11	·01	·12	·14	·31	–	1
2	·04	–	–	–	·14	–	·10	·15	·03	·12	–	–	2
3	·02	·01	·01	·02	–	–	–	·14	·01	·59	–	–	3
4	·16	–	–	·05	–	–	–	·10	–	·20	·30	–	4
5	·41	–	·05	·06	–	–	·14	–	·03	–	·22	~~·11~~ 09	5
6	·01	·40	–	·45	·07	–	–	·01	·07	–	·01	~~·04~~	6
7	–	–	·10	·12	–	·05	–	–	·10	·78	·22	01	7
8	·30	–	·03	·12	–	–	–	·06	·09	–	·06	·01	8
9	·02	·02	·07	–	–	–	·63	·01	·49	–	–	~~·01~~	9
10	·09	·04	·28	–	·04	–	·05	–	·01	–	·47	–	10
11	·38	·02	·36	~~·005~~ 01	–	–	·07	–	·10	–	·15	–	11
12	–	·11	·01	–	–	·02	~~·005~~ 01	–	·10	·04	–	–	12
13	–	·10	·15	·02	–	·02	–	–	·00	–	·01	–	13
14	–	–	·55	–	–	–	~~·005~~ 01	–	·01	·14	·01	–	14
15	–	·02	·21	–	–	–	–	–	–	·11	–	–	15
16	~~Snow~~ ·18	·16	·39	–	–	·14	–	·12	–	–	–	–	16
17	·34	·04	·01	·02	–	·77	·10	·01	–	·15	–	–	17
18	–	–	–	·04	–	·53	–	·12	–	–	–	·06	18
19	–	·02	–	·02	–	·02	–	–	·01	–	·02	·06	19
20	–	–	–	–	–	·12	–	·01	–	·10	·02	15	20
21	–	–	–	–	–	·03	·05	·80	–	·19	·01	~~·15~~	21
22	–	–	–	–	–	–	·12	–	–	–	·29	–	22
23	·01	–	·43	·06	–	–	–	–	–	·13	·07	–	23
24	·18	·01	–	–	–	–	·02	·28	–	–	–	–	24
25	–	·23	·06	·02	–	–	·03	–	–	–	·29	–	25
26	–	·30	·06	·13	–	–	·77	·02	–	·20	·31	–	26
27	–	·09	~~·005~~ 01	·02	–	–	–	·78	–	–	·94	·01	27
28	–	·05	·26	·28	·01	–	·01	·19	·06	·04	·14	·01	28
29	·01	✕	·01	–	~~[illegible]~~	–	–	–	–	·36	–	·05	29
30	·03	✕	·08	·32	·02	·15	–	–	·06	·73	·01	–	30
31	–	✕	~~·005~~ ·01	✕	·16	✕	–	–	✕	·08	✕	·01	31
Totals	2·20	1·87	3·1~~3~~4	1·~~795~~ 80	·43	1·94	2·2~~1~~7	2·81	1·29	4·10	3·86	·41	26·07
Total from Jan. 1		4·07	7·20	9·00	9·43	11·37	13·58	16·39	17·68	21·78	25·64	~~26·0~~45	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1906.

Kept at Llandudno
in the County of Carnarvonshire
by William Little

Lat. 53° 20′ 30″ Long. 3° 50′
Nearest Railway Station Llandudno (L. & N. W. Railway)
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 72 ft.

4360
JAN 1907

NOTE.—Rain should be measured daily at 9 ~~a.m. and~~ [illegible] the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	–	·63	–	·01	·13	·07	·52	–	·40	·15	·15	1
2	·06	·22	–	–	·09	–	–	1·37	·02	·14	–	·08	2
3	·01	–	–	–	·04	–	–	–	–	–	–	·09	3
4	·01	–	–	–	–	–	–	–	–	·42	·01	·06	4
5	·91	–	·02	–	–	–	–	–	·10	·07	–	·20	5
6	·05	·02	·01	–	–	–	–	–	·04	·01	·01	–	6
7	·43	·01	·88	·01	–	–	·08	·01	–	·01	·12	·06	7
8	·02	Snow. ·42	–	–	1·22	–	–	·05	–	·02	·07	·29	8
9	·01	·47	·01	–	–	–	·08	·03	–	·19	–	·01	9
10	–	·19	·47	–	–	–	·01	·08	–	·09	–	–	10
11	·41	·18	·15	–	·38	–	–	·05	·21	·21	–	·10	11
12	·18	·01	·25	–	·01	·02	·10	·75	–	·38	–	·23	12
13	·01	·07	·04	·12	·15	–	·21	·13	·08	·02	–	·08	13
14	–	·15	·42	–	–	–	·14	–	·08	–	·04	·10	14
15	·14	·01	·21	–	·03	–	–	·08	·09	·06	·37	·36	15
16	·16	·10	·01	·17	·06	·06	–	·12	–	·42	·19	·04	16
17	·52	–	·01	–	–	·21	–	·10	–	·92	·25	–	17
18	·26	·01	·03	–	–	–	·06	–	·07	·18	·66	–	18
19	–	·37	–	–	·50	–	–	–	–	·28	·20	–	19
20	·15	–	–	–	·03	–	–	·25	–	·07	–	–	20
21	–	–	–	·11	–	·01	–	·01	–	·06	–	–	21
22	–	–	–	–	·03	–	–	–	–	–	–	–	22
23	–	–	–	·19	·11	·25	·01	·29	–	·30	–	·01	23
24	·31	·08	Snow. ·01	·06	·13	–	–	·27	–	–	–	·18	24
25	–	·12	–	·05	·11	·10	–	·01	–	–	–	SNOW. ·18	25
26	–	·39	–	–	·13	·62	–	·02	–	·05	·20	SNOW. ·07	26
27	·01	–	–	·28	·02	–	·02	–	–	·51	·01	SNOW. ·07	27
28	·02	·12	–	·09	–	·01	·04	–	–	·25	–	SNOW. ·01	28
29	–	×	–	–	–	–	–	–	–	·03	·10	SNOW. ·03	29
30	–	×	–	·02	·16	–	–	–	·02	·18	·08	·07	30
31	·07	×	–	×	·03	×	–	–	×	·01	×	·02	31
Total	3·88	2·94	3·15	1·10	3·24	1·41	·82	4·14	·71	5·23	2·46	2·49	TOTAL for year
No. of Rain Days		6·82	9·97	11·07	14·31	15·72	16·54	20·68	21·39	26·62	29·08	31·57	Total
	21.	18.	15.	10.	19.	9.	11.	18.	9.	26.	15.	23.	194.

EDWARD STANFORD, 12, 13 & 14 LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

S.a.

Exch a/c

REGISTER OF RAINFALL IN 1907.

FORM A.
BRITISH RAINFALL.

6 – JAN 1908

4360

Kept at Llandudno
in the County of Carnarvonshire
by William Little

Lat. 53°21' Long. 3·50
Nearest Railway Station Llandudno
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 72·0 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	–	·01	–	·01	·02	·02	–	·05	·05	·09	·01	1
2	·11	–	·02	–	·07	–	·20	·42	·03	·11	–	·08	2
3	·02	–	–	·16	·13	–	·33	·01	–	–	–	·01	3
4	–	·07	–	–	–	·10	·03	–	·10	–	~~·005~~ ·01	·21	4
5	·02	–	·06	·01	·01	·16	–	–	–	·31	–	~~·005~~ 01	5
6	–	–	–	·15	·21	–	·16	·02	–	·08	–	·26	6
7	·01	–	·14	·01	·05	·02	·04	·37	–	·01	·03	·28	7
8	–	·01	–	·01	·03	·18	·19	·44	–	–	·08	·28	8
9	·01	–	·55	–	·02	·20	·22	–	–	·57	·17	·43	9
10	·02	·22	·04	·09	·14	·02	–	·04	–	·23	·04	·07	10
11	–	·16	–	–	·07	·17	–	·05	–	·17	·19	–	11
12	·08	·15	·20	·13	·10	·22	–	–	–	·44	·04	·12	12
13	–	–	·08	·05	–	–	·10	–	·01	·06	–	·24	13
14	–	·01	·05	–	–	·04	·01	·67	–	·42	·06	·01	14
15	·07	·02	·22	·02	–	·16	–	·15	–	·46	·01	–	15
16	–	·18	·12	–	–	–	–	–	·03	·53	·16	·01	16
17	–	·12	–	–	–	·05	–	·01	–	·23	·01	–	17
18	–	·37	–	–	–	·12	–	·10	–	·14	–	·01	18
19	–	·16	·27	–	–	·12	–	·25	–	·05	·10	·08	19
20	·05	·07	–	·03	–	·33	–	–	–	·03	·09	·02	20
21	·25	·01	·17	–	·13	·06	·10	–	–	·20	–	~~·005~~ 01	21
22	–	·01	–	–	·01	·26	·01	·08	–	·09	·14	·01	22
23	–	–	–	–	·05	·06	–	–	–	·05	·14	–	23
24	–	·01	–	·01	·06	·27	·63	–	–	–	·07	–	24
25	–	–	–	–	–	·17	·05	·08	–	·31	·33	–	25
26	Snow ·08	–	–	–	·02	·02	·04	–	–	·02	·39	–	26
27	·12	–	–	·12	–	·08	–	–	–	–	·25	–	27
28	·21	–	–	·14	–	·07	·15	·02	–	–	·06	–	28
29	·01	×	–	·11	·05	–	–	·63	–	·09	–	–	29
30	–	×	–	·08	·31	–	–	·03	–	·59	–	–	30
31	–	×	–	×	·17	×	–	–	×	·04	×	–	31
Total	20	1·550	1·930	1·120	1·640	2·900	2·280	3·370	0·220	5·280	2·4~~55~~ 6	2·1~~60~~ 5	TOTAL for year 26·305
No. of Rain Days		15	13	15	19	23	16	17	5	25	21	26·32 19	203

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Sa.

E4 R6

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

? JAN 1909

4360

Kept at Llandudno
in the County of Carnarvonshire
by William Little

Lat. 53°·20'·30" Long. 3°·50
Nearest Railway Station Llandudno
Time of Observation 9·a·m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 72·0 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·03	01 ~~·005~~	–	–	·33	–	01 ~~·005~~	·12	–	–	–	1
2	–	·12	·03	·15	·68	·19	–	–	01 ~~·015~~	–	–	–	2
3	–	·07	·01	·01	·02	·10	–	–	·22	–	–	·04	3
4	–	–	–	–	·17	–	–	·02	–	–	–	·01	4
5	·05	·03	·11	–	·13	·12	–	–	–	–	–	·23	5
6	·48	·14	·09	–	·09	–	–	–	–	–	–	–	6
7	·32	·06	·09	–	·29	·06	·11	–	–	–	–	–	7
8	·04	–	·04	–	·14	·01	·40	–	·84	·04	–	·71	8
9	–	·04	·26	·12	–	·11	·65	·17	·15	·01	–	·07	9
10	–	·02	·04	·04	–	–	–	·16	·80	·03	·17	·07	10
11	–	–	–	·03	·03	·36	·42	–	·02	–	·08	·05	11
12	–	–	–	–	·02	–	–	·02	·03	–	·36	·02	12
13	–	·02	·03	–	·03	·45	–	·09	·02	–	·42	·01	13
14	·02	·53	·09	·02	·09	–	·02	–	·14	–	·01	·19	14
15	·09	·27	·10	–	–	·02	·08	–	·16	·06	–	·08	15
16	·32	·33	·05	–	–	–	·28	–	·24	·02	·10	·07	16
17	·02	·25	–	–	·01	·63	·02	–	01 ~~·005~~	·03	–	·08	17
18	–	·06	01 ~~·005~~	–	·01	–	–	–	·03	·25	·43	·02	18
19	·01	·10	–	–	·01	–	·10	–	–	·05	·15	·10	19
20	–	·11	–	·13	–	–	–	·53	·43	·04	·05	–	20
21	–	·18	–	·01	·15	–	–	·14	·01	–	·52	·01	21
22	–	·31	·14	·04	·03	–	–	·01	01 ~~·005~~	–	·14	–	22
23	–	·09	·03	SNOW ·06	–	01 ~~·005~~	–	·25	–	–	–	–	23
24	–	·03	·49	SNOW ·07	·04	–	·25	·01	–	–	·22	–	24
25	·36	·04	·08	·04	–	–	·16	·03	·13	–	·44	–	25
26	·40	·14	·02	·01	–	–	–	·50	·02	·02	·02	SNOW ·21	26
27	·12	·42	·21	·67	–	–	05 ~~·045~~	·24	–	–	–	–	27
28	·14	·03	–	·58	–	–	–	·04	–	·32	37 ~~·36~~	SNOW ·19	28
29	·01	–	·31	·67	–	–	–	·04	–	–	–	SNOW ·09	29
30	·04	×	·04	·09	·04	–	–	·02	–	·10	–	·02	30
31	·11	×	–	×	·08	×	–	·42	×	·01	×	·01	31
Total	2·530	3·420	2 28 2·2~~7~~0	2·740	2 2·060	9 2·3~~85~~	4 2·5~~35~~	79 2·~~695~~	9 3·3~~85~~	·980	8 3·4~~7~~5	2·280	
No. of Rain Days	16	24	~~2~~21	17	19	11	12	18	18	13	15	30·79 21 79	

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterloo and Sons Limited, Printers, London Wall, London.

Price 2d

S.a.

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.

7 JAN 1910

4360

Kept at Llandudno

in the County of Carnarvonshire

by William Little Ex JOJS

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
„ „ „ Sea Level 72 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Llandudno
Distance 3/4 mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·05	-	-	-	-	·29	·12	·01	-	·14	1
2	-	·07	SNOW ·22	-	-	-	-	-	·05	·12	·14	·78	2
3	-	·10	SNOW ·08	·03	-	-	·16	-	·08	1·21	·02	·24	3
4	-	·07	·03	-	-	·40	-	-	·11	·03	-	·07	4
5	·03	·02	·10	-	-	·01	·15	-	·26	·07	·07	·08	5
6	·05	-	·07	-	-	-	·10	-	·14	-	-	·10	6
7	·12	-	·01	-	-	·01	·01	-	·11	·14	-	·01	7
8	-	-	-	-	-	-	-	-	-	·08	-	-	8
9	·10	·57	·07	-	-	-	·57	-	-	·02	·08	·01	9
10	·23	·13	-	-	-	·09	-	-	-	·02	·03	·35	10
11	·03	-	·01	·10	-	-	-	-	-	·09	·02	·11	11
12	·01	-	-	·17	·06	-	-	-	·06	·56	·05	-	12
13	·14	-	-	·40	-	-	·08	-	-	·04	-	-	13
14	·59	·07	·01	·01	·02	-	·02	-	-	·25	-	-	14
15	·19	-	·01	·20	-	-	·73	·03	-	·34	-	-	15
16	·02	-	-	·01	-	-	·09	·04	-	·25	-	-	16
17	·01	-	-	·07	·02	·01 ~~·005~~	·01	·94	-	·15	-	-	17
18	·22	-	·05	-	-	·05	·01	·10	-	·01	-	·40	18
19	-	-	·01	·27	-	·04	-	·02	·07	·30	-	SNOW ·40	19
20	-	-	·33	-	-	·03	·13	·75	-	·09	-	·05	20
21	-	-	-	-	·01	·26	·02	·08	-	·11	·05	SNOW ·37	21
22	·04	-	-	·13	-	·13	·04	·17	-	·10	-	·13	22
23	-	-	·02	·23	-	·38	·03	·08	·14	·54	-	·19	23
24	-	-	·43	·39	·47	·07	·42	·10	·09	·16	·07	·03	24
25	-	-	·05	·05	-	·12	·13	·01	·01	-	·01 ~~·005~~	·05	25
26	-	·03	-	·19	·10	·07	-	·05	-	-	·10	-	26
27	-	·01	·25	·04	·01	-	·31	-	1·27	-	·30	·24	27
28	·17	·01	·18	·11	·04	·27	·01	-	·55	-	·21	·15	28
29	·01	×	·13	·03	-	·01	·64	·32	-	·13	·02	-	29
30	·08	×	·02	·15	·19	-	·14	·05	·15	·01	·40	·31	30
31	·12	×	·39	×	·02	×	·09	-	×	-	×	·01	31
Total	2·160	1·080	2·520	2·580	·940	~~1·944~~ 5	3·890	3·030	3·210	4·830	~~1·565~~ 7	4·220	TOTAL for year 31·978
No. of Rain Days	18	10	22	18	10	16	22	15	15	25	14	22	207

31 98

7,000. X. '09.

5o

FORM A2.
BRITISH RAINFALL.

12 JAN 1911

REGISTER OF RAINFALL IN 1910

Kept at Llandudno.

2

in the County of Carnarvonshire

by William Little

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 72 ft. 4360

Time of Observation 9 a.m

Nearest Railway Station
Name Llandudno.
Distance 3/4 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·01	·07	=	·05	·21	·09	·03	·10	=	·14	·31	1
2	-	·23	·02	·14	-	·17	·37	·31	·05	·53	·18	·14	2
3	-	·17	=	=	·10	=	=	·08	=	=	·12	·10	3
4	-	·05	=	·02	·05	·23	-	·01	-	=	·27	·13	4
5	-	·02	=	·12	·18	·10	1.22	·02	-	=	·06	·13	5
6	-	·07	·03	·04	·10	=	·01	·01	-	=	·31	·13	6
7	-	·10	-	=	·23	·06	-	=	=	-	·23	·03	7
8	·15	·16	·17	=	·02	=	-	-	-	=	·17	·03	8
9	·23	01	·32	·03	·03	·07	-	=	-	-	·13	·27	9
10	·15	·02	·03	-	=	-	=	-	·20	·01	·20	·02	10
11	·02	·09	·04	=	·07	=	=	·05	-	·29	·16	·09	11
12	SNOW ·20	-	=	·04	·09	-	=	·11	=	·01	·06	·30	12
13	·25	·10	·05	·60	=	=	=	-	=	-	·18	·23	13
14	·01	·26	·04	·01	=	-	-	·53	·05	=	·42	·30	14
15	·58	·01	=	·40	·35	=	-	·02	-	=	·20	·37	15
16	·12	·09	·03	·33	=	-	-	=	-	·40	Hail ·30	·86	16
17	·05	·15	·04	-	·04	-	=	·03	=	·35	·30	·03	17
18	·15	·17	·01	·19	·26	-	-	·41	=	·83	-	-	18
19	·03	·33	·01	·40	·07	=	=	·06	=	·45	·16	=	19
20	·18	·74	=	·05	=	·04	·75	·45	-	·08	·01	·02	20
21	·22	·01	·02	·12	=	·24	=	·02	-	-	=	·16	21
22	·23	·03	=	-	·01	·14	·07	·04	=	-	·07	·02	22
23	·40	·25	=	·02	-	·16	=	·09	=	=	·48	·24	23
24	·09	·17	=	·23	=	·09	·08	·11	~~·01~~	=	·04	·05	24
25	=	·20	=	·05	=	-	·32	·28	-	=	·18	·04	25
26	=	·05	=	=	=	=	·01	·64	·01	=	·08	·06	26
27	SNOW ·26	·06	·04	·13	·02	·23	=	·10	=	=	·23	-	27
28	·22	·14	-	·43	·14	·20	·19	·25	·01	·08	·57	·03	28
29	·04	×	-	·04	·04	·37	=	·05	·09	=	=	=	29
30	·01	×	-	·02	·19	·06	=	·04	=	=	·02	=	30
31	=	×	-	×	·17	×	=	=	×	·54	×	·25	31
Total	3.610	9 3.6~~85~~	2 0.9~~75~~	3.410	2.210	2.370	3.110	3.740	0.520	3.570	5.270	4.240	TOTAL for year 36.6~~5~~6
No. of Rain Days	21	27	~~15~~ 14	21	20	15	10	24	8	11	27	36·66 26	~~225~~ 222

9,000, IX. '10.

Sa

FORM A.
BRITISH RAINFALL.

4368

LLANDWROG,
GLYNLLIVON
1904 – 05

GDN

MET/2/4/1/1/6/3/10212

R

4

Kept at For

in the County of

by

Long.

ation

on 9. a.m

in.

Ground ft. in.

Sea Level ft.

NOTE.—Full instructions respe ainfall Organization are given in
“Rules for Rainfall Square, London, N.W.

Date.	JAN.	FEB.	MA							OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	5	.	6	.	10	11	.	2	92	.	30	1
2	.	6	.	.	8	137	1	4	.	.	.	6	2
3	30	19	.	80	.	.	1	.	100	.	.	30	3
4	10	14	.	1	.	.	.	.	.	.	.	29	4
5	.	2	.	23	.	.	15	43	4	5	2	80	5
6	.	.	.	.	9	.	2	35	35	10	.	21	6
7	40	28	.	5	3	.	10	.	2	6	37	2	7
8	100	18	31	13	2	.	.	.	50	16	77	20	8
9	.	49	11	4	20	.	.	3	10	1	17	47	9
10	87	15	.	4	1	15	.	.	.	20	5	30	10
11	2	.	.	.	1	.	.	25	.	.	14	6	11
12	20	.	.	.	1	.	.	1	.	6	.	34	12
13	45	55	.	32	1	.	60	.	74	.	.	21	13
14	1	7	74	25	4	10	.	75	15	.	.	2	14
15	.	2	2	21	.	100	55	1	.	.	.	20	15
16	.	16	2	.	.	45	55	3	.	6	6	20	16
17	.	34	6	.	.	.	3	31	.	106	.	55	17
18	43	12	4	4	.	.	.	4	.	2	.	8	18
19	4	2	10	.	.	.	.	.	.	.	.	.	19
20	8	37	10	.	.	.	19	.	.	.	20	.	20
21	8	5	86	3	.	.	.	.	.	5	.	.	21
22	.	7	.	8	3	.	5	66	.	6	11	.	22
23	.	.	.	15	.	.	31	2	.	1	17	.	23
24	.	.	.	.	45	.	20	.	.	.	7	.	24
25	.	.	.	.	.	3	2	.	1	7	3	.	25
26	25	40	.	.	14	.	37	5	11	.	14	.	26
27	75	15	.	3	30	.	.	.	.	.	7	.	27
28	90	.	1	3	47	.	.	1	.	.	37	28	28
29	.	.	63	15	.	.	4	.	.	.	2	7	29
30	113		7	24	.	.	14	.	.	.	3	11	30
31	10		21		.		.	53		.		.	31
Totals	7.11	3.88	3.28	2.89	1.89	3.20	3.45	3.52	3.04	2.89	2.79	5.07	
Total from Jan. 1												43.01 ✓	

K/4000/12/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper. 3d.

192

Sa

REGISTER OF RAINFALL IN 1904

FORM A.
BRITISH RAINFALL.

Kept at Fort Glynllifon
in the County of Carnarvon
by

Lat. Long.
Nearest Railway Station

RAIN GAUGE.
Time of Observation 9 a.m
Diameter in.
Height of top above Ground ft. in.
" " Sea Level ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	5	.	6	.	10	11	.	2	92	.	30	1
2	.	6	.	.	8	137	1	4	.	.	.	6	2
3	30	19	.	80	.	.	1	.	100	.	.	30	3
4	10	14	.	1	.	.	.	.	.	.	.	29	4
5	.	2	.	23	.	.	15	43	4	5	2	80	5
6	.	.	.	.	9	.	2	35	35	10	.	21	6
7	40	28	.	5	3	.	10	.	2	6	37	2	7
8	100	18	31	13	2	.	.	.	50	16	77	20	8
9	.	49	11	4	20	.	.	3	10	1	17	47	9
10	87	15	.	4	1	15	.	.	.	20	5	30	10
11	2	.	.	.	1	.	.	25	.	.	14	6	11
12	20	.	.	.	1	.	.	1	.	6	.	34	12
13	45	55	.	32	1	.	60	.	74	.	.	21	13
14	1	7	74	25	4	10	.	75	15	.	.	2	14
15	.	2	2	21	.	100	55	1	.	.	.	20	15
16	.	16	2	.	.	45	55	3	.	6	6	20	16
17	.	34	6	.	.	.	3	31	.	106	.	55	17
18	43	12	4	4	.	.	.	4	.	2	.	8	18
19	4	2	10	.	.	.	.	.	.	.	.	.	19
20	8	37	10	.	.	.	19	.	.	.	20	.	20
21	8	5	86	3	.	.	.	.	.	5	.	.	21
22	.	7	.	8	3	.	5	66	.	6	11	.	22
23	.	.	.	15	.	.	31	2	.	1	17	.	23
24	.	.	.	.	45	.	20	.	.	.	7	.	24
25	.	.	.	.	.	3	2	.	1	7	3	.	25
26	25	40	.	.	14	.	37	5	11	.	14	.	26
27	75	15	.	3	30	.	.	.	.	.	7	.	27
28	90	.	1	3	47	.	.	1	.	.	37	28	28
29	.	.	63	15	.	.	4	.	.	.	2	7	29
30	113		7	24	.	.	14	.	.	.	3	11	30
31	10		21		.		.	53		.		.	31
Totals	7.11	3.88	3.28	2.89	1.89	3.20	3.45	3.52	3.04	2.89	2.79	5.07	
Total from Jan. 1												43.01 ✓	

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

192

S.a. No 13

FORM A.
BRITISH RAINFALL.

19 FEB 1906

REGISTER OF RAINFALL IN 1905

Kept at The Fort Glynllifon

in the County of Carnarvon

by

Lat. Long.

Nearest Railway Station

RAIN GAUGE.
Time of Observation 9 a.m.
Diameter in.
Height of top above Ground ft. in.
" " Sea Level ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	3	.	17	14	64	.	.	3.	5	16	1
2	12	2	.	2	126	16	9	.	14	1	30	.	2
3	5	.	.	16	3	.	.	18	5	1	.	5	3
4	.	1	12	16	2	.	.	35	1	21	1	.	4
5	21	.	30	.	.	.	.	21	3	2	17	4	5
6	50	1	5	3	.	.	11	.	3	2	27	64	6
7	3	20	5	46	3	2	.	1	19	.	.	11	7
8	1	.	5	10	.	.	.	6	4	58	16	5	8
9	49	1	31	13	.	.	.	.	21	.	4	.	9
10	.	6	7	.	.	.	.	16	134	.	.	.	10
11	9	1	65	.	42	.	9	.	2	.	104	.	11
12	7	.	30	.	.	.	9	.	.	.	9	-	12
13	.	8	9	16	.	.	5	.	9	5	1	.	13
14	.	7	46	21	.	5	.	-	.	1	2	.	14
15	.	2	83	7	.	.	9	.	.	4	.	-	15
16	.	1	22	.	.	.	.	.	3	12	2	.	16
17	44	1	24	.	.	43	.	.	.	1	.	.	17
18	19	15	5	.	.	30	19	12	.	2	12	.	18
19	1	1	.	1	.	13	.	11	.	.	.	10	19
20	.	2	.	1	.	65	.	30	6	.	.	4	20
21	.	.	.	.	.	26	.	.	.	2	1	39	21
22	.	.	.		.	.	4	9	.	.	5	3	22
23	.	.	.	.		.	24	146	.	.	114	1	23
24	.	.	48	3	.	.	.	.	.	14	3	.	24
25	22	4	.	.	.	.	9	.	.	.	1	1	25
26	.	59	10	4	.	.	4	58	.	.	49	.	26
27	.	13	16	46	.	.	73	11	.	26	47	.	27
28	.	1	.	3	10	.	.	26	1	.	88	5	28
29	.		25	61	20	.	3	89	6	31	2	.	29
30	.		.	.	.	10	7	4	3	132	40	14	30
31	2		.		.		.	.		43		.	31
Totals	2.45 ✓	1.46 ✓	4.81 ✓	2.69 ✓	2.23 ✓	2.24 ✓	2.59 ✓	4.93 ✓	2.34 ✓	3.61 ✓	5.80 ✓	1.82 ✓	
Total from Jan. 1												36.97	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Corr: Sa

4

FORM A.
BRITISH RAINFALL.

LLANDWROG PARK
GLYNLLIVON

1904 - 1905

MET/2/4/LL/6/3/10213

Kept at at the ...

Long. ...

...tation ...

in the County of C...

...ion 8 A.M.

... in.

by ...

...e Ground ... ft. ... in.

Sea Level ... ft.

NOTE.—Full instructions ... ainfall Organization are given in
"Rules for Rain... ...n Square, London, N.W.

Date.	JAN.	FEB.								OCT.	NOV.	DEC.	Date.
	in.	in.								in.	in.	in.	
1	...	..8								...	...	.40	1
2	.36	.36	...	.75	...	...	..1	..7	.78	...	...	..6	2
3	..6	.21	...	..6	...	...	..2	...	...	...	...	.24	3
4	..6	..3	...	.23	...	...	.13	.39	...	...	...	.18	4
5	...	...	..1	..2	..9	...	..4	.37	.39	.18	.10	.21	5
6	.59	.24	...	...	..5	...	..9	..2	..3	..9	.36	..1	6
7	.71	.14	.29	.15	..4	...	...	...	.29	.16	.95	.14	7
8	..1	.53	.18	..5	.22	...	...	...	.41	..4	.15	.53	8
9	.52	.26	...	..4	...	.23	...	..1	...	.22	..6	.35	9
10	.33	..1	...	...	..2	..1	...	.21	...	..1	.14	.11	10
11	.19	..1	...	...	..1	...	...	...	...	.10	...	.37	11
12	.47	.49	.50	.28	..1	...	.50	...	.76	...	...	.50	12
13	..2	..4	.50	.21	..2	.42	..1	.70	.12	...	...	.17	13
14	..2	.17	.15	.28	..4	.61	.53	..4	..2	...	...	..1	14
15	..3	.17	..3	...	...	.40	.58	..3	...	..3	..7	.24	15
16	...	.33	..5	..1	...	...	..3	.11	..1	1.03	...	.36	16
17	.37	.14	..5	..5	...	..1	...	.25	...	..2	...	.75	17
18	..5	..3	.13	...	...	...	...	...	...	...	.16	...	18
19	.11	.30	.15	...	...	...	.18	...	...	...	..4	..2	19
20	.11	.10	1.00	..6	...	..1	...	...	...	..3	...	...	20
21	...	..8	..2	..7	..2	...	..5	.68	...	.10	.15	...	21
22	...	...	...	.18	...	...	.34	..8	...	...	.18	...	22
23	...	...	...	...	.44	...	.19	...	...	...	.11	...	23
24	...	...	...	...	..4	...	..2	...	...	.10	..3	...	24
25	...	.38	...	...	.14	...	.43	..9	.15	...	.22	..2	25
26	.97	.23	...	..4	.10	...	...	...	...	...	...	...	26
27	.77	...	...	..4	.50	...	...	..3	...	...	...	.20	27
28	...	...	.62	.26	...	...	..2	...	...	...	...	.11	28
29	1.08	...	..5	.23	...	...	..4	...	...	...	...	.16	29
30	.14		.22	...	...	.11	.14	.49	.83	...	...	...	30
31	..2		..9		..8		..1	.11		...		...	31
Totals	✓ 6.99	4.38 4.33	4.04	3.02	1.91	2.97	3.38	3.68	3.81	2.11	2.72	5.14	
Total from Jan. 1		4	4	✓	✓	✓	✓	✓	✓	✓		✓ 44.10	

K/4000/12/04.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

204

Corr: Sa

4

FORM A.
BRITISH RAINFALL.

Kept at at the Nursery Glynllivon Park

in the County of Carnarvon

by

Lat. Long.

Nearest Railway Station

RAIN GAUGE.

Time of Observation 8 A.M.

Diameter in.

Height of top above Ground ft. in.

" " Sea Level ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	..8	...	..1	..9	117	..2	...	...	...	...	.40	1
2	.36	.36	...	.75	...	...	..1	..7	.78	...	...	..6	2
3	..6	.21	...	..6	...	...	..2	...	...	...	...	.24	3
4	..6	..3	...	.23	...	...	.13	.39	...	...	...	.18	4
5	...	...	..1	..2	..9	...	..4	.37	.39	.18	.10	.21	5
6	.59	.24	...	...	..5	...	..9	..2	..3	..9	.36	..1	6
7	.71	.14	.29	.15	..4	...	...	...	.29	.16	.95	.14	7
8	..1	.53	.18	..5	.22	...	...	...	.41	..4	.15	.53	8
9	.52	.26	...	..4	...	.23	...	..1	...	.22	..6	.35	9
10	.33	..1	...	...	..2	..1	...	.21	...	..1	.14	.11	10
11	.19	..1	...	...	..1	...	...	...	...	.10	...	.37	11
12	.47	.49	.50	.28	..1	...	.50	...	.76	...	...	.50	12
13	..2	..4	.50	.21	..2	.42	..1	.70	.12	...	...	.17	13
14	..2	.17	.15	.28	..4	.61	.53	..4	..2	...	...	..1	14
15	..3	.17	..3	...	...	.40	.58	..3	...	..3	..7	.24	15
16	...	.33	..5	..1	...	...	..3	.11	..1	1.03	...	.36	16
17	.37	.14	..5	..5	...	..1	...	.25	...	..2	...	.75	17
18	..5	..3	.13	...	...	...	...	...	...	...	.16	...	18
19	.11	.30	.15	...	...	...	.18	...	...	...	..4	..2	19
20	.11	.10	1.00	..6	...	..1	...	...	...	..3	...	...	20
21	...	..8	..2	..7	..2	...	..5	.68	...	.10	.15	...	21
22	...	...	...	.18	...	...	.34	..8	...	...	.18	...	22
23	...	...	...	...	.44	...	.19	...	...	...	.11	...	23
24	...	...	...	...	..4	...	..2	...	...	.10	..3	...	24
25	...	.38	...	...	.14	...	.43	..9	.15	...	.22	..2	25
26	.97	.23	...	..4	.10	...	...	...	...	...	...	...	26
27	.77	...	...	..4	.50	...	...	..3	...	...	...	.20	27
28	...	...	.62	.26	...	...	..2	...	...	...	...	.11	28
29	1.08	...	..5	.23	...	...	..4	...	...	...	...	.16	29
30	.14		.22	...	...	.11	.14	.49	.83	...	...	...	30
31	..2		..9		..8		..1	.11		...		...	31
Totals	6.99 ✓	4.38 4.33	4.02 4	3.02	1.91	2.97	3.38	3.68	3.81	2.11	2.72	5.14	
Total from Jan. 1		4		✓	✓	✓	✓	✓	✓	✓	–	✓ 44.10	

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

204

5 ~~No. B~~

FORM A. BRITISH RAINFALL.

19 FEB 1906

REGISTER OF RAINFALL IN 1905

Kept at The Nursery Glynllivon Park N. Wales

in the County of Carnarvon

by

Lat. Long.

Nearest Railway Station

RAIN GAUGE. Time of Observation

Diameter in.

Height of top above Ground ft. in.

" " Sea Level ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..8	..3	...	...	.12	.17	.16	..1	.12	..6	.44	..1	1
2	.10	...	...	..4	.13	...	..3	..2	.11	..1	..4	..8	2
3	..1	..1	.13	.19	..3	...	...	.46	..3	..9	...	..1	3
4	.30	...	..4	.14	...	...	...	.22	..2	.18	.11	..5	4
5	.34	..2	.35	..6	...	...	.10	...	..6	..4	33	.60	5
6	..4	.24	..5	.43	...	..2	...	..2	.25	..1	...	.44	6
7	..3	...	..7	.16	..3	...	...	...	..6	.60	.22	..6	7
8	.39	..3	.36	.16	...	...	...	..2	.16	...	..4	...	8
9	..2	..7	..7	...	...	...	...	.20	1.15	...	...	...	9
10	.11	..1	.42	...	.41	...	..9	...	..4	...	.90	...	10
11	.10	..2	.52	...	..1	...	..7	...	...	...	.15	...	11
12	...	..8	.15	.16	...	...	..6	...	..2	...	...	...	12
13	...	..7	.48	.15	...	..7	...	...	.10	..2	..2	...	13
14	...	..1	.56	.13	...	...	..9	...	...	..5	...	...	14
15	...	..4	.42	...	...	...	...	...	..4	.12	..3	...	15
16	.53	..1	.25	...	...	.17	...	...	...	...	...	...	16
17	.20	.16	..6	...	...	.27	.17	.14	...	..3	.17	...	17
18	...	..3	...	..1	...	.33	...	.13	...	..4	...	..7	18
19	...	..2	...	..5	...	.27	...	.33	..8	...	...	..9	19
20	...	...	...	...	...	.70	...	...	...	..2	..3	.40	20
21	...	...	...	...	...	...	...	.12	...	.12	..7	..2	21
22	...	...	...	...	...	...	.31	1.40	...	...	1.10	..3	22
23	..6	...	.67	..5	...	...	...	..8	...	..1	..2	...	23
24	.25	..4	...	...	...	...	..5	...	...	..2	...	..1	24
25	...	.43	.14	..4	...	...	..7	.61	...	...	.45	...	25
26	...	.33	.15	.43	...	...	.76	.11	...	.28	.57	...	26
27	...	..1	...	..7	..6	..1	...	.17	...	...	.93	...	27
28	...	..3	.26	.61	.32	...	...	1.07	.16	.36	..9	.10	28
29	..1		...	..4	..2	...	.15	..7	.13	1.11	.26	.14	29
30	..2		..1	1.10	...	.87	...	...	...	.67	.30	...	30
31	..1		...		.17		...	...		..6		..6	31
Totals	2.60 ✓	1.69 ✓	5.16 ✓	4.02 ✓	1.30 ✓	2.88 ✓	2.11 ✓	5.17 ✓	2.53 ✓	3.90 ✓	6.27 ✓	2.17 ✓	
Total from Jan. 1					3.980 ✓			5					

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

5o

RE

LLANFAIRPECHAN SCHOOL

MET/2/4/1/1/6/3/10260

1901 – 1910

Kept at Llanf

in the County of

by W. Timm

Lon:

bservation 9. A.M.

5.0 inches

op above Ground 1.0 ft.

,, Sea Level 144.21 ft.

NOTE.—Full instructions respe

of the Rainfall," which is sent post

Systematic Observation and Record

Camden Square, London, N.W.

Date.	Jan.	Feb.	Mar							Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.							in.	in.	in.	
1	—	·38	·2							10	—	—	1
2	·01	·02	·21	·24	—	·05	—	—	—	—	—	—	2
3	—	·12	·12	·09	—	—	—	·02	—	·60	—	·02	3
4	—	·32	·64	—	—	·14	—	—	—	—	—	·07	4
5	—	—	·12	·04	·16	·26	—	·01	—	·16	—	·20	5
6	—	—	·21	·13	·07	—	—	—	—	·12	—	·20	6
7	—	·11	·16	·33	—	—	—	—	·02	·14	—	·50	7
8	—	·02	—	·22	·03	—	—	—	—	·29	—	·19	8
9	·10	·01	—	—	·14	·05	—	1·23	·19	·01	—	·02	9
10	—	·19	·02	·16	—	—	—	·26	·27	·33	·90	·11	10
11	—	—	—	—	—	·14	—	·02	—	·03	1·81	·04	11
12	·03	—	—	·10	—	·15	—	·11	·01	·30	·26	1·00	12
13	—	·06	—	·06	—	·45	—	·18	·23	—	·03	·03	13
14	—	·01	—	·05	—	—	·02	·07	—	·01	·14	—	14
15	—	·03	—	·21	—	·09	—	·06	·01	·05	·42	·31	15
16	·18	—	·06	·01	—	·04	—	·18	·21	·48	—	·02	16
17	·01	—	—	·01	—	—	—	—	·02	·40	·07	·17	17
18	·25	—	—	—	—	·02	—	·01	·07	·43	·53	·38	18
19	·55	·07	·02	—	—	·17	—	—	·34	·15	·16	·23	19
20	·14	—	—	—	—	·30	·06	—	—	·02	·31	—	20
21	—	—	—	—	—	—	·03	—	—	·13	·29	—	21
22	·03	—	—	·03	—	·32	—	—	·04	·12	—	—	22
23	·05	·01	—	—	—	·06	·16	—	·06	·01	—	·27	23
24	·05	·03	·07	—	—	—	·31	—	—	·02	—	·14	24
25	·10	·02	—	—	—	—	·72	·71	·10	·19	—	·27	25
26	·18	·06	·03	—	·07	—	—	·35	—	·01	·05	·05	26
27	·13	·04	·02	·09	—	—	·01	—	—	·03	—	·02	27
28	·04	·40	·18	—	—	—	—	—	—	—	·08	·07	28
29	·18		2·18	·27	·15	—	·06	·32	·33	·07	—	·06	29
30	·20		·23	—	·09	·09	·03	·84	—	—	·05	·01	30
31	·01		·19	~~Nil~~	·01		·01	—		—		·06	31
Totals	2·24	1·84	4·66	2·04	·72	2·41	1·60	4·40	1·90	4·20	5·10	4·44	
Total from Jan. 1	2·24	4·08	8·74	10·78	11·50	13·91	15·51	19·91	21·81	26·01	31·11	35·55	

K/3,000/12/00.

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3d.

REGISTER OF RAINFALL IN 1901

Kept at *Llanfairfechan*

in the County of *Carnarvon*

by *W. Timmins*

RAIN GAUGE.

Lat. .... Lon. ....

Time of Observation 9 AM

Diameter 5.0 inches

Height of top above Ground 1.0 ft.

" " Sea Level 144.21 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·38	·20	—	—	·08	·19	·03	—	·10	—	—	1
2	·01	·02	·21	·24	—	·05	—	—	—	—	—	—	2
3	—	·12	·12	·09	—	—	—	·02	—	·60	—	·02	3
4	—	·32	·64	—	—	·14	—	—	—	—	—	·07	4
5	—	—	·12	·04	·16	·26	—	·01	—	·16	—	·20	5
6	—	—	·21	·13	·07	—	—	—	—	·12	—	·20	6
7	—	·11	·16	·33	—	—	—	—	·02	·14	—	·50	7
8	—	·02	—	·22	·03	—	—	—	—	·29	—	·19	8
9	·10	·01	—	—	·14	·05	—	1·23	·19	·01	—	·02	9
10	—	·19	·02	·16	—	—	—	·26	·27	·33	·90	·11	10
11	—	—	—	—	—	·14	—	·02	—	·03	1·81	·04	11
12	·03	—	—	·10	—	·15	—	·11	·01	·30	·26	1·00	12
13	—	·06	—	·06	—	·45	—	·18	·23	—	·03	·03	13
14	—	·01	—	·05	—	—	·02	·07	—	·01	·14	—	14
15	—	·03	—	·21	—	·09	—	·06	·01	·05	·42	·31	15
16	·18	—	·06	·01	—	·04	—	·18	·21	·48	—	·02	16
17	·01	—	—	·01	—	—	—	—	·02	·40	·07	·17	17
18	·25	—	—	—	—	·02	—	·01	·07	·43	·53	·38	18
19	·55	·01	·02	—	—	·17	—	—	·34	·15	·16	·23	19
20	·14	—	—	—	—	·30	·06	—	—	·02	·31	—	20
21	—	—	—	—	—	—	·03	—	—	·13	·29	—	21
22	·03	—	—	·03	—	·32	—	—	·04	·12	—	—	22
23	·05	·01	—	—	—	·06	·16	—	·06	·01	—	·27	23
24	·05	·03	·07	—	—	—	·31	—	—	·02	—	·14	24
25	·10	·02	—	—	—	—	·72	·71	·10	·19	—	·27	25
26	·18	·06	·03	—	·07	—	—	·35	—	·01	·05	·05	26
27	·13	·04	·02	·09	—	—	·01	—	—	·03	—	·02	27
28	·04	·40	·18	—	—	—	—	—	—	—	·08	·07	28
29	·18		2·18	·27	·15	—	·06	·32	·33	·07	—	·06	29
30	·20		·23	—	·09	·09	·03	·84	—	—	·05	·01	30
31	·01		·19	~~nil~~	·01		·01	—		—		·06	31
Totals	2·24	1·84	4·66	2·04	·72	2·41	1·60	4·40	1·90	4·20	5·10	4·44	
Total from Jan. 1	2·24	4·08	8·74	10·78	11·50	13·91	15·51	19·91	21·81	26·01	31·11	35·55	

K/3,000/12/00. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3d.

5.0

Ed C.S.

REGISTER OF RAINFALL IN 1902

Kept at Llanfairfechan
in the County of Carnarvon
by W. Timmins

RAIN GAUGE.
Lat. Lon.
Time of Observation 9 a.m.
Diameter 5.0 inches
Height of top above Ground 1.0 ft.
" " Sea Level 144.21 ft.

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	—	·14	—	·12	·25	·03	·03	·01	—	·07	·30	1
2	—	—	·11	·01	·14	—	—	·04	·50	—	—	·05	2
3	·35	—	—	·14	·27	—	·05	·03	·11	—	·04	—	3
4	·17	—	—	·35	·04	—	·07	—	·08	—	—	—	4
5	·07	—	—	·26	—	·03	—	·14	—	—	·02	—	5
6	—	—	·01	—	·04	·39	—	·05	·05	—	·14	—	6
7	—	·02	·13	—	·04	·04	—	·16	—	—	·07	—	7
8	·04	·19	·19	—	—	—	·01	·03	—	—	·54	—	8
9	·22	·15	·02	—	—	—	·12	·08	—	1·23	·03	—	9
10	·45	·12	·01	—	—	—	·09	·02	·05	·27	·10	—	10
11	·15	·15	—	—	—	·02	—	·42	·07	·04	·07	—	11
12	·05	—	—	·07	·02	·16	—	·14	·04	·34	·05	·07	12
13	—	—	·14	—	·02	·09	—	·04	·17	·35	·04	·01	13
14	—	·02	·01	—	·10	·05	—	—	·03	·56	·07	1·41	14
15	—	—	—	—	·09	·35	—	—	·01	·35	—	·27	15
16	—	—	—	·04	·16	·02	—	·11	·09	·03	—	·34	16
17	—	—	—	—	·71	—	—	·11	·01	·08	—	·12	17
18	—	—	·50	—	·15	·07	—	·99	—	—	—	—	18
19	—	—	·09	·19	·01	·54	·17	·05	—	·10	—	·05	19
20	—	—	·24	·15	—	·01	·02	·07	·02	·03	—	—	20
21	·10	·01	·03	·51	—	—	·02	—	·03	·15	·12	—	21
22	—	—	—	·16	·77	·05	·11	·15	·08	·03	·20	—	22
23	·16	·02	—	·03	·01	—	·19	·02	·31	·07	·07	—	23
24	·16	·03	·52	—	—	—	—	—	—	—	·02	—	24
25	·03	—	·09	—	—	—	·31	—	—	·15	—	—	25
26	·11	·42	·25	—	·01	—	·33	·07	—	—	·02	·03	26
27	·11	·10	—	—	·25	—	·02	—	—	·02	·47	·02	27
28	·16	—	·05	—	·05	—	—	—	—	—	·56	—	28
29	·07		·08	—	·19	·20	—	—	·02	·09	·10	·35	29
30	—		·02	·34	·22	·09	—	—	·07	—	·07	·51	30
31	—		·27		·07		—	—		—		·09	31
Totals	2·48	1·23	2·90	2·25	3·48	2·30	1·54	2·63	1·69	3·83	2·63	3·56	
Total from Jan. 1	2·48	3·71	6·61	8·86	12·34	14·64	16·18	18·81	20·50	24·33	26·96	30·52	

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

5 a

En RL

REGISTER OF RAINFALL IN 1903

Kept at Llanfairfechan
in the County of Carnarvon
by W. Timmins

RAIN GAUGE.
Lat. Long.
Time of Observation 9 a.m.
Diameter 5.0 inches
Height of top above Ground 1.0 ft
" " Sea Level 144.21 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*The British Rainfall Organization—Rules for Rainfall Observers,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·26	·22	·27	·11	—	—	·23	·29	·08	·18	—	1
2	·01	·01	·46	—	·67	—	·06	·21	·58	·25	·24	·04	2
3	—	—	·11	·35	·30	—	—	·03	·02	·08	·01	1.30	3
4	·26	·06	·25	·10	·05	—	—	—	·22	·05	—	·17	4
5	·91	—	—	—	·03	—	·07	—	—	·30	—	·16	5
6	·63	·06	—	—	·09	—	—	—	—	·34	—	·05	6
7	·05	·26	·07	·02	·05	—	—	—	·11	·44	—	·11	7
8	·71	·02	·08	—	—	—	—	—	·83	·01	·37	·13	8
9	·28	·01	·75	—	·06	·01	—	·05	·08	·32	·04	·26	9
10	·86	—	·02	—	·10	—	—	·04	1·03	·08	—	·60	10
11	·01	·03	·01	—	·02	—	·27	—	·26	·19	·02	·58	11
12	—	·04	·01	·05	·01	—	—	—	·33	·24	·37	·16	12
13	—	—	·48	·07	·05	·06	·01	·09	·03	·28	·19	·08	13
14	—	·02	·68	·26	·02	·28	·43	·33	—	·68	·24	·08	14
15	—	·15	·13	—	·26	·41	·09	·19	—	·09	·08	·09	15
16	·04	·06	·06	·01	·25	·03	·22	·41	—	·19	·10	·04	16
17	—	—	·71	—	·01	—	·12	·35	—	·02	·01	·01	17
18	—	—	·04	—	—	—	·01	·87	—	·13	—	—	18
19	·01	·06	·05	—	·01	—	·19	·14	—	·16	—	—	19
20	—	·20	·03	—	—	—	—	·31	—	·10	·03	—	20
21	·01	1·00	·01	—	—	—	·55	—	—	·10	·02	—	21
22	·55	·26	·02	—	·04	—	·30	—	—	·27	·01	·11	22
23	·35	·04	·23	—	—	·01	·12	—	·05	·11	·13	—	23
24	·09	·75	·06	—	—	·05	—	·59	·05	·14	—	—	24
25	·05	·73	·84	—	—	·20	·07	—	—	·30	·05	·06	25
26	·94	·65	·16	—	—	·18	—	·09	·04	·37	·14	—	26
27	·01	—	—	—	—	·03	·34	·63	—	1·41	·73	—	27
28	—	·22	·19	·10	—	—	—	·27	·14	·04	·37	—	28
29	—	~~·22~~	·26	·02	·22	—	·02	·01	·03	·11	·20	—	29
30	—		·16	·47	—	—	·08	·02	·04	—	·03	—	30
31	·20		·03		—		—	·03		·03		—	31
Totals	6.04	4·89	6.12	1.72	2·35	1·26	2·95	4·89	4·13	6.91	3·56	4.03	
Total from Jan. 1	6.04	10·93	17·05	18·77	21·12	22·38	25·33	30·22	34·35	41·26	44·82	48.85	

K/3000/11/02. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

20 21 28 11 19 10 17 20 17 30 22 18 23

5

FORM A.
BRITISH RAINFALL

14 FEB 1905

REGISTER OF RAINFALL IN 1904

Kept at Llanfairfechan
in the County of Carnarvon
by W. Timmins

Lat. Long.
Nearest Railway Station Llanfairfechan

RAIN GAUGE.
Time of Observation 9 A.M.
Diameter 5·0 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 144·21 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·06	—	—	·18	1.12	—	—	—	—	—	·76	1
2	·32	·38	—	·39	—	—	·15	—	·48	—	—	—	2
3	—	·29	·03	·02	—	—	—	—	—	—	—	·08	3
4	·02	·27	—	·23	—	—	·14	·04	·01	·04	—	·24	4
5	—	—	—	·10	—	—	·04	—	·19	·07	·03	·32	5
6	·09	·08	·06	·05	·23	—	—	—	—	—	·32	·08	6
7	·11	·10	·40	·07	—	—	—	—	·08	—	·32	·05	7
8	·26	·29	·06	·17	·65	—	—	·07	—	·32	·36	—	8
9	·66	·03	—	—	—	·90	—	—	—	·21	·08	1.18	9
10	·21	—	—	—	·08	·01	—	·27	—	·01	·09	·07	10
11	·32	·06	—	—	—	—	—	—	—	·12	·02	·13	11
12	·53	·48	—	·12	—	·05	·63	—	·74	—	—	·18	12
13	·05	·54	·63	—	—	·01	·02	·48	·01	—	—	·19	13
14	·02	·13	·28	·11	·03	·13	·05	·05	·02	—	—	—	14
15	·04	·07	—	—	—	·04	·05	·19	·01	—	—	·02	15
16	—	·03	—	—	—	—	·02	·25	·07	·88	—	·02	16
17	·25	·10	—	·04	—	·02	—	·33	—	·03	—	·55	17
18	·03	·13	·02	—	—	—	—	·02	—	·01	·06	—	18
19	·24	·17	·02	—	—	—	·04	·31	—	·01	·04	—	19
20	—	·10	·44	·02	—	—	—	—	—	·01	·05	—	20
21	—	·18	—	·02	·12	—	·02	·85	—	·01	·29	—	21
22	—	—	·02	·19	—	—	·15	·41	—	—	·10	—	22
23	—	—	—	—	·09	—	·57	·03	—	—	·26	—	23
24	—	—	—	—	—	·06	·81	—	—	·24	—	—	24
25	·03	·04	—	—	—	—	·18	—	·23	·01	—	—	25
26	·18	·25	—	—	·18	—	·01	—	—	—	—	·05	26
27	·61	—	—	·05	·42	—	—	·01	·03	—	—	·04	27
28	·04	—	·46	·33	—	—	—	—	—	—	·07	—	28
29	·62	—	·05	·13	—	—	—	—	—	—	·03	·12	29
30	·11		·21	—	—	·02	·04	·40	·39	—	—	·03	30
31	—		—		·36		·02	·07		—		—	31
Totals	4.74	3.78	2.68	2.04	2.34	2.36	2.94	3.78	2.26	1.97	2.12	4.11	
Total from Jan. 1	4.74	8.52	11.28	13.24	15.58	17.94	20.88	24.66	26.92	28.89	31.01	35.12	

183

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

S.a.

[illegible]

FORM A.
BRITISH RAINFALL.

11 JAN

REGISTER OF RAINFALL IN 1905

Kept at Llanfairfechan
in the County of Carnarvon
by W. Timmins

Lat. .... Long. ....
Nearest Railway Station Llanfairfechan

Rain Gauge.
Time of Observation 9 a.m.
Diameter 5.0 in.
Height of top above Ground 1 ft. ...... in.
" " Sea Level 144.21 ft.

Note.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·08	·01	·08	·15	·04	·11	·01	·17	·23	·70	—	1
2	·07	—	—	—	·03	—	·02	·20	·06	·06	—	—	2
3	—	—	—	~~·05~~	~~[illegible]~~	—	— ~~[illegible]~~	~~[illegible]~~ ·30	·02	·23	—	—	3
4	·23	—	·06	·07	—	—	—	·20	·01	·18	·30	—	4
5	·43	—	·06	·04	—	—	·12	—	·04	—	·41	·17	5
6	·02	·45	·02	·66	—	·01	—	—	·07	—	·01	·01	6
7	—	—	·11	—	·04	·05	—	—	·12	·55	·24	·11	7
8	·47	—	·12	·50	—	—	—	·05	·25	—	·16	·04	8
9	—	—	·06	·01	—	—	·15	·08	1·02	—	—	—	9
10	·14	—	·66	—	·09	—	·09	·02	—	—	·38	—	10
11	·29	·05	·70	·01	·06	—	·01	—	—	—	·28	·01	11
12	—	—	·18	·07	—	·02	·03	—	·20	·08	·01	—	12
13	—	·13	·23	·02	—	·56	—	—	·02	·03	·04	—	13
14	—	—	1·11	—	—	—	·07	—	—	·10	·04	—	14
15	—	—	·61	—	—	—	—	—	—	·22	·03	—	15
16	·09	·09	·16	—	—	·10	—	—	—	·02	—	—	16
17	·40	·05	·03	·08	—	·36	·11	·12	—	·10	—	—	17
18	—	—	—	—	—	·15	—	—	—	—	—	—	18
19	—	·10	—	·07	—	·13	—	·17	·03	—	·01	·11	19
20	—	·02	—	—	—	·23	—	—	—	—	·03	·31	20
21	—	—	—	—	—	·06	—	·04	—	·14	·01	—	21
22	·03	—	—	—	—	—	·13	1·05	—	—	·49	—	22
23	—	—	·54	·13	—	—	—	—	—	·18	·02	—	23
24	·17	—	—	·02	—	—	·21	—	—	—	·01	—	24
25	—	·26	·08	·03	·06	—	·08	·47	—	—	·28	—	25
26	—	·33	·13	·05	—	—	·92	—	—	·31	·52	—	26
27	—	·01	·01	·04	—	—	—	·07	·01	—	·85	·03	27
28	—	·05	·24	·30	·02	—	·03	1·33	·26	·09	·23	·39	28
29	·03		·08	—	—	—	—	·03	—	·84	·01	—	29
30	·07		·04	·77	—	·19	—	—	—	·40	—	—	30
31	—		—		·06		—	—		·20		—	31
Totals	2·44	~~[illegible]~~	5·24	3·00	0·51	1·90	2·08	4·14	2·28	3·96	5·06	1·18	
Total from Jan. 1	2·44	4·06	9·30	12·30	12·81	14·71	16·79	20·93	23·21	27·17	32·23	33·41	

K/4000/12/04.

EDWARD STANFORD, 12, 13, & 14 Long Acre, W.C.

Price, on extra tough paper, 3d.

cord by surrounding stats

REGISTER OF RAINFALL IN 1906

22 JAN 1907

FORM A. BRITISH RAINFALL.

Kept at Llanfairfechan

in the County of Carnarvon

by W. Timmins

Lat. .... Long. ....

Nearest Railway Station Llanfairfechan

RAIN GAUGE.
Time of Observation 9 a.m
Diameter 5·0 in.
Height of top above Ground 1 ft. ...... in.
" " Sea Level 144·21 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·65	—	·03	·24	·06	·36	—	·27	·14	·14	1
2	·30	·16	—	—	·07	—	—	·97	—	·18	—	·16	2
3	1·34	—	—	—	·14	—	—	—	—	—	—	·08	3
4	—	·02	—	—	—	—	—	—	—	·38	·12	·04	4
5	—	—	·03	—	—	—	—	—	·14	·14	—	·21	5
6	—	·03	—	—	—	—	—	—	—	·01	·14	—	6
7	—	·02	1·19	—	—	—	—	—	—	·04	·15	·05	7
8	·17	·21	·01	·01	1·46	—	·01	·21	—	—	·14	·29	8
9	·02	·71	—	—	—	—	—	—	—	·12	—	·02	9
10	—	·35	·45	—	—	—	·12	·17	—	·05	·01	·01	10
11	·63	·15	·46	—	·44	—	—	·04	·14	·25	—	·26	11
12	·38	·09	Snow ·40	—	·02	·03	·09	·60	—	·30	—	·37	12
13	—	—	—	·21	·05	—	—	·16	·10	·02	—	·20	13
14	·12	·19	·32	—	—	—	·27	—	·14	·01	·03	—	14
15	·33	·06	·45	—	·07	—	·01	·02	·01	—	·27	·37	15
16	·26	·12	—	·27	·07	—	—	—	—	·07	·30	·02	16
17	·49	—	·05	·02	—	·16	—	·30	—	1·27	·14	—	17
18	·33	·02	·09	—	—	·01	·19	·01	·01	·16	·27	—	18
19	—	·35	—	—	·45	—	—	—	—	·08	·06	—	19
20	·20	—	—	—	·02	—	—	·18	—	·06	—	—	20
21	—	—	—	·10	—	·08	—	·02	—	·03	·07	—	21
22	—	·01	·11	—	·12	—	—	—	—	·05	—	—	22
23	—	—	—	·13	·08	·30	—	·34	—	·28	—	—	23
24	·63	·05	—	·08	·12	·02	—	·27	—	—	—	·44	24
25	·01	—	—	—	·07	·31	—	·01	—	—	—	·23	25
26	—	·12	·01	—	—	·69	—	·04	—	·10	·26	Snow ·19	26
27	·04	—	—	·29	·02	—	·14	—	—	·52	—	Snow ·14	27
28	·07	—	—	·06	—	—	—	—	—	·71	—	·08	28
29	·01	—	—	·15	—	—	—	—	—	·05	·09	·20	29
30	—		—	·03	·19	—	—	—	—	—	·01	(·08)	30
31	·10	(-02)	—	—	—		·03	—		·02		·05	31
Totals	5·48	2·64	4·22	1·35	4·05	1·84	0·92	3·70	0·54	5·17	2·27	3·63	
Total from Jan. 1		8·12	12·34	13·69	17·74	19·58	20·50	24·20	24·74	29·91	32·18	35·81	

180

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

So

FORM A.
BRITISH RAINFALL

16 JAN 08

REGISTER OF RAINFALL IN 1907

Kept at Llanfairfechan
in the County of Carnarvon
by W. Timmins

Lat. Long.
Nearest Railway Station Llanfairfechan
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·43	—	·01	—	·45	·03	·01	—	·04	·09	·35	·02	1
2	·02	—	·03	—	·05	·03	·09	·20	·06	·24	—	·02	2
3	—	—	—	·25	·21	—	·10	—	·06	·01	—	·07	3
4	—	·02	—	—	—	·13	·02	—	·30	—	·01	·33	4
5	·33	—	·04	—	·04	·22	—	—	—	·12	—	·01	5
6	—	—	—	·19	·18	·01	·12	·04	—	—	—	·40	6
7	—	—	·16	·20	·02	·06	—	·74	—	·03	—	·25	7
8	—	·03	—	·04	·10	—	·26	·63	—	—	·04	·34	8
9	·01	—	·50	—	·13	·11	·20	—	—	·57	·06	·32	9
10	·10	·26	·05	·15	·15	·05	—	·05	—	·35	·12	·11	10
11	—	·25	—	—	·02	·24	—	·11	—	·50	·32	—	11
12	·06	·29	·19	·30	·12	·18	—	—	—	·55	·03	·12	12
13	—	—	—	·13	—	·06	·03	—	·01	·14	—	·25	13
14	—	·01	·10	—	—	·12	—	·74	—	·25	·23	·03	14
15	·04	·01	·33	—	—	·20	—	·18	·01	·43	—	·01	15
16	·01	·18	·37	—	—	—	—	·03	·04	·85	·13	—	16
17	—	·24	·06	—	—	·02	—	·01	—	·44	·01	—	17
18	—	·31	·01	—	—	·00	—	·17	—	·53	—	·02	18
19	—	·20	·39	—	—	·22	—	·15	—	·18	·28	·15	19
20	·03	·15	—	—	·02	·61	—	—	—	·14	·08	·08	20
21	·36	·01	—	·01	·20	·08	—	—	—	·29	—	·04	21
22	—	—	—	—	—	·30	·02	·11	—	·04	·24	·06	22
23	—	—	—	—	·07	·16	—	—	—	—	·07	·02	23
24	—	—	—	·06	—	·35	·83	—	—	—	·04	—	24
25	·04	—	—	—	·07	·11	·07	·05	—	·46	·45	—	25
26	·11	—	—	—	·02	·08	·02	—	—	—	·30	—	26
27	·04	—	—	·14	—	·08	—	—	—	·03	·44	—	27
28	·07	—	—	·22	—	—	·30	—	—	—	·08	—	28
29	·04		—	·11	—	—	·03	·88	—	·18	—	—	29
30	·07		—	·13	·51	—	—	—	—	1·24	—	—	30
31	—		—		·18		—	—		·05		—	31
Total	1.71	1.96	2.24	1.93	2.48	3.55	2.10	4.09	0.52	7.71	3.18	2.85	TOTAL for year 34.32
No. of Rain Days	16	13	13	13	18	24	14	15	7	24	19	20	196

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Sca

1555 and. by own. stat. 12.v.09

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

23

Kept at Llanfairfechan
in the County of Carnarvon
by W. Timmins

Lat. Long.
Nearest Railway Station Llanfairfechan
Time of Observation 9 a.m
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	—	—	·09	—	·02	·21	—	—	—	1
2	—	·22	·07	·12	·17	·25	—	—	·02	—	—	—	2
3	—	·11	·02	—	—	·28	—	—	·50	—	—	·03	3
4	—	—	—	·03	·05	—	—	—	—	—	—	·02	4
5	—	—	1·02	—	·11	·05	—	—	—	—	—	·26	5
6	·71	·04	·16	—	·08	—	—	—	—	—	—	—	6
7	·47	—	·05	—	·39	·05	·11	—	—	—	—	·05	7
8	·08	—	·10	—	·17	—	·20	—	1·02	·05	—	·75	8
9	—	·08	·10	·15	—	·17	·68	—	·08	·03	—	·12	9
10	—	—	·19	—	—	—	—	·31	·16	·02	·20	·16	10
11	—	—	—	·07	·01	·45	·56	—	·13	—	·08	·07	11
12	—	—	—	—	·04	—	—	—	—	—	·44	·03	12
13	—	—	·03	—	—	·83	·59	·15	—	—	·48	·08	13
14	·05	·75	·02	—	·12	—	—	—	·29	—	—	·36	14
15	·33	·20	·09	—	—	·03	·11	—	·09	—	—	·09	15
16	·43	·35	—	—	—	—	·49	—	—	—	·08	·16	16
17	·05	·15	—	—	·01	·95	·07	—	—	—	·01	·14	17
18	·02	·08	—	—	·02	—	—	—	—	·06	·49	·05	18
19	—	·09	—	—	·02	—	—	—	—	·10	·05	·11	19
20	—	·05	—	—	—	—	—	·44	·67	·06	·04	—	20
21	—	·34	—	·06	·19	—	—	·22	—	—	·77	—	21
22	—	·19	1·08	—	—	—	—	—	—	—	·03	—	22
23	—	·04	·02	·04	—	·11	—	·20	·01	—	—	—	23
24	—	·03	·75	·04	·09	—	—	·09	—	—	·28	—	24
25	·20	·06	·08	—	—	—	·29	·07	·20	—	·26	—	25
26	·50	·17	·05	—	—	—	—	·70	—	·08	·02	—	26
27	·11	·09	·43	·50	—	—	—	·50	—	—	—	·20	27
28	·10	·04	·02	·67	—	—	—	·10	—	·26	·65	·51	28
29	·04	—	·45	·40	—	—	—	·09	—	—	—	·07	29
30	·18		·18	—	·11	—	—	·03	—	·13	—	·03	30
31	—		—		·08		—	·70		—		—	31
Total	3·27	3·08	4·92	2·08	1·66	3·26	3.10	3.62	3·38	0·79	3·88	329 2·93	TOTAL for year [illegible]·33
No. of Rain Days	14	19	21	10	16	11	9	14	12	9	15	20	170

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Sc

FORM A.
BRITISH RAINFALL.

13 JAN 191

REGISTER OF RAINFALL IN 1909

Kept at Llanfairfechan

in the County of Carnarvon Ind.

by W. Timmins ~~Ld~~ ·9098

Lat. Long.

Nearest Railway Station Llanfairfechan

Time of Observation 9 a.m

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·12	—	—	·01	—	—	·37	·03	—	—	·05	1
2	—	—	·40	·06	—	—	—	—	·05	—	·16	·85	2
3	—	~~·07~~	·02	·21	—	—	·20	—	·25	·70	·03	·12	3
4	—	—	·01	—	—	·27	—	—	·20	·08	—	·24	4
5	·05	—	·05	—	—	—	·25	—	·18	·07	—	·04	5
6	·12	—	·11	—	—	—	·11	—	·08	—	—	·14	6
7	·15	—	·02	—	—	—	·01	—	·16	·10	—	·01	7
8	—	—	—	—	—	—	—	—	·11	—	—	—	8
9	·15	·44	·09	—	—	—	·67	—	—	·08	·07	·05	9
10	·27	·05	—	—	—	·03	—	—	—	·02	·03	·65	10
11	·10	—	·01	·13	—	—	—	—	—	·12	·05	·02	11
12	·03	—	·03	·17	·04	—	—	—	·20	·97	·03	·01	12
13	·13	—	·01	·27	—	—	—	·11	·02	·05	—	—	13
14	·78	—	—	—	·03	—	—	—	—	·50	—	—	14
15	·03	—	·01	·13	—	—	·41	·10	—	·50	—	—	15
16	·20	—	—	·03	—	—	·05	·05	—	·25	—	—	16
17	·03	—	—	·11	·06	—	—	·98	—	·21	—	·02	17
18	·32	—	·32	—	—	·05	·20	·15	—	·03	·10	·30	18
19	—	—	·01	·18	—	·01	—	—	·09	·75	·03	·50	19
20	—	—	·30	—	—	·03	·19	·76	—	·12	·03	—	20
21	—	—	—	—	—	·31	·01	·15	—	·08	·05	·68	21
22	·03	—	—	·21	—	·03	—	·13	—	·30	—	·11	22
23	—	—	·03	·27	—	·11	·09	·06	·38	1·02	—	·14	23
24	—	—	·49	·38	·48	·07	·39	·14	·40	·12	·10	·12	24
25	—	—	·13	·25	—	·25	·09	·03	—	·03	·15	·10	25
26	—	~~·02~~	~~0~~	·17	·08	·04	—	·06	—	·01	·14	—	26
27	—	·03	·17	·15	—	·01	·31	—	1.18	—	·26	·29	27
28	·19	·08	·18	·04	—	·27	·01	—	·41	—	·38	·19	28
29	·01		·06	·01	—	—	·61	·36	—	·12	·02	—	29
30	·06		·28	·12	—	—	·09	—	·12	·02	·50	·35	30
31	—		·03		·14		·09	—		—		—	31
Total	2·65	0·81	2·76	2·89	0·84	1·48	3·78	3·45	3·86	6·25	2·13	4·98	TOTAL for year 35·88
No. of Rain Days	17	7	22	18	7	13	18	14	16	24	17	22	195

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

50

C795

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.

26 JAN 1911

Kept at Llanfairfechan

in the County of Carnarvon 3.

by W. Timmins

Rain Gauge
Pattern
Diameter of top 5" in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 9 a.m. Daily

Nearest Railway Station
Name Llanfairfechan
Distance ½ ml Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·41	—	·08	·21	—	·13	·04	—	·16	·82	1
2	—	·11	·02	·12	—	·16	·44	—	·07	·43	·15	·47	2
3	—	·10	—	·01	·10	—	—	·13	—	—	—	·03	3
4	—	·10	—	·04	·12	·26	—	—	—	—	·26	·23	4
5	—	·04	—	·24	·20	·38	1.07	·04	—	—	·07	·30	5
6	—	—	·02	·01	—	—	—	—	—	—	—	·48	6
7	—	·09	—	—	·32	·03	—	—	—	—	·05	·05	7
8	·15	·06	·42	—	·04	—	—	—	—	—	·28	·07	8
9	·48	—	·40	·02	—	—	—	—	—	—	·03	1.05	9
10	·13	·02	·02	—	—	—	—	—	·15	·01	·42	·12	10
11	·03	·03	·02	—	·04	—	—	·06	—	·53	·12	·25	11
12	·26	—	—	·07	·06	—	—	·12	—	·02	·18	·77	12
13	·34	·23	·03	·58	—	—	—	—	—	—	·23	·38	13
14	—	·35	·01	·01	—	—	—	·25	—	—	·32	·08	14
15	·92	·01	—	·58	·25	—	—	—	—	—	·26	·57	15
16	·07	·21	·02	·27	—	—	—	—	—	·45	·32	1.10	16
17	·02	·28	·11	—	·09	—	—	·01	—	·23	·15	·06	17
18	·13	·52	—	·11	—	—	—	·52	—	·75	—	—	18
19	·03	·50	—	·43	·33	—	—	·07	—	·60	—	·02	19
20	·06	1.60	—	·04	—	·02	1.00	·48	—	·12	—	·10	20
21	·11	·01	·02	—	—	·28	—	·08	—	—	—	·05	21
22	—	·05	—	—	—	—	·09	—	—	—	·06	·04	22
23	·58	·21	—	·10	—	·13	—	·09	—	—	·53	·20	23
24	·03	·17	—	·21	—	—	·14	·40	—	—	·04	·30	24
25	—	·34	—	·02	—	—	·25	·30	—	—	—	·50	25
26	—	·05	—	—	—	·03	—	·80	—	—	·04	—	26
27	·58	·02	·03	·19	—	·27	—	·08	—	—	·47	—	27
28	—	·24	—	·34	·10	·21	·16	·33	—	·08	·36	·02	28
29	—		—	—	·04	·30	—	·14	·09	—	—	—	29
30	—		—	·05	·06	·11	—	·04	—	—	·05	—	30
31	—		—		—		—	·01		·65		—	31
Total	3.92	5·34	1.53	3.44	1.83	2.39	3.15	4.08	0.35	3.87	4.55	8.06	TOTAL for year 42.51
No. of Rain Days	16	24	13	20	14	13	7	20	4	11	22	25	189

7,000. X. '09.

Sa.

4381

PENMAENMAWR,

1905–1910

MET/2/4/L/L/6/3/13013

19 05. 4381

FORM A. BRITISH RAINFALL.

14 JAN 1906

°16′ 7″ Long. 30° 55′

Kept at Con

Railway Station Penmaenmawr

in the County

f Observation 9 a.m.

er 5 in.

by Roger

of top above Ground 1 ft. 6 in.

" Sea Level 100 ft.

NOTE.—Full instr … e British Rainfall Organization are given in "Rules … , 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.					Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08		·06	·05	·04	·10		·15	·15	·84		1
2					·07		·05	·17	·06	·06			2
3		·01	·02	·05				·45	·02	·27			3
4	·20	·01	·05	·05				·27		·24	·51		4
5	·35		·01	·10			·15	·01	·04		·17	·16	5
6		·50	·	·49		·01		·03	·06	·01	·01		6
7			·08	·25	·05	·05		·05	·10	·52	·20	·10	7
8	·40		·04	·17					·24		·14	·05	8
9		·03	·05				·38	·06	·90				9
10	·10		·49		·06		·10	·01	·01		·63		10
11	·30	·05	·70		·05		·04				·27	·03	11
12		·06	·18	·07			·05		·25	·04			12
13		·09	·18	·05		·40			·20	·05			13
14			1·18			·07	·04			·16	·09		14
15			·35						·01	·12	·05		15
16	·10	·25	·25			·15				·02			16
17	·55	·02		·03		1·15	·10	·09		·14	·04		17
18		·01		·05		·20		·04		·04		·09	18
19		·05		·05		·09		·16	·05			·05	19
20						·25				·15	·04	·26	20
21							·05	·04		·05	·01		21
22							·14	·85		·01	·44		22
23			·58	·07			·01			·05	·07		23
24	·20	·02	·	·01			·25		·01		·01		24
25		·35	·06	·04			·08	·56			·44		25
26		·40	·06	·06	·05		·95			·26	·42		26
27		·04					·01	·08	·01		·70		27
28		·04	·25	·28	·02		·02	1·02	·20	·10	·27		28
29			·12	·27			·01	·05		·50		·42	29
30	·04		·02	·57		·25		·01	·04	·43	·04		30
31					·09					·13		·03	31
Totals	2·24	2·01	4·67	2·72	0·44	2·66	2·53	3·95	2·35	3·50	5·39	1·19	
Total from Jan. 1		4·25	8·92	11·64	12·08	14·74	17·27	21·22	23·57	27·07	32·46	33·65	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

Sa.

4381

FORM A.
BRITISH RAINFALL.

JAN 1906

REGISTER OF RAINFALL IN 1905.

Kept at Council Offices Penmaenmawr

in the County of Carnarvon

by [illegible] Hughes Surveyor.

Lat. 53°16'7" Long. 3°55'

Nearest Railway Station Penmaenmawr

RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground 1 ft. 6 in.
" " Sea Level 100 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·08		·06	·05	·04	·10		·15	·15	·84		1
2					·07		·05	·17	·06	·06			2
3		·01	·02	·05				·45	·02	·27			3
4	·20	·01	·05	·05				·27		·24	·51		4
5	·35		·01	·10			·15	·01	·04		·17	·16	5
6		·50	·	·49		·01		·03	·06	·01	·01		6
7			·08	·25	·05	·05		·05	·10	·52	·20	·10	7
8	·40		·04	·17					·24		·14	·05	8
9		·03	·05				·38	·06	·90				9
10	·10		·49		·06		·10	·01	·01		·63		10
11	·30	·05	·70		·05		·04				·27	·03	11
12		·06	·18	·07			·05		·25	·04			12
13		·09	·18	·05		·40			·20	·05			13
14			1·18			·07	·04			·16	·09		14
15			·35						·01	·12	·05		15
16	·10	·25	·25			·15				·02			16
17	·55	·02		·03		1·15	·10	·09		·14	·04		17
18		·01		·05		·20		·04		·04		·09	18
19		·05		·05		·09		·16	·05			·05	19
20						·25				·15	·04	·26	20
21							·05	·04		·05	·01		21
22							·14	·85		·01	·44		22
23			·58	·07			·01	[illegible]		·05	·07		23
24	·20	·02	·	·01			·25		·01		·01		24
25		·35	·06	·04			·08	·56			·44		25
26		·40	·06	·06	·05		·95			·26	·42		26
27		·04					·01	·08	·01		·70		27
28		·04	·25	·28	·02		·02	1·02	·20	·10	·27		28
29			·12	·27			·01	·05		·50		·42	29
30	·04		·02	·57		·25		·01	·04	·43	·04		30
31					·09					·13		·03	31
Totals	2·24	2·01	4·67	2·72	0·44	2·66	2·53	3·95	2·35	3·50	5·39	1·19	
Total from Jan. 1		4·25	8·92	11·64	12·08	14·74	17·27	21·22	23·57	27·07	32·46	33·65	

K/5000/11/05.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper, 3d.

FORM A.
BRITISH RAINFALL.

17 JAN 1907

REGISTER OF RAINFALL IN 1906

Kept at Penmaenmawr Office guage.
in the County of Carnarvon
by R. John Hughes

Lat. 53°16'7" Long. 3°55'14".
Nearest Railway Station Penmaenmawr
Time of Observation 9 a.m
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 100 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28		·51			·12	·07	·50		·28	·12	·15	1
2	·09	·23			·09		·03	1·10	—	·22		·16	2
3	·01				·07				·05			·10	3
4	·02	—								·40	·03	·09	4
5	1·14		·04		·01		·02		·12	·12	·03	·18	5
6	·18	·03					·01		·04	·02	·11		6
7	·27		1·11				·03			·04	·19	·08	7
8	·05	·21	·01	·03	1·41			·10		·03	·14	·18	8
9	·02	·65	·01	—				·01		·10		·01	9
10		·35	·63				·14	·10		·18			10
11	·63	·06	·23		·50			·09		·23		·20	11
12	·29	·04	·53		·04		·14	·67	·17	·51		·41	12
13	·06	·11		·17	·17		·11	·15	·10	·13		·24	13
14		·14	·32				·18	·01	·15	·02	·08	·03	14
15	·47	·04	·36		·09				·04	·05	·30	·36	15
16	·27	·15	·01	·27	·04	·12		·19		·08	·18		16
17	·63		·05	·03	·02	·08		·14		1·11	·17		17
18	·30	·03	·07		·01		·17	·02		·29	·32		18
19	·01	·37			·45	—				·16	·10		19
20	·19				·04	·01		·19		·14			20
21				·10		·05		·01		·10	·04		21
22			·10		·16					·01			22
23				·13	·14	·39	·03	·33		·25			23
24	·50	·04		·13	·10	·03		·24	—			·32	24
25		·36		·08	·45	·19		·01				·33	25
26		·53	·02		·08	·62				·10	·27	·20	26
27	·02	·01		·32	·02	·01	·15			1·00		·10	27
28	·05	·15		·08						·31		·04	28
29				·06						·07	·13	·05	29
30					·24		·13		·02	·19	·07	·17	30
31	·06				·14		·02			·02		·06	31
Total	5·54	3·50	4·00	1·40	4·27	1·62	1·23	3·86	·69	6·16	2·28	3·46	TOTAL for year 38·01
No. of Rain Days	22	18	15	11	21	10	14	17	8	28	16	21	201

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

50

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.
2 JAN 1908

Kept at Council Offices, Penmaenmawr
in the County of Carnarvon
by R. John Hughes Surveyor

Lat. 53° 16' 7" Long. 3° 55' 14"
Nearest Railway Station Penmaenmawr
Time of Observation 9 0 a.m.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1' ft. 6" in.
" " " Sea Level 100' ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50				·34	·06	·12			·07	·30		1
2	·15		·05	·06		·01	·15	·23	·13	·15		·19	2
3	·11			·20	·30		·08	·02	·06			·08	3
4	·01					·10	·01		·23		·01	·37	4
5	·05		·05	·05		·23		·01		·12		·04	5
6				·35	·18		·13			·04		·40	6
7			·17	·11	·09	·05	·11	·57			·04	·25	7
8				·08	·17		·15	·59			·05	·35	8
9	·01		·47		·19	·12	·23			·64	·09	·23	9
10	·12	·30	·13	·22	·18	·04		·05		·32	·04	·12	10
11		·27		·01	·13	·25		·06		·21	·24		11
12	·07	·31	·20	·25	·19	·27				·60	·03	·25	12
13			·11	·06		·07	·04		·06	·10		·32	13
14			·09			·06		·92		·35	·17	·05	14
15	·05	·03	·26			·27		·17		·54	·04		15
16		·17	·34							·72	·12		16
17		·25	·04			·03				·38	·01		17
18		·30	·01			·15		·01		·46			18
19		·17	·34			·20				·15	·25	·13	19
20	·06	·06		·03	·03	·50				·06	·08	·03	20
21	·42	·06	·25		·20	·08				·25		·04	21
22		·01	·01			·32		·10		·03	·26	·23	22
23					·18	·14					·08		23
24				·08	·07	·34	·70				·07		24
25	·01					·17	·08	·04		·51	·60		25
26	·14				·03	·06	·02			·19	·35		26
27	·04			·08		·09					·31		27
28	·05			·19		·01	·30				·07		28
29	·08			·13	·04		·03	·79		·19	·01		29
30	·01			·08	·36			·03		1·13			30
31					·16		·04			·05			31
Total	1·88	1·93	2·52	1·98	2·84	3·62	2·19	3·59	·48	7·26	3·22	3·08	TOTAL for year 34·59
No. of Rain Days	17	11	15	16	17	24	15	14	4	23	22	16	194

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Sa.

Ex D L

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.

21 JAN 19

Kept at Penmaenmawr
[illegible]
in the County of Carnarvon
by R John Hughes, Surveyor

Lat. 53° 16′ 7″ Long. 3° 55′ 14″
Nearest Railway Station Penmaenmawr
Time of Observation 9 a.m
Diameter of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1′ ft. 6″ in.
" " " Sea Level 100′ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03	·01			·31		·04	·28				1
2		·07	·01	·16	·26	·35			·05				2
3		·09	·01	·01	·02	·26			·35			·04	3
4					·06			·03				·01	4
5	·10		·77	·03	·10	·05						·27	5
6	·63	·05	·22		·06								6
7	·46	·05	·06		·40	·02	·10					·02	7
8	·09		·10		·17	·04	·30		·92	·02		·92	8
9	·03	·06	·09	·16		·10	·64	·22	·10	·02		·11	9
10			·14	·05			·01	·27	·62	·07	·20	·16	10
11			·01	·05	·01	·46	·50		·02		·10	·14	11
12				·01	·04		·02				·37	·05	12
13		·02	·03			·60	·39	·14			·55	·05	13
14	·04	·57	·06	·01	·10		·02		·22			·27	14
15	·18	·32	·15			·05	·13		·18			·08	15
16	·38	·23	·05				·40		·28		·09	·05	16
17	·05	·20			·01	·89	·05					·11	17
18		·10	·02							·20	·57	·06	18
19	·01	·10					·10			·04	·03	·10	19
20		·07						·60	·49	·07	·03		20
21		·17		·07	·30			·12	·01		·70		21
22		·26	1·07	·06	·01			·02			·05		22
23		·05	·02	·05		·08		·24					23
24	·01	·05	·79	·05	·09		·14	·05					24
25	·43	·07	·11				·14	·02	·21	·01	·54		25
26	·30	·19	·03					·77	·02	·06		·22	26
27	·06	·25	·30	·40				·42					27
28	·23	·09		·79				·14		·26	·60	·10	28
29	·04		·49	·40	·03							·20	29
30	·05		·12	·11	·16			·10		·14			30
31	·19				·15			·72					31
Total	3·28	3·09	4·66	2·41	1·97	3·21	2·94	3·90	3·75	·89	3·83	2·96	TOTAL for year ✓ 36·89
No. of Rain Days	18	22	23	16	17	12	14	16	14	10	12	19	193 ✓

6,000, XI '07.
EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London
Price 2d.

Sa

Ex Do

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.

13 JAN 1910

Kept at Penmaenmawr

in the County of Carnarvon

by R. John Hughes, Surveyor

RAIN GAUGE
Pattern Snowdon
Diameter of top 5" in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 100 ft.

Time of Observation 9.0 a.m

Nearest Railway Station
Name Penmaenmawr
Distance 280 yards Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·44	·30			·15	1
2		·05	·27	·01					·08		·10	·84	2
3		·14	·01	·16			·17		·28	·73	·02	·19	3
4		·09	·05			·23			·10	·09		·12	4
5	·05		·09				·28		·17	·05	·11	·04	5
6	·09		·22				·09		·12		·05	·16	6
7	·18		·01				·01		·19	·20			7
8	·04								·04	·04			8
9	·12	·50	·10				·65				·14	·03	9
10	·25	·08				·06					·04	·40	10
11	·12									·14	·04	·08	11
12			·01	·25	·07				·13	·82	·05		12
13	·10		·08	·33				·06	·02	·09			13
14	·71	·05	·02							·59			14
15	·25		·01	·24			·65			·40			15
16	·07			·02			·04	·07		·27			16
17	·02			·08	·09			·77		·09		·03	17
18	·32		·25			·05	·12	·15		·02		·43	18
19			·03	·22		·01			·09	·54		·34	19
20			·35			·05	·13	·80		·19			20
21						·28		·16		·10	·07	·83	21
22	·02			·33				·24		·17		·14	22
23			·03	·22		·05	·08	·09	·09	·93		·25	23
24			·48	·50	·44	·07	·36	·25	·31	·09	·22	·02	24
25			·09	·15		·07	·09	·03				·13	25
26				·20	·08	·01	·04	·05			·34		26
27		·05	·15	·10		·09	·31		·95		·40	·27	27
28	·20	·07	·13	·06	·03	·37	·02		·44		·36	·14	28
29			·21				·55	·37		·19	·04		29
30	·07		·04	·24	·10		·12		·10	·04	·53	·29	30
31	·03		·44		·04		·16	·01					31
Total	2·64	1·03	3·07	3·11	·85	1·34	3·87	3·49	3·41	5·78	2·51	4·88	TOTAL for year 35·98
No. of Rain Days	17	8	22	16	7	12	18	14	16	21	15	20	186

7,000. X. '09.

Sa

Ex 90

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.

24 JAN 1911

Kept at Council Offices Penmaenmawr

in the County of Carnarvon

by R. John Hughes

RAIN GAUGE Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 100 ft.

Time of Observation 9 a m

Nearest Railway Station Name Penmaenmawr
Distance 200 yds Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.24		.12	.23	.09	.12	.06		.18	.59	1
2		.22	.02	.16		.13	.57	.36	.09	.53	.13	.23	2
3		.07			.10	.01		.09			.06	.17	3
4		.10		.03	.11	.33		.01			.38	.22	4
5		.03		.17	.16	.20	1.10	.19			.08	.28	5
6		.06	.10	.02	.13			.02			.36	.39	6
7		.02			.30	.16					.07	.10	7
8	.32	.18	.29								.33	.09	8
9	.24		.30	.03	.04	.12					.03	.79	9
10	.15	.04							.28	.02	.24	.08	10
11	.09	.04			.04			.03		.55	.15	.19	11
12	.26		.08	.08	.09			.15		.01	.15	.65	12
13	.33	.25		.54							.12	.30	13
14		.40	.04	.02				.19			.35	.27	14
15	.62			.59	.27						.32	.57	15
16	.21	.18	.02	.33					.02	.60	.19	1.09	16
17	.04	.20	.07		.07			.05		.20	.15		17
18	.09	.32		.19	.27			.47		.99	.01		18
19	.11	.40		.56				.08		.79	.11		19
20		1.37		.05			.95	.40		.10		.09	20
21	.41	.01		.24	.04	.29		.12				.06	21
22	.19	.05		.01		.17	.16	.09			.10	.01	22
23	.65	.34				.15		.16			.46	.20	23
24	.05	.23		.33		.03	.12	.39			.05	.01	24
25		.25					.39	.30			.24	.02	25
26		.16						.82	.04		.05	.16	26
27	.60	.02	.03	.30		.25		.34			.30		27
28	.20	.30			.17	.23	.21	.08		.09	.38	.02	28
29	.12				.10	.45	.01	.16	.10				29
30				.35	.20	.19		.04			.05		30
31					.10			.01		.50		.22	31
Total	4.68	5.24	1.19	4.00	2.31	2.94	3.60	4.67	.59	4.38	5.04	6.80	TOTAL for year 45.44
No. of Rain Days	18	24	10	18	17	15	9	24	6	11	27	25	204

5.a

R

PORTMADOC.
WERN.
MET/2/4/LL/6/3/13401
1901 – 1910

Kept at Wern fa
in the County of C
by Mr Worth

Lon.
bservation
top above Ground
„ Sea Level

NOTE.—Full instructions res … the Systematic Observation and Record of the Rainfall," which is sent p … , Camden Square, London, N.W.

Date.	Jan.	Feb.	M							Oct.	Nov.	Dec.	Date.
	in.	in.								in.	in.	in.	
1	.40												1
2		.64								.55			2
3	.24		.42	.15	.10								3
4			.18	.25		.18		.20		.85			4
5			.33									.85	5
6				.20		.18		.45		.38			6
7			.27	.22	.28					.35		.25	7
8		.62		.42					.15	.50		.70	8
9				.64					.25			.20	9
10								.32	.65	.30		.22	10
11								.25	.40	.12	.75		11
12								.20		.30	2.80	.15	12
13				.70		.15		.30		.10	1.10	.20	13
14				.50		.25		.90	.05				14
15				.17			.12	.50		.05			15
16				.18						.05		.76	16
17	.10						.65	.75		.30			17
18	.09	20					.10			.42		.20	18
19									.65		.90		19
20	1.20					.95			.55	.60	.05		20
21	.40					1.10	.12				.70		21
22	.15									.32	.80		22
23						.40	.06			.10			23
24	.10						.60			.05		.40	24
25							.55		.35	.20		.50	25
26		.10					.10	1.20					26
27	.40	.16			.30			.45				.40	27
28	.12	.18		.17			20			.70	.10	.50	28
29										.22		.25	29
30	.14		2.20	.08	.20		.20	1.00	.35	.04		.65	30
31					.10			.70					31
Totals	3.34	1.90	3.50	3.94	98	3.21	2.70	7.22	3.40	6.50	7.20	6.23	
Total from Jan. 1												50.12	

K/1,000/7/01.

× S

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3d.

5.a

REGISTER OF RAINFALL IN 190

Kept at Wern Gardens Portmadoc
in the County of Carnarvon
by Mr Worth

RAIN GAUGE.
Lat. Lon.
Time of Observation
Diameter
Height of top above Ground
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40		.10	.26									1
2		.64								.55			2
3	.24		.42	.15	.10								3
4			.18	.25		.18		.20		.85			4
5			.33									.85	5
6				.20		.18		.45		.38			6
7			.27	.22	.28					.35		.25	7
8		.62		.42					.15	.50		.70	8
9				.64					.25			.20	9
10								.32	.65	.30		.22	10
11								.25	.40	.12	.75		11
12								.20		.30	2.80	.15	12
13				.70		.15		.30		.10	1.10	.20	13
14				.50		.25		.90	.05				14
15				.17			.12	.50		.05			15
16				.18						.05		.76	16
17	.10						.65	.75		.30			17
18	.09	20					.10			.42		.20	18
19									.65		.90		19
20	1.20					.95			.55	.60	.05		20
21	.40					1.10	.12				.70		21
22	.15									.32	.80		22
23						.40	.06			.10			23
24	.10						.60			.05		.40	24
25							.55		.35	.20		.50	25
26		.10					.10	1.20					26
27	.40	.16			.30			.45				.40	27
28	.12	.18		.17			20			.70	.10	.50	28
29										.22		.25	29
30	.14		2.20	.08	.20		.20	1.00	.35	.04		.65	30
31					.10			.70					31
Totals	3.34	1.90	3.50	3.94	98	3.21	2.70	7.22	3.40	6.50	7.20	6.23	
Total from Jan. 1												50.12	

K/1,000/7/01.

× S

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3D.

S.a

REGISTER OF RAINFALL IN 1902 loc. [illegible]

Kept at Wern Gardens Portmadoc
in the County of Carnarvon
by Mr Worth

RAIN GAUGE.
Lat. Lon.
Time of Observation
Diameter
Height of top above Ground
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.70		.40	.20		.56							1
2	.50				.34	.78		.36				.35	2
3	.15		.20					.40	.50				3
4	.65			.10			.50	.10	.20		.15		4
5				.50			.80						5
6						.10		.50			.35		6
7						.42			.12				7
8			.20			.72		.48			.30		8
9	.30										.65		9
10	.25						.22	.15		1.10			10
11	.22									.32			11
12	.05					.10		.23			.25		12
13						.10		.42		.24			13
14			.82			.42				2.40	.25	.25	14
15					.50	.15			.18	.30	.10	1.95	15
16					.20	.12						.55	16
17					1.00			.15				.70	17
18					.80					1.20		.24	18
19			.50	.97	.10			.22					19
20			.10	.08		.40	.30			.55		.22	20
21						.23				.55		.05	21
22			.32	.55					.08				22
23	.25	.50			1.70	.90	.15	.90	.16	.19	.20		23
24		.20							.62				24
25	.23										.15		25
26			.30		.20		.50			.48			26
27		.10	.70										27
28	.70				.10					.47	.50	.48	28
29	.10									.10	1.50		29
30					.37	.52				.15	.20	.65	30
31													31
Totals	4.10	.80	3.54	2.40	5.31	5.5~~5~~2	2.47	3.91	1.86	8.05	4.60	5.44	48.08
Total from Jan. 1						5.52						48.88	

K/1,000/7/01. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

5.a

From Original Observation book sent to Ops [illegible]

REGISTER OF RAINFALL IN 1903

Kept at Wern Gardens Portmadoc

in the County of Carnarvon

by Mr Worth

RAIN GAUGE.

Lat. Lon.

Time of Observation

Diameter

Height of top above Ground

" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.40	.12	.50			.20		.36	.10		1
2	.65	.70	.50	.30	.26			.10	.35	.18	.55		2
3	.15			.15	.25		.10	.90	.65	.20	.92		3
4		.40	.80	.63	.32			.10		.10		1.50	4
5	.35	.18		.08			.05		.18	.18			5
6	1.25						.62		.25	.30		.70	6
7	.60	.12	.50	.15	.22				.06	.80			7
8		.25	.10						.25	.35		.20	8
9	.15		.20		.32			.20	1.90		.35	.30	9
10	.50	.10	.40					.05	.08			1.00	10
11								.04	2.10	.05	.05	.70	11
12				.10					.43	.50	.20	1.10	12
13				.15					.08	.28	.70		13
14			.50			.15		.10		.62	.25		14
15			.10	.30	.16		1.60	.80		.80	.50	.15	15
16			.12				.10	.60		.16	.40		16
17			.32		.60		.30	.36		.88	.22		17
18			.30					.30			.15		18
19			.10				.38	.40		.70			19
20					.06			.10		.38			20
21		.50	.12					.70		1.20			21
22		1.10	.30				2.50			.22	.35		22
23	1.10	.10	.05				.75			1.20			23
24	.33		.18					.15	.25	.30	.20		24
25	.38	.70				.05	.15	.15	.20	.20			25
26	.26	85	1.62	.55		.58				.30	.15		26
27	1.70		.35			.40		1.30	.05	1.00	.30		27
28						.28	.28	.60		1.60	2.00		28
29			.18	.17				.53		.11	.30		29
30	.10				.30			.28	.18	.60			30
31	.20		.65				.08	.22					31
Totals	7.72	5.00	7.79	2.70	2.99	1.46	6.91	8.18	7.01	13.57	7.69	5.65	
Total from Jan. 1												76.67	

K/1,000/7/01.

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3D.

5o

From Orig. Obs. Book returned to Obsr. L.C.W.B.

REGISTER OF RAINFALL IN 1904

Kept at Wern Gardens Portmadoc
in the County of Carnarvon
by Mr Worth

RAIN GAUGE.
Lat.   Lon.
Time of Observation
Diameter
Height of top above Ground
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.10				.20				.80			1
2				.20	.30	.90						.70	2
3	.36	.30		.42					1.80		.08	.24	3
4		.12		.05								.65	4
5				.55	.05		.20	.12				1.00	5
6				.10			.05	.15	.48	.22	.05	1.15	6
7	.28	.25			.15		.12		.04	.14	.65		7
8	.48	.45	.10	.30					.34	.20	.75		8
9		.40			.25			.05	.12	.12	.40	.50	9
10	.28	.28				.05				.12	.12	.22	10
11	.14							.22		.05		.52	11
12	.15												12
13	.95	.32		.30		.15	.95		.38			1.50	13
14	.05	.18	.82	.10	.14	.28		.95	.15			.30	14
15				.30		.32	.35	.05			.50		15
16		.25				.15	.20			.20		.20	16
17			.10					.75		1.70		.25	17
18	.40	.25	.10							.20		.42	18
19	.05	.20	.70								.40		19
20	.10	1.30	.65				.20	.12		.10			20
21		.15	.75							.05			21
22				.15	.10		.10	1.65					22
23				.70			.38	.15		.30	.42		23
24					1.20								24
25	.15				.10	.10		.20					25
26	.10	.35				.05		.30	.18				26
27	.50	.28			.40								27
28	.60		.08	.20	.90						.45	.60	28
29			.35	.40	.05		.15						29
30	.50		.12	.60				.10				.70	30
31	.40		.22				.10	.64					31
Totals	5.49	5.18	3.99	4.37	3.64	2.20	2.80	5.45	3.49	4.20	3.82	8.95	53.58
Total from Jan. 1											3.82	53.58	53.58

K/1,000/7/01.

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3D.

S.m.a. Ext J.M.P. from MS book returned to observer

REGISTER OF RAINFALL IN 1905

Kept at Wern Gardens Portmadoc
in the County of Carnarvon
by J W Worth

RAIN GAUGE.
Lat. Lon.
Time of Observation
Diameter
Height of top above Ground
" " Sea Level

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall,*" which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.33		.93	.25				.20	.18	.25	1
2	.80			.08		.20	.60	.20	.18	.18	.80		2
3	.53			.10				.20	.05			.21	3
4			.50	.10						.80			4
5	.40	.10	.45						.05	.40	.38		5
6	.68	.08	.10				.12	.18	.10		.40	.48	6
7	.10	.25	.12	1.45	.08			.20				.50	7
8									.35	1.00	.18	.20	8
9	.60	.20	.82	.60					.10		.08	.05	9
10									1.42				10
11	.25	.05	1.05		.90						.60		11
12	.22		.40				.42				.18		12
13		.32	.23				.20			.30	.05		13
14		.12	.45	.15			.05		.32				14
15							.35		.08	.30			15
16		.10	1.10							.15			16
17		.16	.40			.50							17
18		.15	.10			.65	.42	.50					18
19								.10					19
20						.60		.38					20
21						.65					.10	.45	21
22								.48			.15	.22	22
23							.36	3.10			1.05		23
24	.70		.33										24
25	1.08	.20	.42				.10						25
26		.40		.10			.10	1.20		.55	.40		26
27		.33	.60	.90			.90	.20			.90		27
28				.10	.22						1.00	.08	28
29			.40	.80	.33			1.25		.30	.70		29
30				.05			.20	.11		1.00	.30	.12	30
31	.10									.90			31
Totals	5.46	2.46	7.80	4.43	2.46	2.85	3.82	8.10	2.65	6.08	7.45	2.56	
Total from Jan. 1												56.12	

K/1,000/7/01. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

13

Old Rain 5-in. Gauge

FORM A. BRITISH RAINFALL.

21 JAN 1907

REGISTER OF RAINFALL IN 1906

Kept at Wern. Portmadoc

in the ~~Co~~ County of Carnarvonshire

by H. Worth, Gardener to R. M. Greaves

Lat. ______ Long. ______

Nearest Railway Station Portmadoc

Time of Observation ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " Sea Level about 25 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10		·76		·08	·10		1·65		1·15	·10	1·00	1
2	·20	·30			·28			3·33		·14		·10	2
3	·18				·33			·10				·32	3
4					·03					1·80			4
5	1·80		·14		1·28		·22	·05	·18	·09		·60	5
6	·65	·60	·12		·55		·10		·04	·20			6
7			1·52		·04					·25		·76	7
8	·60		·01							·60		·28	8
9		1·75						·35		·11		·42	9
10		·42	1·02					·09		·30		·29	10
11	·80	·15	·60		·20			·20	·22	·25		·60	11
12	·45	·50	·12		·12		·28	1·28		·45		·49	12
13	·08						·21	·30	1·36	·10		·05	13
14	·10	·45	·80				·50	·14	·64	·10	·15		14
15	·25	·34	·77		·39		·05	·14	·24		·55	1·15	15
16	·20	·30	·01	·11		·07				·41	·90		16
17	1·78		·03		·62	·16		·29		·84	·12	·03	17
18	·92		·12		·04		·20				·28		18
19		·70		·08	·14		·03	·19		·03	·40		19
20	·30					·55		·22		·18	·15		20
21					·10	·30	·22			·22	·28		21
22			·10	·10			·24			·06			22
23		·09	·04	·18	·15	·25	·10	·48		·45			23
24	·70	·42	·11	·40	·25	·06		·64			·03	·60	24
25	·05	·15		·63	·62	·62		·20			·10		25
26		·35	·02		1·42	1·35				·20	·50		26
27	·30	·10		·90	1·30					1·05		1·52	27
28	15	·25		·13	·15					·30			28
29	·30			·10									29
30	·[illegible]			·04	·15					·70		·98	30
31	·20						·25					·32	31
Total	9·81	6·87	6·29	2·64	8·24	3·46	2·40	9·65	2·68	9·98	3·56	9·01	TOTAL for year
No. of Rain Days													74·59

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

181 Days

Price 2d.

New Snowdon Rain Gauge
S ms. C
Started 28/2/06

End CL

FORM A.
BRITISH RAINFALL.

21 JAN 1907

REGISTER OF RAINFALL IN 1906

Kept at Wern Portmadoc

in the County of Carnarvonshire

by H. Worth. Gardener to R. M. Greaves Esq.

Lat. .... Long. ....

Nearest Railway Station Portmadoc

RAIN GAUGE.
Time of Observation 9.0 am
Diameter .... in. Snowdon Gauge
Height of top above Ground .... ft. .... in.
„ „ Sea Level about 50 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·57		·08	·11		1·50		1·00	·08	·45	1
2					·24			2·53		·12		·10	2
3					·28			·09				·28	3
4					·02					1·60			4
5			·11		·90		·24	·06	·18	·09		·45	5
6			·09		·40		·06		·03	·20			6
7			1·10		·04					·22		·20	7
8			·02							·40		·26	8
9								·34		·11		·35	9
10			·82					·08		·26		·27	10
11			·45		·93			·20	·22	·21		·41	11
12			·14		·11		·28	1·50		·31		·40	12
13							·20	·52	·85	·10		·05	13
14			·60				·35	·15	·48	·10	·20		14
15			·58		·25			·10	·24		·58	·98	15
16				·14		·07				·34	·50		16
17			·02		·50	·15		·31		·78	·11	·03	17
18			·11		·04		·14				·25		18
19				·06	·12	·58		·19		·04	·30		19
20					·08	·28		·19		·18	·10		20
21							·21			·20	·22		21
22			·09	·10	·21	·25	·20			·05			22
23			·04	·14	·24	·04	·06	·46		·40			23
24			·14	·35	·42	·40		·66			·03	·48	24
25				·45	1·22	·85		·18			·19		25
26			·04		1·12					·20	·35		26
27				·64	·12					·90		1·48	27
28		·26		·13									28
29				·18	·10					·20			29
30				·04						·57		1·26	30
31							·16					·28	31
Totals		~~·26~~	4·92	2·23	7·42	2·73	1·90	9·06	2·00	8·58	2·91	7·73	
Total from Jan. 1		imp											

K. 5000/11/05.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper. 3d.

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.
3 MAR 1908

Kept at Wern. Portmadoc.

in the County of Carnarvonshire.

by H. Worth Gardener to R. M. Greaves Esq.

Lat. ______ Long. ______

Nearest Railway Station Portmadoc.

Time of Observation 9-0 am.

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " Sea Level ______ ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·82		·43		·72	·20	·09		·48	·24	·10	·05	1
2	·33				·10	·22	·12	·78	·22	·50		·17	2
3	·08			·28			·15	·10	·10			·15	3
4	·18					1·05	·11		·62			·43	4
5	·17			·21		·40				1·22			5
6			·92	·21	1·35	~~·40~~				·25		·68	6
7			·18	·40		·95	·04	1·40		·22		·84	7
8	·26	·80			·15	·48	·55	1·10			·25	·22	8
9	·22		·50		·58	·85	·26	~~·50~~			·12	·22	9
10	·21	·36	·05	·40	·42					·10		·27	10
11		·32			·15	·60		·50		·15	·20		11
12	·10		·60			·52				·23		·52	12
13			·15			·05	·56	·08		·80		1·30	13
14		·72	·42			·22		·50		·28	·32		14
15	·11		·15					·18		·50		·17	15
16	·10		·60					·20		·68	·90	·10	16
17		·25	·20			·10		0·15		·28	·12		17
18		·05				·22		·09		·12		·28	18
19		·25				·10		·19		·50	·18	·70	19
20	·18	·24		·70		·70				·10		·52	20
21	·42	·23	·11	·08		·20				·48		·10	21
22						·19		·21		·28	·15		22
23				·05		·45				·18	·23		23
24					·42	·22	·68			·85	·28		24
25						·33					·50		25
26	·60					·05	·70				·40		26
27	·04			·25		·09	·10				·32		27
28				·80		·05	·30				·58		28
29				·28			·08	·09					29
30					1·70			·10					30
31										·06			31
Total	3·82	3·22	4·31	3·66	5·39	8·24	3·74	5·67	1·42	8·02	4·45	6·72	TOTAL for year 58·66
No. of Rain Days										8·02		164	58·66

6,000, XI. '07.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

S.a.

REGISTER OF RAINFALL IN 1908

FORM A.
BRITISH RAINFALL.
26 JAN 1909

Kept at Wern. Portmadoc.
in the County of Carnarvonshire
by R. M. Greaves Esq. / H. Worth Gardener.

Lat. .... Long. ....
Nearest Railway Station Portmadoc
Time of Observation 9 a.m.
Diameter of Rain Gauge .... in. Snowdon Gauge.
Height of top of Gauge above Ground .... ft. .... in.
" " " Sea Level .... ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07	·10	·07		·54							1
2			·05	·10	·08	·30							2
3				·03		·08			·12				3
4				·10	·15							·12	4
5	·57	·10	·24		·68							·38	5
6	·75	·18	·11										6
7	·55		·35		1·25	·20	·60					·30	7
8			·11		·83	·03	·30		·60	·20		1·07	8
9				·10		·15	1·30		·40			·45	9
10			·15	·19				·28	·33			·15	10
11						·36	·25		·08			·02	11
12					·15		·15				·40	·04	12
13	·18		·20			·43	·14				·75		13
14		·42			·14				·55		·10	·60	14
15	·92	·38	·16			·14	·62			·15		·40	15
16	1·62	·70					1·10		1·20	·03	·32	·15	16
17	·10	·36	·11			·15				·25			17
18		·38			·42					·28	·55	·18	18
19		·10							12	·22	·08	·32	19
20		·25						·98		·18	·12	·10	20
21		·05	·10					·25	·19		1·45	·05	21
22		·18			·50			·10					22
23		·20	·21					·50			·04		23
24			·95	·35	·06		·65	·05			·20		24
25	·52	·72						·25	·40		·06		25
26	·40	·10	·08					1·23			·07		26
27			·50	·60			·35	·40	·05				27
28		·40		·50						·77	·70	·30	28
29	·20	·38	·34	·68				·18				·15	29
30	·63		·28	·16						·48		·70	30
31	·10				·39			·95		·22			31
Total	6·54	4·97	4·04	2·88	4·65	2·38	5·46	5·17	4·04	2·78	4·84	5·48	TOTAL for year 53·23 ✓
No. of Rain Days	12	17	17	11	11	10	10	11	11	10	13	18	151 ✓

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Same
made

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.
3 FEB 1910

Kept at Wern. Portmadoc

in the County of Carnarvonshire.

by R. M. Greaves

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30	·05									·24	·15	1
2		·04	·35				·10	·19	·22			·60	2
3	·02			·18			·40			·90		·12	3
4		·20							·10	·40			4
5			·15				·42		·34	·30	·15		5
6							·11		·63	·10			6
7	·30						·15		·50	·56		·22	7
8	·14								·10				8
9	·07	·90					1·50			·30	·14	·55	9
10	·80						·28			·10		2·27	10
11										·29	·12	·09	11
12			·22	·55			·10			·68			12
13			·22	·40						·16			13
14	·55		·12							·20			14
15				·50			·55			·48			15
16	·22		·25	·20			·14			·45			16
17				·54	·50			·60		·40			17
18	·29					·21						·22	18
19				·21		·12				1·74		·19	19
20			·32			·20	·70	·56		·18			20
21						·82				·30		·55	21
22				·19	·18			·23		·38			22
23			·20	·40		·17	·10	·06	·35	1·00		·70	23
24			·55	·19	·51		·75	·08	1·35	·11	·14	·25	24
25				·30					·25			·35	25
26				·36	·21	·09					·29		26
27			·52			1·00	·40		1·55		·78	·65	27
28	·22		·72		·20		·10		·62		·45		28
29			·38				·18	·48		·15			29
30					·38				·10		·39	·60	30
31	·22		·28		·25		·15	·05		·30			31
Total	3·13	1·19	~~·27~~	~~1·10~~	2·23	2·61	6·13	2·25	6·11	9·48	2·70	7·51	TOTAL for year [illegible]·54
No. of Rain Days	11	4	4·28 13	4·02 12	7	7	17	8	12	22	9	15	137

7,000. X. '09.

5a

648

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.
26 JAN 1911

Kept at Wern, Portmadoc.

in the County of Carnarvonshire.

5

by R. M. Greaves.

Rain Gauge: Pattern Snowdon
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9.0 am

Nearest Railway Station: Name Portmadoc
Distance 2 mile Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·50	·56		·06	·12	·10	·30			·12		1
2		·28		·09		·20	·60	·55		·99	·04		2
3		·12			·31	·52	·09	·16					3
4		·35			·41	·70					·19	·22	4
5	·09	·29		·09	·18		1·72				·26	·50	5
6		·28	·12		·08						·25	·33	6
7		·27	·10		·27	·18					·24		7
8	·32	·12	·35								·19		8
9	·20		·40								·12	·42	9
10		·19				·20			·24		1·65	·22	10
11								·53		·56	·08	·50	11
12	·26	·21		·28	·08			·16		·10	·75	·40	12
13	·32	·10		·48							·47	·20	13
14		·52	·20	·08		·07		·30			·40	·12	14
15	·04			·77	·14						·24	1·02	15
16	·05	·28						·15		·55	·10	1·40	16
17		·10	·40							·23	·18	·15	17
18		·28	·03	·14	·35			1·05		·80			18
19		·15	·12	·30	·09			·20		·52	·21	·12	19
20		·72		·12			1·85	·30				·32	20
21	·40	·12		·14				·04				·02	21
22	·20							·11					22
23	·62	·18				·20	·20	·15			1·06	·70	23
24		·70		·52		·20	·20	·12					24
25		·06		·12			·43	·70			·36		25
26		·22						·48	·11		·04	·30	26
27	·20	·18	·12	·42		·38	·09	·60					27
28				·32	·18	·30	·25	·47		·38	·44	·28	28
29						·29			·24				29
30					·52	·18		·11			·06		30
31	·30	·30				~~·18~~				·90		·20	31
Total	3·28	6·52	2·40	3·87	2·67	3·54	5·53	6·48	·59	5·03	7·45	7·42	TOTAL for year
No. of Rain Days	13	24	10	14	12	13	10	19	3	9	22	19	54·78

9,000, IX. '10.

168

S.W.

REGIS

4 395

SNOWDON No 9

LLYN CLYDAW COPPER MINE

190~~7~~ — 10

MET/2/4/1/1/6/3/15191

1911 20–21 A/B

FORM A.
BRITISH RAINFALL.
19 JAN 1909

Kept at Snowdonia. No. ... 3' ... beris

in the County of Carnarvo... rn

... in.

by A Lockw... d 1 ft. 0 in.

...vel 1480 ft.

Note.—Rain should be measured da... tions for the measurement of rain and particulars as to the British I... nt post-free on application to Dr. H. R. Mill, 62, Camden Square, ...

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	1.43	0.66	0.26	0.00	1.05	0.00	·	0.24	0.00	0.00	0.00	1
2	0.00	·	0.00	0.50	·	0.25	0.00	0.00	0.08	0.00	0.00	0.00	2
3	0.00	0.03	0.00	0.73	0.41	0.15	0.00	0.00	0.96	0.00	0.00	0.12	3
4	0.00	0.00	0.18	·	0.50	0.00	·	0.27	0.00	0.00	0.00	0.38	4
5	1.33	0.12	0.50	0.41	3.62	0.28	0.00	0.00	·	0.00	0.00	·	5
6	3.69	0.28	0.65	0.00	0.15	·	0.00	0.00	0.17	0.00	0.00	1.21	6
7	1.91	0.07	·	0.00	2.96	·	1.03	·	0.54	0.04	·	3.61	7
8	0.00	·	3.84	0.00	3.53	0.75	0.68	·	6.67	·	0.00	2.44	8
9	0.00	0.16	1.44	0.15	·	0.45	2.68	0.13	1.56	0.52	0.00	2.81	9
10	0.00	0.00	1.04	0.13	0.19	0.00	0.08	0.62	1.37	·	1.12	1.12	10
11	·	0.17	0.15	·	0.06	1.73	·	·	·	0.10	2.26	0.04	11
12	0.11	0.00	0.00	0.16	1.08	0.47	0.68	·	·	0.00	0.70	·	12
13	0.41	0.23	0.33	0.02	0.07	·	0.44	0.52	1.82	0.00	2.80	1.66	13
14	2.26	3.97	·	0.02	0.17	5.50	0.05	0.00	2.22	0.00	·	0.82	14
15	6.50	·	2.11	0.00	0.06	1.04	1.06	·	0.60	0.12	0.12	1.13	15
16	6.48	1.69	0.04	0.00	·	0.00	·	·	4.75	0.12	1.19	0.83	16
17	2.68	2.34	0.00	0.00	2.72	0.44	5.73	0.00	0.00	·	0.18	0.72	17
18	·	0.50	0.06	·	0.54	0.00	·	0.00	0.04	·	1.87	0.34	18
19	0.40	1.23	·	·	0.00	0.20	0.16	0.00	·	1.90	0.44	·	19
20	0.00	1.91	0.00	0.16	0.00	0.00	0.00	1.33	0.52	0.52	0.85	1.68	20
21	0.00	1.03	·	0.06	1.70	0.00	0.00	0.33	0.00	0.00	·	2.26	21
22	0.00	·	0.95	0.01	0.00	0.00	0.07	·	0.00	0.00	8.58	2.31	22
23	0.00	·	0.11	0.21	·	0.03	0.00	0.95	0.06	0.00	1.54	0.22	23
24	0.00	·	3.09	0.33	1.47	0.00	1.03	0.50	0.00	·	3.52	0.00	24
25	·	·	0.26	·	0.89	0.00	·	0.63	1.38	0.00	0.64	0.00	25
26	8.17	3.57	0.10	0.06	0.00	0.00	0.88	·	·	0.07	0.19	0.66	26
27	0.28	0.04	1.15	1.16	0.00	0.00	·	4.67	0.03	0.00	0.06	0.00	27
28	0.50	0.00	·	0.75	0.00	0.00	0.29	·	3.57	2.68	·	0.00	28
29	0.04	0.00	3.01	3.13	0.00	0.00	0.00	·	0.00	0.00	3.29	0.16	29
30	·	·	1.68	0.03	·	0.00	0.13	0.77	0.00	0.26	0.00	3.58	30
31	1.43	·	0.05	·	0.35	·	0.00	2.53	·	·	·	1.27	31
Total	36.19	18.77	21.40	8.28	20.47	12.34	14.99	13.25	26.58	6.33	29.35	29.37	TOTA for yea 237·
No. of Rain Days	~~17~~ 15	~~23~~ 17	24	~~21~~ 19	~~19~~ 18	~~14~~ 13	~~14~~ 15	~~14~~ 12	~~22~~ 18	~~13~~ 10	~~19~~ 17	~~24~~ 22	~~2·~~ 19

6,000, XI, '08. 15

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S.a.

REGIS

FORM A.
BRITISH RAINFALL.
19 JAN 1909

Kept at Snowdonia. No. 9. Llyn Llydaw.
in the County of Carnarvon
by A Lockwood.

Lat. 53 4 Long. 3'
Nearest Railway Station Llanberis
Time of Observation 9.0 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " Sea Level 1480 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	1.43	0.66	0.26	0.00	1.05	0.00	·	0.24	0.00	0.00	0.00	1
2	0.00	·	0.00	0.50	·	0.25	0.00	0.00	0.08	0.00	0.00	0.00	2
3	0.00	0.03	0.00	0.73	0.41	0.15	0.00	0.00	0.96	0.00	0.00	0.12	3
4	0.00	0.00	0.18	·	0.50	0.00	·	0.27	0.00	0.00	0.00	0.38	4
5	1.33	0.12	0.50	0.41	3.62	0.28	0.00	0.00	·	0.00	0.00	·	5
6	3.69	0.28	0.65	0.00	0.15	·	0.00	0.00	0.17	0.00	0.00	1.21	6
7	1.91	0.07	·	0.00	2.96	·	1.03	·	0.54	0.04	·	3.61	7
8	0.00	·	3.84	0.00	3.53	0.75	0.68	·	6.67	·	0.00	2.44	8
9	0.00	0.16	1.44	0.15	·	0.45	2.68	0.13	1.56	0.52	0.00	2.81	9
10	0.00	0.00	1.04	0.13	0.19	0.00	0.08	0.62	1.37	·	1.12	1.12	10
11	·	0.17	0.15	·	0.06	1.73	·	·	·	0.10	2.26	0.04	11
12	0.11	0.00	0.00	0.16	1.08	0.47	0.68	·	·	0.00	0.70	·	12
13	0.41	0.23	0.33	0.02	0.07	·	0.44	0.52	1.82	0.00	2.80	1.66	13
14	2.26	3.97	·	0.02	0.17	5.50	0.05	0.00	2.22	0.00	·	0.82	14
15	6.50	·	2.11	0.00	0.06	1.04	1.06	·	0.60	0.12	0.12	1.13	15
16	6.48	1.69	0.04	0.00	·	0.00	·	·	4.75	0.12	1.19	0.83	16
17	2.68	2.34	0.00	0.00	2.72	0.44	5.73	0.00	0.00	·	0.18	0.72	17
18	·	0.50	0.06	·	0.54	0.00	·	0.00	0.04	·	1.87	0.34	18
19	0.40	1.23	·	·	0.00	0.20	0.16	0.00	·	1.90	0.44	·	19
20	0.00	1.91	0.00	0.16	0.00	0.00	0.00	1.33	0.52	0.52	0.85	1.68	20
21	0.00	1.03	·	0.06	1.70	0.00	0.00	0.33	0.00	0.00	·	2.26	21
22	0.00	·	0.95	0.01	0.00	0.00	0.07	·	0.00	0.00	8.58	2.31	22
23	0.00	·	0.11	0.21	·	0.03	0.00	0.95	0.06	0.00	1.54	0.22	23
24	0.00	·	3.09	0.33	1.47	0.00	1.03	0.50	0.00	·	3.52	0.00	24
25	·	·	0.26	·	0.89	0.00	·	0.63	1.38	0.00	0.64	0.00.	25
26	8.17	3.57	0.10	0.06	0.00	0.00	0.88	·	·	0.07	0.19	0.66	26
27	0.28	0.04	1.15	1.16	0.00	0.00	·	4.67	0.03	0.00	0.06	0.00	27
28	0.50	0.00	·	0.75	0.00	0.00	0.29	·	3.57	2.68	·	0.00	28
29	0.04	0.00	3.01	3.13	0.00	0.00	0.00	·	0.00	0.00	3.29	0.16	29
30	·	·	1.68	0.03	·	0.00	0.13	0.77	0.00	0.26	0.00	3.58.	30
31	1.43	·	0.05	·	0.35	·	0.00	2.53	·	·	·	1.27	31
Total	36.19	18.77	21.40	8.28	20.47	12.34	14.99	13.25	26.58	6.33	29.35	29.37	TOTAL for yea 237·
No. of Rain Days	~~14~~ 15	~~23~~ 17	24	~~21~~ 19	~~19~~ 18	~~14~~ 13	~~14~~ 15	~~14~~ 12	~~22~~ 18	~~13~~ 10	~~19~~ 17	~~24~~ 22	~~2~~ 19

6,000, XI, '08. 15

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

5a

FORM A2. BRITISH RAINFALL.

18 JAN 1910

REGISTER OF RAINFALL IN 1909.

Kept at No. 9. Copper hill - Snowdonia

in the County of Carnarvon

by A Lockwood

RAIN GAUGE
Pattern Shallow rim
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 1480 ft.

Time of Observation 9.0 am. approx.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.36	...	0.07	...	N.T	...	...	N.T	0.78	0.41	0.21	N.T	1
2	N.T	0.38	0.40	0.17	...	...	0.58	2.14	0.07	N.T.	1.84	3.03	2
3	0.84	2.68	...	N.T	...	...	N.T	...	1.21	4.46	0.03	0.29	3
4	...	2.46	0.20	1.95	...	...	1.34	...	N.T	2.05	0.30	N.T	4
5	0.14	0.02	0.40	...	...	N.T	2.14	...	5.03	0.67	1.70	0.13	5
6	0.40	N.T	0.15	...	...	...	0.25	...	1.80	...	N.T	0.11	6
7	0.77	N.T	0.20	...	...	...	0.73	N.T	0.72	4.33	0.04	0.32	7
8	0.01	N.T	0.16	...	N.T	0.03	...	...	...	0.67	...	0.10	8
9	N.T	N.T	0.20	...	...	0.03	2.84	N.T	N.T	} N.T	2.18	4.93	9
10	2.93	2.21	N.T	N.T	...	0.01	N.T	...	0.09	} 8.13	0.02	7.56	10
11	0.50	...	N.T.	N.T	...	...	N.T.	N.T	N.T	1.13	0.87	N.T	11
12	...	...	N.T	1.45	0.15	N.T	0.24	...	N.T	1.91	0.68	0.57	12
13	0.67	N.T	N.T.	1.69	...	...	0.13	0.22	N.T.	0.15	N.T.	...	13
14	2.99	0.39	N.T.	...	0.26	...	0.35	N.T	N.T.	7.18	0.08	...	14
15	...	...	1.01	1.45	N.T	...	2.98	0.01	N.T	1.26	...	...	15
16	N.T	...	N.T	1.59	...	...	1.61	0.14	N.T	N.T	...	...	16
17	3.12	...	0.75	N.T	0.58	...	N.T	0.67	N.T	N.T	...	0.04	17
18	3.35	...	0.03	1.89	...	0.71	0.52	N.T.	N.T.	3.30	...	N.T	18
19	...	...	N.T	0.83	...	N.T.	...	0.59	0.52	6.98	...	0.02	19
20	...	N.T.	N.T.	...	...	1.05	2.52	1.88	N.T	0.47	N.T	...	20
21	...	...	0.96	...	...	1.19	0.59	N.T	N.T	0.88	0.06	1.39	21
22	...	...	...	1.82	N.T	0.39	1.00	1.68	...	4.68	...	5.05	22
23	N.T	...	1.34	0.60	0.04*	0.54	0.62	1.50	0.38	N.T	...	1.10	23
24	...	...	3.05	N.T	1.27	0.45	N.T	0.47	3.07	7.25	0.47	} N.T	24
25	...	...	0.83	2.25	0.07	0.64	4.14	0.27	N.T	0.04	N.T	} N.T	25
26	...	...	N.T	0.95	1.24	N.T	0.02	0.56	0.62	...	N.T	} N.T	26
27	...	N.T	N.T	0.29	0.53	0.80	0.97*	...	3.93	...	N.T	} 9.40	27
28	0.52	N.T	5.62	0.40	0.93	0.24	0.50	N.T	2.07	...	N.T	0.82	28
29	...		N.T	...	N.T	...	1.70	3.22	...	0.59	8.57	0.04	29
30	N.T		N.T	0.37	N.T	...	0.26	0.05	0.27	N.T	N.T	4.51	30
31	1.13		0.66		2.97		N.T	0.21		...		...	31
Total	17.73	8.14	16.03	17.70	8.04	6.08	26.03	13.61	20.56	56.54	17.05	39.41	TOTAL for year 246.92
No. of Rain Days	14	6	17	15	10	12	22	15	14	20	14	18	177

7,000. X. '09. Remarks. N.T. = not Taken ... signifies no rain

* Funnel found off gauge

Fixed on Jan. 17th 10 Exgs Jan 1-16 estd. from old g. & No 10. 9. v. 11.

Sca

REGISTER OF RAINFALL IN 19

FORM A2. BRITISH RAINFALL.

21 JAN 1911

Kept at Snowdonia Check on No 9.

in the County of Carnarvon

by N. Wales Power & Traction Co Ltd per. A Lockwood.

RAIN GAUGE
Pattern Snowdon Cassella 77
Diameter of top 5 in.
Height of top above Ground ft. 12 in.
" " " Sea Level 1480 ft.

Time of Observation 9. 0 am

Nearest Railway Station
Name Llanberis
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.54	2.48	...	0.53	0.52	0.93	0.60	0.27	NT	0.27	0.22	1
2		0.25	0.14	NT	...	0.50	NT	NT	0.67	2.17	0.32	NT	2
3		0.30	...	0.13	1.14	...	1.52	2.55	NT	0.03	0.04	NT	3
4		0.14	...	0.05	1.28	NT	...	0.14	...	...	0.15	NT	4
5		NT	NT	0.37	1.10	0.35	2.56	...	...	...	NT	1.12	5
6		3.23	1.03	0.05	0.30	...	...	NT	...	...	2.35	0.80	6
7		0.63	0.50	...	NT	0.15	...	...	...	...	0.28	0.03	7
8		0.43	1.00	...	1.47	0.03	...	...	...	NT	0.42	0.07	8
9	(20.00)	0.38	0.78	NT	0.02	...	NT	...	...	...	0.62	0.88	9
10		1.42	0.26	NT	0.01	0.11	...	...	NT	0.05	1.71	NT	10
11		0.10	0.03	0.02	0.20	NT	...	1.67	...	0.68	0.11	1.58	11
12		NT	NT	1.88	0.01	...	...	0.31	0.01	0.28	NT	0.77	12
13		0.74	0.04	1.02	...	...	...	NT	...	...	4.35	0.88	13
14		1.53	0.35	0.07	NT	...	...	0.52	0.02	...	0.37	1.58	14
15		...	...	0.37	NT	0.01	...	...	...	NT	0.37	2.19	15
16		1.98	0.63	NT	0.26	...	...	NT	...	NT	0.07	4.68	16
17	0.07	0.32	0.25	1.06	0.04	...	...	1.07	NT	0.42	0.91	NT	17
18	0.37	0.49	0.66	1.43	0.52	NT	...	2.30	...	1.86	0.11	1.06	18
19	0.11	NT	NT	1.23	NT	...	NT	0.39	0.03	1.42	NT	0.22	19
20	0.16	1.79	0.06	0.98	0.03	0.02	5.71	NT	...	0.83	1.03	1.86	20
21	0.28	...	0.10	0.35	NT	1.43	NT	4.03	...	...	...	0.04	21
22	NT	0.50	...	0.12	...	...	NT	0.40	...	NT	0.33	0.76	22
23	2.60	1.05	...	NT	...	0.51	NT	0.37	...	...	0.88	2.96	23
24	0.88	0.57	...	2.12	...	0.29	NT	0.15	NT	...	0.14	NT	24
25	...	0.18	NT	0.37	...	NT	5.22	2.18	0.05	0.09	0.32	NT	25
26	...	NT	NT	0.01	...	0.23	0.07	2.37	0.90	...	NT	1.77	26
27	0.83	2.88	NT	0.86	0.07	1.80	1.64	NT	...	x ...	0.47	a ...	27
28	0.50	0.56	0.08	1.37	NT	0.93	1.34	2.73	0.06	0.16	0.57	0.82	28
29	NT		...	0.01	1.32	1.52	...	0.63	0.38	NT	...	0.05	29
30	...		...	NT	0.99	0.60	NT	0.25	...	...	0.15	...	30
31	3.70		...		0.21		NT	0.01		1.85		1.21	31
Total	~~9.50~~ (29.50)	21.01	8.39	13.87	9.50	9.00	18.99	22.67	2.39	9.84	16.35	25.55	Total for year 187.06 187.06
No. of Rain Days	10	22	16	21	18	16	8	19	9	12	24	22	197 177

9,000, IX. '10.

[illegible]

Ex: thus

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.
21 JAN 1911

Kept at Snowdonia Copper Mill No 9.

in the County of Carnarvon

by N. Wales Power Traction Co. Ltd
per. A Lockwood

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 17 in.
" " " Sea Level 1480 ft.

Time of Observation 9.0am

Nearest Railway Station
Name Llanberis
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									0.27	N.T	0.27	0.24	1
2									0.68	2.19	0.32	NT	2
3									NT	0.03	0.04	NT	3
4									...	...	0.15	NT	4
5									...	...	NT	1.14	5
6									...	...	2.35	0.81	6
7									...	...	0.28	0.03	7
8									...	NT	0.42	0.07	8
9									...	...	0.56	0.88	9
10									NT	0.05	1.76	NT	10
11									...	0.68	0.11	1.63	11
12									0.01	0.28	NT	0.77	12
13									...	...	4.47	0.84	13
14									0.02	...	0.37	1.61	14
15									...	NT	0.35	2.25	15
16									...	NT	0.07	4.70	16
17									NT	0.42	0.83	NT	17
18									...	1.86	0.11	1.00	18
19									0.03	1.42	NT	0.22	19
20									...	0.87	0.90	1.90	20
21									...	...	...	0.04	21
22									...	NT	0.33	0.69	22
23									...	...	1.00	2.86	23
24									NT.	...	0.14	NT	24
25									0.05	0.09	0.33	NT	25
26									0.89	...	NT	1.72	26
27								N.T.	...	...	0.45	...	27
28								2.73	0.06	0.17	0.50	0.80	28
29								0.64	0.38	NT	...	0.05	29
30								0.25	...	...	0.15	...	30
31								0.01		1.86		1.19	31
Total								~~3.63~~	2.39	9.92	16.26	25.44	TOTAL for year 57.64
No. of Rain Days								~~4~~	~~9~~	~~12~~	~~24~~	~~22~~	

New gauge fixed on site of old gauge Aug. 26th. 1910.

gauge. Cassella snowdon pattern. No. 8722.

N.T. Signifies gauge was "not read".

S.a.

Record of Gauge known as "Copper Mine".

REGISTER OF RAINFALL IN 1907

FORM A.
BRITISH RAINFALL.

Kept at Llyn Llydaw
in the County of Carnarvon
by the North Wales Power & Traction Co Ltd.
by Sent by G. C. Aitchison A.M.I.C.E.
General Manager

Lat. .... Long. ....
Nearest Railway Station Llanberis
Time of Observation From 7.30 to 9.30 a.m
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground -1 ft. 0 in.
" " " Sea Level 1490 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2.36 5.96	0.00	0.74	0.00	1.98		0.17	0.00	0.67	0.65	0.33	0.22	1
2	0.33			0.23	0.04	0.42	0.24	2.10	0.10	0.99		0.71	2
3	2.18	0.00	0.02	0.45	0.73	0.15	0.60		1.28	0.00	0.00	0.54	3
4		0.03	0.04	0.00		4.08	0.11	0.00	0.19	0.02	0.01	1.44	4
5		0.00	0.25	1.33	0.04	1.74	0.05	1.75	0.04		0.01	0.03	5
6	2.16	0.00	1.65		0.44	0.15		0.12		2.41	0.00	1.40	6
7	0.02	Snow in Funnel.	0.57	1.40	0.08	2.72	2.71	5.42	0.00	0.011	0.06		7
8	0.04	0.73	0.10	0.04	0.49		0.38	2.95		0.00	0.45	4.78	8
9	1.18			0.00	0.65	2.42	0.47	0.00	0.00	1.78		1.72	9
10	0.64	0.81	3.52	0.00	1.58	0.68	0.00		0.00	0.78	0.07	1.54	10
11	0.06	0.51	0.00	0.02		0.56	0.00	1.57	0.00	0.55	0.78	0.00	11
12		0.75	2.33	0.18	0.23	0.55	0.00	0.00	0.00		0.32	0.59	12
13	1.37	0.00	0.17		0.00	0.51			0.00	3.91	0.53	2.10	13
14	0.02	0.40	2.07	0.00	0.00	1.44	0.71	2.26		0.50	1.85		14
15	0.36	0.61	2.64	0.00	0.00		0.00	0.45	0.06	1.35	0.01	0.71	15
16	0.25			0.00	0.00	0.60	0.00	2.02	0.00	1.43		0.50	16
17	0.00	4.72	5.44	0.06	0.00	0.40	0.00	0.38	0.27	0.41	2.13	0.05	17
18	0.00	2.73		0.00		0.75	0.00		0.00	1.39	0.00	1.53	18
19		1.32	1.03	0.00	0.00	2.24		0.56	0.00		0.34	4.86	19
20	0.10	0.14	0.00		0.00	2.81			0.00		0.06	4.32	20
21	0.63	0.06	0.26	3.22	0.00	0.72	0.00	0.00		3.41	0.00		21
22	0.00	0.10	0.00	0.32	0.00		0.00	1.40	0.00	0.45	1.55	2.19	22
23	0.00		0.00	0.05	0.03	3.27	0.00	0.00	0.00	0.00		0.00	23
24	0.00	0.14		0.07	0.45	1.79	0.56		0.00	0.04	0.60		24
25	0.05	0.00	0.00	0.00		1.88	0.02	1.01	0.00	0.78	0.18	0.04	25
26		0.00	0.00	0.00	0.03		0.86	0.00	0.00		1.04	0.00	26
27	1.61	0.00	0.00		0.00	1.70		0.00	0.00	0.00	0.67	0.00	27
28	0.31	0.00	0.00	1.48	0.00	0.00	0.76	0.36		0.00	1.42	0.00	28
29	0.05		0.00	1.09	0.16		0.33	0.53	0.00	0.27	0.00	0.00	29
30	0.00			0.08	2.62	0.27		0.01	0.00	1.43		0.00	30
31	0.19				0.76		0.01	1.87		0.10			31
Total	13.91	13.05	20.83	10.02	9.81	31.35	7.98	24.76	2.61	20.661	12.41	28.77	TOTAL for year 196.161 Inches.
No. of Rain Days													

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Sg Record of Gauge known as "Intake" (?)

FORM A.
BRITISH RAINFALL.
7 - JAN 1908

REGISTER OF RAINFALL IN 1907.

Kept at Llyn Llydaw

in the County of Carnarvon

by The North Wales Power & Traction Co sent by G. C. Aitchison. A.M.I.C.E. General Manager

Lat. .... Long. ....

Nearest Railway Station Llanberis

Time of Observation From 7.30 to 9 a.m

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. 10½ in.

" " " Sea Level 1476' ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5.96	0.00	0.63	0.00	~~2.27~~ 1.76		0.20	0.00		0.39	0.29	0.25	1
2	0.35			0.17	0.05	0.41	0.18	1.25	0.59	0.86		0.60	2
3	1.62	0.00	0.07	0.26	0.61	0.11	0.61		0.10	0.00	0.00	0.43	3
4		0.07	0.03	0.00		4.40	0.11	0.00	0.88	0.07	0.07	1.50	4
5		0.00	0.22	0.82	0.04	1.25	0.05	0.90	0.11		0.01	0.03	5
6	2.68	0.00	0.63		0.36	0.12		0.14	0.04	1.71	0.00	1.30	6
7	0.01	Snow in Funnel.	0.37	1.08	0.05	1.88	1.42	2.68		0.008	0.04		7
8	0.01	0.61	0.15	0.03	0.32		0.24	1.33	0.00	0.00	0.49	3.13	8
9	1.53			0.00	0.50	1.64	0.42	0.00	0.00	0.29		0.93	9
10	0.91	0.53	2.53	0.00	1.13	0.78	0.00		0.00	0.22	0.75	1.41	10
11	0.05	0.27	0.00	0.03		0.51	0.00	1.05	0.00	0.50	0.48	0.00	11
12		0.71	1.45	0.21	0.27	0.51	0.00	0.00	0.00		0.19	0.63	12
13	1.25	0.00	0.18		0.00	0.44			0.04	4.19	0.20	1.84	13
14	0.07	0.09	1.47	0.00	0.00	1.00	0.21	1.55		0.39	1.44		14
15	0.57	0.54	1.55	0.00	0.00		0.00	0.35	0.00	0.90	0.00	0.75	15
16	0.27			0.00	0.00	0.53	0.00	1.40	0.06	1.54		0.34	16
17	0.00	3.38	4.25	0.03	0.00	0.40	0.00		0.00	0.46	1.65	0.04	17
18	0.00	2.15		0.00		0.55	0.00	0.39	0.00	1.63	0.00	1.27	18
19		2.10	0.99	0.00		1.02	0.00		0.00		0.28	2.93	19
20	0.13	0.13	0.00		0.00	2.08		0.55	0.00		0.05	1.31	20
21	0.67	0.00	0.24	1.58	0.00	0.54	0.00	0.00		2.51	0.00		21
22	0.00	0.07	0.00	0.16	0.00		0.00	1.38	0.00	0.47	0.98	1.35	22
23	0.00		0.00	0.03	0.05	2.32	0.00	0.00	0.00	0.00		0.00	23
24	0.00	0.05	0.00	0.08	0.42	0.96	0.55		0.00	0.07	0.48		24
25	0.15	0.00	0.00	0.00	0.04	1.38	0.02	0.87	0.00	0.85	0.17	0.03	25
26			0.00	0.00			0.92	0.00	0.00		1.11	0.00	26
27	1.68	0.00	0.00		0.00	0.51		0.00	0.00	0.00	0.73	0.00	27
28	0.32	0.00	0.00	1.19	0.00	0.00	0.64	0.17		0.00	1.18	0.00	28
29	0.02	2.88	0.00	0.85	0.11		0.26	0.38	0.00	0.39	0.00		29
30	0.00		0.00	0.07	2.23	0.26		0.01	0.00	1.11	—	0.00	30
31	0.06				0.25		0.01	1.80		0.11		0.00	31
Total	18.71	10.65	14.71	6.59	8.19	23.60	5.84	16.20	1.82	18.618	9.84	20.07	TOTAL for year 154.338 Inches
No. of Rain Days													

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

S.a.

REGISTER 1908

4388

SNOWDON - CWMDYLI No 1.

1908 - 1910

N/A 1911 1913 1920

MET/2/4/1/1/6/3/13017

781709

4388 FORM A. BRITISH RAINFALL. 19 JAN 1909

Kept at Cwm Dyli. No. 11. Sn

in the County of Carnarvon

by A Lockwoo

Long. W. 4°

...ation Llanberis

9.0 am

...auge 5 in.

...ge above Ground 8 ft. 0 in.

" " " Sea Level 310 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.15	0.10	0.08	0.00	0.51	0.00	0.00	0.17	0.00	0.00	0.00	1
2	0.00	0.33	0.43	0.24	0.35	0.19	0.00	0.00	0.12	0.00	0.00	0.01	2
3	0.00	0.05	0.00	0.12	0.00	0.08	0.00	0.00	0.68	0.00	0.00	0.07	3
4	0.00	0.00	0.03	0.24	0.22	0.00	0.00	0.10	0.00	0.00	0.00	0.21	4
5	1.08	0.05	1.01	0.03	1.31	0.16	0.00	0.10	0.00	0.00	0.00	0.68	5
6	1.30	0.08	0.32	0.00	0.16	0.00	0.00	0.00	0.18	0.00	0.00	0.00	6
7	1.23	0.02	0.73	0.00	1.40	0.08	0.83	0.00	0.12	0.01	0.00	0.46	7
8	0.00	0.00	0.35	0.00	1.09	0.13	0.59	0.00	2.23	0.22	0.00	1.40	8
9	0.00	0.07	0.83	0.07	0.11	0.23	1.84	0.11	1.66	0.10	0.00	1.12	9
10	0.00	0.09	0.68	0.11	0.00	0.02	0.01	0.12	0.98	0.05	0.60	0.65	10
11	0.00	0.00	0.02	0.01	0.05	0.45	0.56	0.05	0.12	0.00	0.50	0.04	11
12	0.00	0.00	0.00	0.04	0.97	0.09	0.14	0.00	0.02	0.00	0.35	0.37	12
13	0.08	0.15	0.19	0.07	0.05	2.02	0.29	0.17	0.18	0.00	0.98	0.40	13
14	0.69	1.65	0.19	0.04	0.17	0.00	0.05	0.00	0.82	0.00	0.11	0.43	14
15	2.72	0.00	0.90	0.00	0.04	0.64	0.69	0.00	0.57	0.06	0.01	0.25	15
16	0.45	2.00	0.01	0.00	0.08	0.01	1.99	0.00	1.84	0.02	0.54	0.36	16
17	0.00	0.75	0.00	0.00	0.57	0.68	0.54	0.00	0.00	0.25	0.07	0.37	17
18	0.13	0.35	0.01	0.00	0.14	0.00	0.00	0.00	0.05	0.40	1.45	0.12	18
19	0.00	0.58 0.[illegible]	0.01	0.00	0.01	0.01	0.04	0.00	0.01	0.20	0.30	0.23	19
20	0.00	0.27	0.00	0.07	0.00	0.00	0.00	1.11	0.28	0.20	0.15	0.13	20
21	0.00	0.70	0.43	0.06	0.75	0.00	0.00	0.13	0.00	0.00	2.34	0.19	21
22	0.00	0.13	0.00	0.06	0.06	0.00	0.03	0.14	0.00	0.00	0.30	0.36	22
23	0.00	0.18	0.32	0.16	0.00	0.00	0.00	0.46	0.00	0.00	0.46	0.03	23
24	0.00	0.12	0.23	0.13	0.35	0.00	0.59	0.36	0.00	0.00	0.82	0.00	24
25	2.16	0.77	0.19	0.02	0.15	0.00	0.48	0.38	0.54	0.00	0.27	0.00	25
26	0.87	0.27	0.00	0.00	0.00	0.00	0.00	1.79	0.02	0.10	0.04	0.40	26
27	0.47	0.30	0.69	0.88	0.00	0.00	0.16	0.87	0.12	0.00	0.00	0.00	27
28	0.40	0.32	0.78	0.86	0.00	0.00	0.00	0.20	0.39	1.31	1.29	0.04	28
29	0.20	0.51	0.59	0.95	0.04	0.00	0.02	0.06	0.00	0.00	0.00	0.14	29
30	0.04	–	0.00	0.43	0.00	0.00	0.06	0.29	0.00	0.22	0.00	0.85	30
31	0.30	–	0.08	–	0.18	–	0.00	1.32	–	0.01	–	0.30	31
Total	12.62	9.89	9.12	4.67	8.25	5.30	8.91	7.76	11.10	3.15	10.58	9.61	TOT for 100·
No. of Rain Days	15	24	24.	21.	22	15	18	18	21	14	18	26	23

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d

S.a.

REGISTER 908

4388

BRITISH RAINFALL. FORM A.

19 JAN 1909

Kept at Cwm Dyli. No. 11. Snowdonia

in the County of Carnarvon

by A. Lockwood

Lat. 53°3 Long. W. 4°

Nearest Railway Station Llanberis

Time of Observation 9.0 am

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 8 ft. 0 in.

" " " Sea Level 310 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.15	0.10	0.08	0.00	0.51	0.00	0.00	0.17	0.00	0.00	0.00	1
2	0.00	0.33	0.43	0.24	0.35	0.19	0.00	0.00	0.12	0.00	0.00	0.01	2
3	0.00	0.05	0.00	0.12	0.00	0.08	0.00	0.00	0.68	0.00	0.00	0.07	3
4	0.00	0.00	0.03	0.24	0.22	0.00	0.00	0.10	0.00	0.00	0.00	0.21	4
5	1.08	0.05	1.01	0.03	1.31	0.16	0.00	0.10	0.00	0.00	0.00	0.68	5
6	1.30	0.08	0.32	0.00	0.16	0.00	0.00	0.00	0.18	0.00	0.00	0.00	6
7	1.23	0.02	0.73	0.00	1.40	0.08	0.83	0.00	0.12	0.01	0.00	0.46	7
8	0.00	0.00	0.35	0.00	1.09	0.13	0.59	0.00	2.23	0.22	0.00	1.40	8
9	0.00	0.07	0.83	0.07	0.11	0.23	1.84	0.11	1.66	0.10	0.00	1.12	9
10	0.00	0.09	0.68	0.11	0.00	0.02	0.01	0.12	0.98	0.05	0.60	0.65	10
11	0.00	0.00	0.02	0.01	0.05	0.45	0.56	0.05	0.12	0.00	0.50	0.04	11
12	0.00	0.00	0.00	0.04	0.97	0.09	0.14	0.00	0.02	0.00	0.35	0.37	12
13	0.08	0.15	0.19	0.07	0.05	2.02	0.29	0.17	0.18	0.00	0.98	0.40	13
14	0.69	1.65	0.19	0.04	0.17	0.00	0.05	0.00	0.82	0.00	0.11	0.43	14
15	2.72	0.00	0.90	0.00	0.04	0.64	0.69	0.00	0.57	0.06	0.01	0.25	15
16	0.95	2.00	0.01	0.00	0.08	0.01	1.99	0.00	1.84	0.02	0.54	0.36	16
17	0.00	0.75	0.00	0.00	0.57	0.68	0.54	0.00	0.00	0.25	0.07	0.37	17
18	0.13	0.35	0.01	0.00	0.14	0.00	0.00	0.00	0.05	0.40	1.45	0.12	18
19	0.00	0.58	0.01	0.00	0.01	0.01	0.04	0.00	0.01	0.20	0.30	0.23	19
20	0.00	0.27	0.00	0.07	0.00	0.00	0.00	1.11	0.28	0.20	0.15	0.13	20
21	0.00	0.70	0.43	0.06	0.75	0.00	0.00	0.13	0.00	0.00	2.34	0.19	21
22	0.00	0.13	0.00	0.06	0.06	0.00	0.03	0.14	0.00	0.00	0.30	0.36	22
23	0.00	0.18	0.32	0.16	0.00	0.00	0.00	0.46	0.00	0.00	0.46	0.03	23
24	0.00	0.12	0.23	0.13	0.35	0.00	0.59	0.36	0.00	0.00	0.82	0.00	24
25	2.16	0.77	0.19	0.02	0.15	0.00	0.48	0.38	0.54	0.00	0.27	0.00	25
26	0.87	0.27	0.00	0.00	0.00	0.00	0.00	1.79	0.02	0.10	0.04	0.40	26
27	0.47	0.30	0.69	0.88	0.00	0.00	0.16	0.87	0.12	0.00	0.00	0.00	27
28	0.40	0.32	0.78	0.86	0.00	0.00	0.00	0.20	0.39	1.31	1.29	0.04	28
29	0.20	0.51	0.59	0.95	0.04	0.00	0.02	0.06	0.00	0.00	0.00	0.14	29
30	0.04	–	0.00	0.43	0.00	0.00	0.06	0.29	0.00	0.22	0.00	0.85	3
31	0.30	–	0.08	–	0.18	–	0.00	1.32	–	0.01	—	0.30	31
Total	12.62	9.89	9.12	4.67	8.25	5.30	8.91	7.76	11.10	3.15	10.58	9.61	TOT for 100
No. of Rain Days	15	24	24.	21.	22	15	18	18	21	14	18	26	23

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Da. Ex D

4388

FORM 42. BRITISH RAINFALL.

18 JAN 1910

REGISTER OF RAINFALL IN 1909

Kept at No. 11 Bungalow Snowdonia

in the County of Carnarvon

by A Lockwood

RAIN GAUGE	Pattern	Shallow
	Diameter of top	5 in.
	Height of top above Ground	4 ft. in.
	" " " Sea Level	310 ft.

Time of Observation 9.0 am

Nearest Railway Station: Name ……… Distance ……… Direction ………

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☒

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in. *	
1	0.50	0.09	0.09	...	0.01	...	...	0.09	0.43	0.11	0.19	0.34	1
2	...	0.25	0.28	0.50	...	...	0.08	...	0.05	0.75	0.10	1.30	2
3	...	0.72	...	...	...	...	0.55	...	0.45	0.91	...	0.36	3
4	...	0.50	0.07	...	...	...	...	...	NT	0.35	0.07	0.14	4
5	0.03	0.01	0.24	...	...	0.01	0.70	...	1.86	0.45	0.40	0.03	5
6	0.15	...	0.12	...	...	...	0.14	...	0.62	...	N.T	0.75	6
7	0.49	...	0.05	...	...	...	0.36	...	0.56	0.60	N.T	0.09	7
8	0.02	0.25	...	...	...	...	...	...	0.07	0.21	0.04	0.02	8
9	0.46	1.57	0.14	...	...	...	1.20	...	...	0.89	0.42	1.08	9
10	1.07	0.71	...	...	...	0.01	0.05	...	...	0.46	0.05	2.55	10
11	0.28	0.04	...	0.58	...	...	...	...	...	0.17	0.15	0.05	11
12	0.06	...	0.18	0.27	0.09	...	0.12	...	0.08	0.59	0.22	...	12
13	0.35	...	0.52	0.86	...	...	0.21	0.04	...	0.16	...	...	13
14	1.18	0.05	0.15	...	0.18	...	0.10	...	...	1.17	...	...	14
15	0.31	...	0.01	0.70	...	...	0.77	0.01	...	0.37	...	...	15
16	0.14	...	0.12	0.61	...	...	0.16	0.02	...	0.63	...	...	16
17	0.13	...	0.10	0.64	0.26	...	0.03	0.56	...	0.71	...	0.07	17
18	0.65	...	0.13	...	...	0.15	0.05	0.09	...	0.02	...	0.29	18
19	...	...	0.14	0.51	...	0.10	...	0.05	0.07	2.28	N.T	0.43	19
20	...	...	0.31	...	...	0.53	1.08	0.77	...	0.07	...	...	20
21	...	...	...	...	...	0.80	0.07	0.19	...	0.34	0.04	1.47	21
22	...	...	...	0.38	0.17	0.46	0.27	0.41	...	0.96	...	0.85	22
23	...	...	0.45	0.39	0.09	0.30	0.21	0.17	0.24	2.09*	0.02	0.49	23
24	...	...	1.54	0.46	0.63	0.10	1.17	0.15	1.04	0.30	0.36	0.36	24
25	...	...	0.57	0.37	0.13	0.21	0.52	0.07	...	0.03	...	0.98	25
26	...	0.02	0.02	0.71	0.36	0.05	0.03	0.14	0.32	...	0.27	0.21	26
27	...	0.05	0.45	0.13	0.17	0.26	0.53	...	2.04	...	N.T	1.71	27
28	0.17	0.07	1.85	0.10	0.36	0.11	0.26	0.06	0.52	...	1.99	0.55	28
29	0.06	╳	1.11	...	...	...	0.61	0.80	...	0.53	0.09	0.03	29
30	0.11	╳	0.01	0.30	0.89	...	0.15	rain fell 0.00*	0.20	...	0.89	1.30	30
31	0.40	╳	0.48	╳	0.11	╳	0.27	0.10	╳	...	╳	...	31
Total	6.56	4.33	9.13	7.51	3.45	3.09	9.69	3.72	8.55	15.15	5.30	15.45	TOTAL for year 91.93
No. of Rain Days	19	13	25	16	13	13	26	17	15	25	(18)	24	224

7,000. X. '09.

Remarks. N.T = Not Taken ... signifies no rain

* Funnel blown off

So

REGISTER OF RAINFALL IN 1910

FORM A2.

4388

BRITISH RAINFALL 21 JAN 1911

Kept at Snowdonia, Bungalow No 11

in the County of Carnarvon 5

by N. Wales Power & Traction Co. Ltd per A Lockwood

RAIN GAUGE
Pattern Shallow rim
Diameter of top 5 in.
Height of top above Ground 4 ft. in.
" " " Sea Level 310 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name ~~Nant Peris~~ Llanberis
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.13	0.52	1.00	...	0.14	0.47	0.95	0.15	0.11	0.03	0.11*	0.32	1
2	0.06	0.41	0.01	NT	...	0.35	1.35	0.85	0.33	0.99*	0.28	NT	2
3	0.05	0.34	...	NT	0.55	...	...	0.14	...	0.02	0.02	0.25	3
4	...	0.34	...	0.02	0.75	0.12	...	0.08	...	...	0.19	0.35	4
5	...	0.50	...	0.22	0.56	0.37	1.38	...	...	...	0.47	0.37	5
6	...	0.78	0.39	0.10	0.27	0...	...	NT	...	...	0.72	0.86	6
7	...	0.47	0.21	...	0.63	0.14	...	NT	...	...	0.48	0.05	7
8	1.17	0.45	0.57	...	0.34	0.04	NT	...	...	NT	0.65	0.10	8
9	0.98	0.15	0.59	0.03	0.09	...	...	...	NT	NT	0.08	0.62	9
10	0.15	0.58	0.05	...	...	0.17	...	...	...	0.06	1.11	NT	10
11	0.22	0.05	0.03	0.01	...	...	...	0.92	...	0.60	NT	NT	11
12	0.56	0.09	NT	0.60	0.05	...	...	0.07	...	0.11	1.41	1.18	12
13	1.20	0.29	0.03	0.60	0.01	...	...	0.02	...	...	0.58	0.15	13
14	0.06	0.57	0.12	0.04	...	...	...	0.34	0.05	...	0.29	0.83	14
15	2.89	...	...	NT	0.21	...	...	0.01	...	...	1.04	1.38	15
16	0.07	0.87	0.25	0.83	...	...	...	0.23	...	0.46	0.04	2.99	16
17	0.05	0.09	0.56	0.10	0.14	NT	...	0.05	NT	0.11	0.30	0.55	17
18	0.34	0.32	...	0.48	0.25	...	...	1.33	NT	1.47	0.22	NT	18
19	0.12	NT	0.01	0.60	0.09	...	...	0.37	...	1.51	NT	0.23	19
20	0.19	0.72	...	0.47	NT	0.04	overflowing 2.29*	1.25	...	1.11	NT	0.68	20
21	0.40	...	0.04	0.21	...	NT	0.01	0.19	...	NT	0.66	0.09	21
22	0.43	0.24	...	0.03	...	1.14	0.35	0.27	...	...	0.17	0.18	22
23	1.33	0.72	0..	NT	...	0.39	0.28	0.22	...	...	0.87	1.74	23
24	0.24	0.42	...	NT	...	0.16	0.40	0.17	...	...	0.15	0.18	24
25	...	0.36	NT	1.56	...	...	1.80	0.98	NT	0.02	0.18	*	25
26	...	0.25	...	...	...	0.08	0.01	2.03	0.22	...	0.07	0.52	26
27	0.78	0.30	0.04	1.06	...	1.10	0.54	0.37	NT	...	0.38	...	27
28	0.10	0.51	...	0.47	0.22	0.56	0.43	0.74	0.05	0.18	0.53	0.33	28
29	NT		...	0.05	0.16	0.95	0.03	0.45	0.11	NT	...	0.04	29
30	0.11		...	0.02	0.74	0.19	0.10	0.12	...	NT	0.06	...	30
31	0.41		...		0.20		0.02	0.05		1.15		0.50	31
Total	12.04	10.34	3.90	7.50	5.40	6.27	9.94	11.40	0.87	7.82	11.06	14.49	TOTAL for year 101.03
No. of Rain Days	24	25	15	20	18	16	15	25	6	14	26	24	~~22.8?~~ 22.8?

9,000, IX. '10.

* Funnel found blown off.

4389

SNOWDON

CWM DYLI OLD RD No 14

1909 – 10

MET/2/4/1/1/6/3/15188

Sa.

FORM A2. BRITISH RAINFALL.

18 JAN 1910

R

Kept at No. 14 Old … owdon

… 5 in.

… Ground … ft. 10 in.

in the County of Ca … Sea Level 325 ft.

… am

by … Name

Distance … Direction

IMPORTANT NO … the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Gauge ~~erected~~ fixed on Jan. 7th 09. 24	0.07	0.12	...	0.01	...	...	0.08	0.45	0.19	0.29	0.65	1
2		0.29	0.29	0.58	...	...	0.28	...	0.07	0.89	0.16	1.85	2
3		1.14	...	...	...	...	0.71	...	0.58	1.17	...	0.38	3
4		0.78	0.02	...	...	...	...	...	N.T	0.43	0.12	0.14	4
5		0.01	0.27	...	...	0.01	1.13	...	1.97	0.49	0.40	0.03	5
6		...	0.13	...	...	...	0.18	...	0.99	...	N.T	0.76	6
7	0.43	...	0.05	...	...	...	0.30	...	0.54	1.04	N.T	0.10	7
8	0.02	0.31	...	...	...	...	...	...	0.07	0.25	0.04	0.04	8
9	0.53	1.50	0.12	...	...	...	1.37	...	...	1.31	0.55	2.68	9
10	1.15	0.58	...	...	...	0.02	0.04	...	...	0.49	0.08	3.14	10
11	0.28	0.03	...	0.70	...	...	...	...	...	0.28	0.16	0.12	11
12	0.08	...	0.17	0.29	0.09	...	0.16	...	0.10	0.78	0.29	...	12
13	0.34	...	0.47	1.03	...	...	0.26	0.04	...	0.23	...	...	13
14	1.57	0.04	0.10	...	0.16	...	0.11	...	...	1.57	...	...	14
15	0.42	...	0.09	0.87	...	...	1.24	0.02	...	0.37	...	...	15
16	0.18	...	0.12	0.89	...	...	0.23	0.03	...	0.77	...	...	16
17	0.36	...	0.10	0.91	0.28	...	0.04	0.55	...	0.87	...	0.07	17
18	1.10	...	0.12	...	...	0.18	0.07	0.12	...	0.02	...	0.29	18
19	...	...	0.21	0.62	...	0.10	...	0.09	0.08	3.15	N.T	0.43	19
20	...	...	0.35	...	...	0.62	1.12	0.84	...	0.12	...	...	20
21	...	...	...	...	...	0.92	0.09	0.20	...	0.50	0.04	1.60	21
22	...	...	...	0.48	0.20	0.60	0.32	0.56	...	1.60	...	1.24	22
23	...	...	0.64	0.46	0.16	0.32	0.29	0.27	0.26	3.03	0.02	0.49	23
24	...	...	1.88	0.53	0.80	0.09	1.25	0.16	1.16	0.30	0.34	0.36	24
25	...	...	0.50	0.40	0.16	*	0.66	0.07	...	0.03	...	1.58	25
26	...	0.03	0.02	0.84	0.39	0.05	0.04	0.16	0.22	...	0.37	0.28	26
27	...	0.04	0.48	0.14	0.20	0.25	0.54	...	2.52	...	N.T	2.18	27
28	0.19	0.07	2.18	0.06	0.52	0.11	0.27	0.10	0.55	...	3.03	0.72	28
29	0.06		1.43	...	...	...	0.87	0.98	...	0.47	0.12	0.05	29
30	0.12		0.01	0.19	1.31	...	0.20	0.06	0.20	...	1.08	1.58	30
31	0.43		0.47		0.14		0.31	0.12		...		...	31
Total	7.~~26~~ .50	4.89	10.34	8.99	4.42	3.27	12.08	4.45	9.86	20.35	7.09	20.76	TOTAL for year ~~113.76~~ 114.09
No. of Rain Days	(20)	13	25	16	13	12	26	18	15	25	(18)	24	225

7,000. X. '09. Remarks. N.T = Not Taken ... signifies no rain * funnel blown off.

Sa.

FORM A2.
BRITISH RAINFALL.

18 JAN 1910

REGISTER OF

Kept at No. 14 Old Road. Snowdonia

in the County of Carnarvon

by Lockwood.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 325 ft.

Time of Observation 9 0 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☒

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Gauge ~~placed~~ fixed on Jan. 7th. 09. 24	0.07	0.12	...	0.01	...	...	0.08	0.45	0.19	0.29	0.65	1
2		0.29	0.29	0.58	...	...	0.28	...	0.07	0.89	0.16	1.85	2
3		1.14	...	...	...	...	0.71	...	0.58	1.17	...	0.38	3
4		0.78	0.02	...	...	...	...	...	N.T	0.43	0.12	0.14	4
5		0.01	0.27	...	...	0.01	1.13	...	1.97	0.49	0.40	0.03	5
6		...	0.13	...	...	...	0.18	...	0.99	...	N.T	0.76	6
7	0.43	...	0.05	...	...	...	0.30	...	0.54	1.04	N.T	0.10	7
8	0.02	0.31	...	...	...	...	...	...	0.07	0.25	0.04	0.04	8
9	0.53	1.50	0.12	...	...	...	1.37	...	...	1.31	0.55	2.68	9
10	1.15	0.58	...	...	...	0.02	0.04	...	...	0.49	0.08	3.14	10
11	0.28	0.03	...	0.70	...	...	...	...	...	0.28	0.16	0.12	11
12	0.08	...	0.17	0.29	0.09	...	0.16	...	0.10	0.78	0.29	...	12
13	0.34	...	0.47	1.03	...	...	0.26	0.04	...	0.23	...	...	13
14	1.57	0.04	0.10	...	0.16	...	0.11	...	...	1.57	...	...	14
15	0.42	...	0.09	0.87	...	...	1.24	0.02	...	0.37	...	...	15
16	0.18	...	0.12	0.89	...	...	0.23	0.03	...	0.77	...	...	16
17	0.36	...	0.10	0.91	0.28	...	0.04	0.55	...	0.87	...	0.07	17
18	1.10	...	0.12	...	...	0.18	0.07	0.12	...	0.02	...	0.29	18
19	...	...	0.21	0.62	...	0.10	...	0.09	0.08	3.15	N.T	0.43	19
20	...	...	0.35	...	...	0.62	1.12	0.84	...	0.12	...	...	20
21	...	...	...	...	...	0.92	0.09	0.20	...	0.50	0.04	1.60	21
22	...	...	...	0.48	0.20	0.60	0.32	0.56	...	1.60	...	1.24	22
23	...	...	0.64	0.46	0.16	0.32	0.29	0.27	0.26	3.03	0.02	0.49	23
24	...	...	1.88	0.53	0.80	0.09 *	1.25	0.16	1.16	0.30	0.34	0.36	24
25	...	...	0.50	0.40	0.16		0.66	0.07	...	0.03	...	1.58	25
26	...	0.03	0.02	0.84	0.39	0.05	0.04	0.16	0.22	...	0.37	0.28	26
27	...	0.04	0.48	0.14	0.20	0.25	0.54	...	2.52	...	N.T	2.18	27
28	0.19	0.07	2.18	0.06	0.52	0.11	0.27	0.10	0.55	...	3.03	0.72	28
29	0.06	☒	1.43	...	...	...	0.87	0.98	...	0.47	0.12	0.05	29
30	0.12	☒	0.01	0.19	1.31	...	0.20	0.06	0.20	...	1.08	1.58	30
31	0.43	☒	0.47	☒	0.14	☒	0.31	0.12	☒	...	☒	...	31
Total	7.~~26~~ .59	4.89	10.34	8.99	4.42	3.27	12.08	4.45	9.86	20.35	7.09	20.76	TOTAL for Year ~~113.76~~ (114.09)
No. of Rain Days	(26)	13	25	16	13	12	26	18	15	25	(18)	24	225

7,000. X. '09. Remarks. N.T = Not Taken ... signifies no rain * funnel blown off.

So

Ex. gp.

REGISTER OF RAINFALL IN 1910

FORM A2.
BRITISH RAINFALL.
21 JAN 1911

Kept at Snowdonia, Old Road No 14.

in the County of Carnarvon

by A Lockwood

5

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 325 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name Llanberis
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·27	0·58	1·33	...	0·14	0·46	0·95	0·15	0·11	0·03	0·18	0·30	1
2	0·15	0·45	0·02	NT	...	NT	1·30	0·94	0·40	1·46	0·30	NT	2
3	0·10	0·31	...	NT	0·69	NT	...	0·18	...	0·02	0·03	0·28	3
4	...	0·57	...	0·11	0·99	NT	...	0·09	...	...	0·19	0·37	4
5	...	0·81	...	0·23	0·75	0·88	1·56	0·..	...	...	NT	0·49	5
6	...	0·97	0·49	0·10	0·33	...	...	NT	...	...	1·38	0·95	6
7	...	0·59	0·34	...	0·67	0·14	...	NT	...	...	0·48	0·08	7
8	1·66	0·42	0·77	...	0·32	0·04	NT	...	...	NT	0·66	0·12	8
9	1·80	0·19	0·82	0·03	0·09	...	...	...	NT	NT	0·06	0·92	9
10	0·24	0·82	0·05	...	...	0·17	...	...	...	0·07	1·53	NT	10
11	0·22	0·07	0·04	0·03	...	...	...	NT	...	0·65	NT	NT	11
12	0·58	0·14	NT	0·78	0·05	...	...	1·20	...	0·13	2·24	1·68	12
13	2·15	0·32	0·04	0·72	0·01	...	...	0·02	...	...	0·65	0·25	13
14	0·08	0·81	0·12	0·04	...	...	...	0·46	0·06	...	0·29	0·99	14
15	3·20	...	...	NT	0·21	...	...	0·02	...	...	1·04	1·74	15
16	0·11	1·71	0·28	0·87	...	...	...	0·43	...	0·46	0·04	3·16	16
17	0·10	0·16	0·52	0·16	0·14	NT	...	0·05	NT	0·14	0·51	0·57	17
18	0·36	0·38	...	0·75	0·25	...	...	1·47	NT	1·67	0·21	NT	18
19	0·11	NT	0·01	0·79	0·09	...	...	0·43	...	1·50	NT	0·28	19
20	0·16	1·19	...	0·60	NT	NT	3·12*	2·40	...	1·06	NT	1·18	20
21	0·60	...	0·05	0·22	...	NT	0·02	0·22	...	NT	0·66	0·09	21
22	0·46	0·35	...	0·04	...	1·40	0·35	NT	...	...	0·17	0·36	22
23	1·58	0·86	...	NT	...	0·38	0·45	0·54	...	...	0·87	1·52	23
24	0·25	0·36	...	NT	...	0·16	0·60	NT	...	...	0·16	0·38	24
25	...	0·37	NT	1·87	...	...	1·89	1·39	NT	0·02	0·20	0·11	25
26	...	0·27	...	...	...	0·09	0·01	2·93	0·35	...	0·07	0·49	26
27	0·66	0·38	0·04	1·30	...	1·41	0·59	0·43	NT	...	0·38	...	27
28	0·17	0·53	...	0·49	0·33	0·65	0·50	0·94	0·07	0·19	0·57	0·69	28
29	NT		...	0·05	0·16	0·95	0·04	0·75	0·14	NT	...	0·05	29
30	0·30		...	0·02	0·98	0·22	0·17	0·12	NT	NT	0·07	...	30
31	0·62		...		0·24		0·02	0·08		1·77		0·63	31
Total	15·93	13·61	4·92	9·20	6·44	6·95	11·57	15·24	1·13	9·17	12·94	17·68	TOTAL for year 124·78
No. of Rain Days	24	25	15	20	18	13	15	22	6	14	25	25	222?

9,000, IX. '10.

S.a

Snowdonia 08.

4394

SNOWDON,
LLYDAW INTAKE No 10

1908 — 1910

MET/2/4/1/1/6/3/15192

1920-21

FORM A.
BRITISH RAINFALL.

19 JAN 1909

w. 4°3'

Kept at A Llyn Llanberis

9.0 am. (or as near as possible).

in the County of C

5 in.

by Af

bove Ground ft. 10½ in.

Sea Level 1480 ft.

NOTE.—Rain should be m ull instructions for the measurement of rain and particulars as to th ervers," sent post-free on application to Dr. H. R. MILL, 62, Camde

Date	Jan.	Feb.	Ma		May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.85	0.67	0.16	0.00	0.67	0.00	·	0.27	0.00	0.00	0.00	1
2	0.00	·	0.00	0.34	·	0.25	0.00	0.00	0.08	0.00	0.00	0.00	2
3	0.00	0.04	0.00	0.49	0.20	0.11	0.00	0.00	0.70	·	0.00	0.11	3
4	0.00	0.00	0.18	·	0.40	0.00	·	0.23	0.00	0.00	0.00	0.26	4
5	1.40	0.14	0.38	0.49	2.22	0.23	0.00	0.00	·	0.00	0.00	·	5
6	2.47	0.27	0.65	0.00	0.13	··	0.00	0.00	0.13	0.00	0.00	0.93	6
7	1.28	0.05	·	0.00	1.30	·	0.82	·	0.36	0.05	·	2.78	7
8	0.00	x·	1.64	0.00	1.59	0.48	0.52	·	4.28	·	0.00	1.57	8
9	0.00	0.12	1.86	0.13	·	0.30	2.11	0.11	1.18	0.83	0.00	2.07	9
10	0.00	0.00	0.66	0.13	0.16	0.00	0.12	0.31	1.02	·	0.83	0.82	10
11	·	0.11	0.12	·	0.06	0.83	x·	·	·	0.13	1.15	0.02	11
12	0.26	0.00	0.00	0.12	0.96	0.29	0.64	·	·	0.00	0.42	·	12
13	0.00	0.19	0.18	0.02	0.05	~~0.00~~	0.41	0.33	0.77	0.00	1.61	1.18	13
14	0.95	2.48	·	0.03	0.09	3.57	0.05	0.00	1.30	0.00	·	0.67	14
15	5.45	x·	1.53	0.00	0.08	1.15	1.15	·	0.48	0.11	0.10	0.81	15
16	5.28	1.94	0.03	0.00	·	0.00	·	·	2.77	0.12	0.63	0.70	16
17	0.86	1.23	0.00	0.00	0.95	0.62	4.63	0.00	0.00	·	0.15	0.32	17
18	·	0.44	0.06	·	0.08	0.00	·	0.00	0.03	·	1.50	0.26	18
19	0.21	0.47	·	·	0.00	0.10	0.12	0.00	·	1.47	0.33	··	19
20	0.00	0.70	0.00	0.15	0.00	x·	0.00	1.62	0.39	0.45	0.26	0.44	20
21	0.00	0.65	·	0.08	1.05	0.00	0.00	0.29	0.00	0.00	·	0.80	21
22	0.00	·	0.72	0.01	0.00	0.00	0.04	·	0.00	0.00	4.75	0.75	22
23	0.00	·	0.08	0.09	·	0.04	0.00	0.81	0.05	0.00	0.74	0.08	23
24	0.00	·	1.79	0.30	0.58	0.00	1.12	0.44	0.00	·	1.80	0.00	24
25	·	·	0.21	·	0.44	0.00	·	0.53	0.89	0.00	0.48	0.00	25
26	4.31	2.04	0.09	0.05	0.00	0.00	0.83	·	·	0.16	0.14	0.66	26
27	0.31	0.05	0.86	1.26	0.00	··	·	3.91	0.02	0.00	0.05	0.00	27
28	0.71	0.00	·	0.81	0.00	0.00	0.35	·	1.69	2.46	·	0.00	28
29	0.30	0.00	1.16	1.85	0.00	0.00	0.00	·	0.00	0.00	1.84	0.16	29
30	·	·	0.90	0.02	·	0.00	0.03	0.57	0.00	0.27	0.00	1.67	30
31	0.45	·	0.08	·	0.38	·	0.00	2.21	·	·	·	0.93	31
Total	24.24	11.77	13.85	6.53	10.72	8.64	12.94	11.36	16.41	6.05	16.78	17.69	TOTAL for year 156.9
No. of Rain Days	~~16~~ 14	~~21~~ 17	~~24~~ 21	~~21~~ 19	~~19~~ 18	~~14~~ 13	~~17~~ 15	~~17~~ 12	~~21~~ 18	~~13~~ 10	~~19~~ 17	~~24~~ 22	~~2~~

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

S.a.

FORM A.
BRITISH RAINFALL.

19 JAN 1909

Snowdonia [illegible] 08.

Kept at Llyn Llydaw, Cwm Dyli, No 10.
in the County of Carnarvon.
by A Lockwood.

Lat. 53° 4' Long. W. 4° 3'
Nearest Railway Station Llanberis
Time of Observation 9.0 am. (or as near as possible).
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10½ in.
" " " Sea Level 1480 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.85	0.67	0.16	0.00	0.67	0.00	·	0.27	0.00	0.00	0.00	1
2	0.00	·	0.00	0.34	·	0.25	0.00	0.00	0.08	0.00	0.00	0.00	2
3	0.00	0.04	0.00	0.49	0.20	0.11	0.00	0.00	0.70	·	0.00	0.11	3
4	0.00	0.00	0.18	·	0.40	0.00	·	0.23	0.00	0.00	0.00	0.26	4
5	1.40	0.14	0.38	0.49	2.22	0.23	0.00	0.00	·	0.00	0.00	·	5
6	2.47	0.27	0.65	0.00	0.13	··	0.00	0.00	0.13	0.00	0.00	0.93	6
7	1.28	0.05	·	0.00	1.30	·	0.82	·	0.36	0.05	·	2.78	7
8	0.00	x·	1.64	0.00	1.59	0.48	0.52	·	4.28	·	0.00	1.57	8
9	0.00	0.12	1.86	0.13	·	0.30	2.11	0.11	1.18	0.83	0.00	2.07	9
10	0.00	0.00	0.66	0.13	0.16	0.00	0.12	0.31	1.02	·	0.83	0.82	10
11	·	0.11	0.12	·	0.06	0.83	x·	·	·	0.13	1.15	0.02	11
12	0.26	0.00	0.00	0.12	0.96	0.29	0.64	·	·	0.00	0.42	·	12
13	0.00	0.19	0.18	0.02	0.05	~~0.00~~ ·	0.41	0.33	0.77	0.00	1.61	1.18	13
14	0.95	2.48	·	0.03	0.09	3.57	0.05	0.00	1.30	0.00	·	0.67	14
15	5.45	x·	1.53	0.00	0.08	1.15	1.15	·	0.48	0.11	0.10	0.81	15
16	5.28	1.94	0.03	0.00	·	0.00	·	·	2.77	0.12	0.63	0.70	16
17	0.86	1.23	0.00	0.00	0.95	0.62	4.63	0.00	0.00	·	0.15	0.32	17
18	·	0.44	0.06	·	0.08	0.00	·	0.00	0.03	·	1.50	0.26	18
19	0.21	0.47	·	·	0.00	0.10	0.12	0.00	·	1.47	0.33	··	19
20	0.00	0.70	0.00	0.15	0.00	x·	0.00	1.62	0.39	0.45	0.26	0.44	20
21	0.00	0.65	·	0.08	1.08	0.00	0.00	0.29	0.00	0.00	·	0.80	21
22	0.00	·	0.72	0.01	0.00	0.00	0.04	·	0.00	0.00	4.75	0.75	22
23	0.00	·	0.08	0.09	·	0.04	0.00	0.81	0.05	0.00	0.74	0.08	23
24	0.00	·	1.79	0.30	0.58	0.00	1.12	0.44	0.00	·	1.80	0.00	24
25	·	·	0.21	·	0.44	0.00	·	0.53	0.89	0.00	0.48	0.00	25
26	4.31	2.04	0.09	0.05	0.00	0.00	0.83	·	·	0.16	0.14	0.66	26
27	0.31	0.05	0.86	1.26	0.00	··	·	3.91	0.02	0.00	0.05	0.00	27
28	0.71	0.00	·	0.81	0.00	0.00	0.35	·	1.69	2.46	·	0.00	28
29	0.30	0.00	1.16	1.85	0.00	0.00	0.00	·	0.00	0.00	1.84	0.16	29
30	·	·	0.90	0.02	·	0.00	0.03	0.57	0.00	0.27	0.00	1.67	30
31	0.45	·	0.08	·	0.38	·	0.00	2.21	·	·	·	0.93	31
Total	24.24	11.77	13.85	6.53	10.72	8.64	12.94	11.36	16.41	6.05	16.78	17.69	TOTAL for year 156.9
No. of Rain Days	~~16~~	~~21~~	~~24~~	~~21~~	~~19~~	~~14~~	~~17~~	~~17~~	~~21~~	~~13~~	~~19~~	~~24~~	~~2~~

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

14 17 21 19 18 13 15 12 18 10 17 22 [illegible]

REGISTER OF RAINFALL IN 1909

FORM A2.
BRITISH RAINFALL.
18 JAN 1910

Kept at No. 10. Intake. Snowdonia

in the County of Carnarvon,

by A Lockwood

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10½ in.
" " " Sea Level 1480 ft.

Time of Observation 9.0am approx.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☒

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.19	...	0.32	...	N.T	...	...	N.T	0.57	0.13	0.17	N.T	1
2	N.T	0.23	0.37	0.19	...	...	0.10	1.01	0.04	N.T	0.60	2.03	2
3	0.04	2.69	...	N.T	...	...	N.T	...	0.95	2.86	0.03	0.24	3
4	...	1.35	0.20	0.83	...	...	0.74	...	N.T	1.59	0.25	N.T	4
5	0.08	0.01	0.40	...	...	N.T	1.22	...	2.67	0.54	1.35	0.10	5
6	0.27	...	0.15	...	...	...	0.20	...	1.03	...	N.T	0.07	6
7	0.45	...	0.20	...	...	...	0.31	N.T	0.67	2.22	0.04	0.29	7
8	0.01	...	0.12	...	N.T	0.03	...	...	...	0.60	...	0.04	8
9	N.T	...	0.20	...	...	0.03	1.64	N.T	N.T	N.T	0.82	5.32	9
10	1.97	2.27	N.T	N.T	...	0.01	N.T	...	0.09	6.36	0.01	6.50	10
11	0.38	...	N.T	N.T	...	...	N.T	N.T	N.T	0.65	0.32	N.T	11
12	...	...	N.T	1.02	0.08	N.T	0.14	...	N.T	1.32	0.36	0.48	12
13	0.44	N.T	N.T	1.06	...	...	0.10	0.19	N.T	0.11	N.T	...	13
14	2.49	0.19	N.T	...	0.24	...	0.22	N.T	N.T	4.57	0.02	...	14
15	...	...	0.80	0.74	N.T	...	1.19	0.01	N.T	2.07	...	...	15
16	N.T	...	1.07	0.89	...	...	1.11	0.09	N.T	N.T	...	...	16
17	2.01	...	0.40	N.T	0.33	...	N.T	0.50	N.T	N.T	...	0.05	17
18	1.63	...	...	1.67	...	0.30	0.25	N.T	N.T	3.26	...	N.T	18
19	...	...	N.T	0.67	...	N.T	...	0.38	0.34	3.94	...	0.02	19
20	...	N.T	N.T	...	...	0.68	1.69	1.21	N.T	0.43	N.T	...	20
21	...	...	0.65	...	...	0.99	0.42	N.T	N.T	0.75	0.04	1.30	21
22	...	...	...	0.92	N.T	0.37	0.40	1.02	...	3.08	...	2.50	22
23	N.T	...	0.64	0.49	0.22	0.36	0.44	0.64	0.34	N.T	...	0.66	23
24	...	...	1.90	N.T	0.91	0.27	N.T	0.29	1.80	3.19	0.43	N.T	24
25	...	...	0.50	1.89	0.06	0.53	2.66	0.18	N.T	0.03	N.T	N.T	25
26	...	...	N.T	0.65	0.72	N.T	0.01	0.27	0.42	...	N.T	N.T	26
27	...	N T	N.T	0.19	0.36	0.60	0.80	...	3.05	...	N.T	5.00	27
28	0.32	N.T	3.40	0.30	0.55	0.29	0.36	N.T	1.49	...	N.T	0.62	28
29	...		N.T	...	N.T	...	1.03	1.29	...	0.49	4.20	0.04	29
30	N.T		N.T	0.23	N.T	...	0.22	0.05	0.21	N.T	N.T	3.33	30
31	0.71		0.68		1.62		N.T	0.18		...	~~N.T~~	...	31
Total	10.99	6.74	12.00	11.74	5.09	4.46	15.25	7.31	13.67	38.19	8.64	28.59	TOTAL for year 162.67
No. of Rain Days	14	6	17	15	10	12	22	15	14	20	14	18	~~177~~

Remarks. N.T = not Taken ... signifies no rain

7,000. X. '08.

Sca ~~30~~ 95 [illegible] 27. IV. 11

FORM A2.
BRITISH RAINFALL
21 JAN 1911
1949

REGISTER OF RAINFALL IN 1910

Kept at Snowdonia. Intake No. 10
in the County of Carnarvon
by N. Wales P & T. Co Ltd per A. Lockwood

RAIN GAUGE
Pattern old Shallow new Snowdon Cassella
Diameter of top 5 in.
Height of top above Ground old 17½" ft. new 12" in.
" " " Sea Level 1480 ft.
Time of Observation 9.0 am
Nearest Railway Station: Name Llanberis
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	NT	1.35	2.29	...	0.50	0.56	1.02	0.78	0.22	NT	0.17	0.34	1
2	0.73	0.20	0.12	NT	...	0.47	NT	NT	0.60	1.84	0.27	NT	2
3	0.25	0.42	...	0.11	0.91	...	2.21	2.60	NT	0.02	0.04	NT	3
4	0.01	0.10	~~N~~ ...	0.04	1.27	NT	...	0.17	...	...	0.11	NT	4
5	...	NT	NT	0.48	1.03	0.29 *	3.34	...	...	...	NT	1.12	5
6	...	3.05	1.31	0.07	0.29	...	...	NT	...	...	1.98	0.86	6
7	~~0.08~~	0.57	0.56	...	NT	0.15	...	...	...	...	0.28	0.03	7
8	NT	0.35	1.20	...	1.18	0.03	...	...	...	NT	0.38	0.06	8
9	8.26	0.32	0.66	NT	0.02	...	NT	...	...	...	0.29	0.84	9
10	0.22	1.23	0.23	NT	0.01	0.10	...	...	NT	0.04	1.70	NT	10
11	0.05	0.08	0.04	0.02	0.20	NT	...	3.00	...	0.64	0.10	1.37	11
12	0.31	NT	NT	1.60	0.01	...	...	0.40	...	0.21	NT	0.75	12
13	2.50	1.04	0.05	1.22	...	...	...	NT	...	...	3.92	0.67	13
14	0.06	1.10	0.25	0.06	NT	...	...	0.47	0.03	...	0.35	1.30	14
15	NT	...	...	0.49	NT	0.01	...	...	...	NT	0.39	2.33	15
16	4.68	1.66	0.93	NT	0.27	...	...	NT	...	NT	0.08	4.06	16
17	0.08	0.72	0.22	1.12	0.03	...	...	1.53	NT	0.37	0.40	NT	17
18	0.43	0.55	0.41	1.43	0.50	NT	...	3.50	...	1.60	0.10	0.96	18
19	0.15	NT	NT	1.32	NT	...	NT	0.52	0.01	1.38	NT	0.20	19
20	0.14	2.74	0.07	0.93	0.02	0.02	6.16	NT	0..	1.16	0.65	1.34	20
21	0.21	...	0.10	0.35	NT	1.16	NT	6.69	...	...	...	0.04	21
22	NT	0.41	...	0.13	...	...	NT	0.56	...	NT	0.30	0.25	22
23	2.05	1.04	...	NT	...	0.56	NT	0.49	...	...	0.97	2.09	23
24	0.87	0.71	...	1.55	...	0.25	NT	0.11	NT	...	0.13	NT	24
25	...	0.22	NT	0.35	...	NT	7.40	3.03	0.04	0.11	0.30	NT	25
26	...	NT	NT	0.01	...	0.28	0.09	2.33	0.65	...	NT	1.50	26
27	0.83	2.69	NT	0.83	0.11	2.24	2.24	NT	...	...	0.54	...	27
28	0.50	0.77	0.06	1.25	NT	1.07	1.76	2.41	0.03	0.20	0.55	0.46	28
29	NT		...	0.01	1.04	1.61	...	0.57	0.27	NT	...	0.04	29
30	...		...	NT	0.93	0.70	NT	0.31	...	...	0.14	...	30
31	1.77		...		0.19		NT	0.01		1.80		0.75	31
Total	24.18 24.16	21.32	8.50	13.37	8.51	9.50	24.22	29.48	1.85	9.37	14.14	21.36	TOTAL for year 185.98 185.80
No. of Rain Days	21	22	16	21	18	16	8	19	8	12	24	22	

9,000, IX. '10.

* Funnel found blown off.

So.

CARNARVON
SNOWDON.
PENY GWRYD

1909 — 1910.
MET/2/4/1/1/6/3/15195

REGIS 9 Snowdon

FORM A2. BRITISH RAINFALL.
18 JAN 1910

Kept at No. 13. Peny Gw

in the County of Carna

by A Lock

5 in.
e Ground 2 ft. 0 in.
Sea Level 910 ft.
.0am
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following ☒

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						...	...	0.12	0.65	0.09	0.10	0.59	1
2						...	0.09	...	0.02	0.64	0.09	1.89	2
3						...	0.63	...	0.91	1.26	...	0.36	3
4						0.01	...	...	0.69	0.73	0.17	0.18	4
5						0.01	1.20	...	0.83	0.52	0.87	0.09	5
6						...	0.18	...	1.30	NT	0.05	0.54	6
7						...	0.35	...	0.63	1.14	...	0.25	7
8						...	...	...	0.07	N.T	0.01	0.01	8
9						0.01	1.30	...	...	N.T	0.55	2.00	9
10						0.08	0.02	...	...	N.T	0.05	2.85	10
11						...	...	...	...	N.T	0.26	0.13	11
12						...	0.07	0.05	0.16	N.T	0.11	...	12
13						...	0.13	0.06	0.01	N.T	0.01	...	13
14						...	0.09	...	...	N.T	...	...	14
15						...	0.82 0.82	0.01	...	N.T	...	...	15
16						...	0.11	0.01	...	N.T	...	...	16
17						...	0.04	0.54	...	N.T	...	0.09	17
18						0.20	0.09	0.36	...	N.T	...	N.T	18
19						0.18	...	0.04	0.10	N.T	...	N.T	19
20						0.60	0.83	0.80	...	N.T	0.05	N.T	20
21						0.88	0.14	0.25	...	N.T	...	N.T.	21
22						0.52	0.31	0.61	...	N.T	...	N.T	22
23						0.23	0.50	0.42	0.17	17.61	0.03	3.85	23
24						0.15	1.50	0.20	1.29	0.23	0.34	0.36	24
25						0.43	0.52	0.10	...	0.08	0.02	1.25	25
26						0.06	0.02	0.12	0.29	...	0.31	0.13	26
27						0.19	0.53	...	2.49	...	1.29	2.52	27
28						0.26	0.25	0.07	1.15	...	1.57	0.53	28
29						...	0.73	0.87	0.01	0.43	0.04	0.07	29
30						...	0.20	0.05	0.20	...	1.13	0.83	30
31						☒	0.45	0.16	☒	0.01	0.59	...	31
Total	6.06	4.53	10.43	9.42	3.51	3.81	11.10	4.84	10.97	22.74	7.64	18.52	TOTAL for year 113.57 ✓
No. of Rain Days													

This gauge was not read daily until June 1st 1909.

7,000. X. '09. Remarks. N.T. = Not Taken ... signifies no rain

S.a.

REGISTER OF 09

FORM A2. BRITISH RAINFALL.

18 JAN 1910

Kept at No. 13 Pen y Gwryd Snowdonia

in the County of Carnarvon

by A Lockwood

RAIN GAUGE
Pattern ~~Stalton~~ Snowdon
Diameter of top 5 in.
Height of top above Ground 2 ft. 0 in.
" " " Sea Level 910 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following ☒

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						...	...	0.12	0.65	0.09	0.10	0.59	1
2						...	0.09	...	0.02	0.64	0.09	1.89	2
3						...	0.63	...	0.91	1.26	...	0.36	3
4						0.01	...	...	0.69	0.73	0.17	0.18	4
5						0.01	1.20	...	0.83	0.52	0.87	0.09	5
6						...	0.18	...	1.30	NT	0.05	0.54	6
7						...	0.35	...	0.63	1.14	...	0.25	7
8						...	...	...	0.07	N.T	0.01	0.01	8
9						0.01	1.30	...	...	N.T	0.55	2.00	9
10						0.08	0.02	...	...	N.T	0.05	2.85	10
11						...	...	...	...	N.T	0.26	0.13	11
12						...	0.07	0.05	0.16	N.T	0.11	...	12
13						...	0.13	0.06	0.01	N.T	0.01	...	13
14						...	0.09	...	...	N.T	...	...	14
15	This gauge was not	read daily until	June 1st 1909.			...	0.82 0.82	0.01	...	N.T	...	...	15
16						...	0.11	0.01	...	N.T	...	...	16
17						...	0.04	0.54	...	N.T	...	0.09	17
18						0.20	0.09	0.36	...	N.T	...	N.T	18
19						0.18	...	0.04	0.10	N.T	...	N.T	19
20						0.60	0.83	0.80	...	N.T	0.05	N.T	20
21						0.88	0.14	0.25	...	N.T	...	N.T.	21
22						0.52	0.31	0.61	...	N.T	...	N.T	22
23						0.23	0.50	0.42	0.17	17.61	0.03	3.85	23
24						0.15	1.50	0.20	1.29	0.23	0.34	0.36	24
25						0.43	0.52	0.10	...	0.08	0.02	1.25	25
26						0.06	0.02	0.12	0.29	...	0.31	0.13	26
27						0.19	0.53	...	2.49	...	1.29	2.52	27
28						0.26	0.25	0.07	1.15	...	1.57	0.53	28
29						...	0.73	0.87	0.01	0.43	0.04	0.07	29
30						...	0.20	0.05	0.20	...	1.13	0.83	30
31						X	0.45	0.16	X	0.01	0.59	...	31
Total	6.06	4.53	10.43	9.42	3.51	3.81	11.10	4.84	10.97	22.74	7.64	18.52	TOTAL for year 113.57
No. of Rain Days													

7,000. X. '09. Remarks. N.T. = Not Taken ... signifies no rain

Sa

Ex 90

FORM A2.
BRITISH RAINFALL.

21 JAN 1911

REGISTER OF RAINFALL IN 1910

No. 13

Kept at Snowdonia. Pen y Gwryd 2

in the County of Carnarvon

by A Lockwood

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 910 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name Llanberis
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	NT	0.90	1.96	NT	NT	0.55	0.80	0.13	0.16	0.04	0.19	0.34	1
2	NT	0.19	NT	0.09	NT	NT	1.53	1.03	0.29	1.37	0.28	0.24	2
3	NT	0.33	NT	...	0.72	NT	...	0.15	...	...	0.03	0.07	3
4	NT	NT	NT	0.06	NT	NT	NT	0.09	...	...	0.20	0.34	4
5	NT	NT	NT	0.27	NT	NT	1.28	...	...	...	0.56	0.52	5
6	NT	NT	NT	NT	NT	NT	...	...	...	...	1.05	0.99	6
7	NT	3.16	NT	NT	NT	NT	...	...	...	...	0.30	0.07	7
8	NT	0.43	NT	NT	NT	1.30	...	...	...	...	0.75	0.11	8
9	NT	NT	NT	NT	NT	0.05	...	...	...	...	0.02	0.98	9
10	NT	1.37	NT	NT	NT	...	...	...	0.01	0.05	1.40	0.29	10
11	NT	NT	NT	NT	NT	NT	...	1.54	...	0.58	0.28	0.81	11
12	NT	NT	NT	1.30	NT	0.12	...	0.15	...	0.14	2.10	0.77	12
13	NT	0.50	NT	NT	NT	...	...	0.02	...	...	0.61	0.44	13
14	NT	NT	NT	NT	NT	0.05	...	0.32	0.17	...	0.43	1.07	14
15	NT	0.90	NT	NT	NT	...	...	0.02	...	NT	0.51	1.84	15
16	NT	NT	NT	NT	NT	...	...	0.55	...	NT	0.05	4.10	16
17	NT	2.10	NT	NT	NT	...	...	NT	...	NT	0.52	0.82	17
18	11.20	0.47	NT	NT	NT	...	...	2.18	...	NT	0.15	0.18	18
19	0.09	0.71	NT	NT	NT	...	0.01	0.35	0.04	NT	0.56	0.13	19
20	0.12	NT	NT	NT	NT	0.12	3.06	2.56	...	NT	0.05	1.16	20
21	NT	NT	NT	NT	NT	1.78	NT	0.39	...	NT	...	0.05	21
22	NT	2.02	NT	NT	NT	...	0.63	0.29	...	NT	0.15	0.18	22
23	2.10	NT	NT	NT	NT	0.46	0.20	0.32	...	NT	0.98	1.49	23
24	0.26	NT	NT	NT	NT	0.12	1.38	0.27	0.03	NT	0.16	0.48	24
25	...	NT	NT	NT	NT	...	2.27	1.57	0.01	NT	0.24	0.23	25
26	...	1.86	NT	NT	NT	0.11	0.10	2.61	0.41	NT	0.11	0.35	26
27	0.83	NT	NT	NT	NT	1.23	0.88	0.98	...	NT	0.48	...	27
28	0.50	1.47	NT	NT	NT	1.05	0.58	1.32	0.04	NT	0.50	0.27	28
29	0.16		NT	NT	NT	0.96	NT	0.55	0.13	8.12	...	0.63	29
30	NT		NT	9.44	NT	0.37	NT	0.15	...	0.01	0.13	...	30
31	4.42		3.75		5.55		NT	0.01		1.68		0.57	31
Total	19.18	16.41	5.71	11.16	6.27	8.27	12.72	17.55	1.39	11.99	12.80	18.92	TOTAL for year 142.37
No. of Rain Days	9												—

9,000, IX. '10.

So (from accumulative record 24.III.10) R 1909.

CARNARVON.

TAL-Y-CAER

"CAER RHUN

MET/2/4/1/1/6/3/16485

1909—1910.

FORM A2.
BRITISH RAINFALL.
24 MAR 1910

self registering gauge

Kept at Caer R

in the County of Car

by Col. Tho

r of top 8 in.

f top above Ground 3 ft. in.

" " Sea Level 65 ft.

ion 9 am.

Station { Name Talycafn
Distance 1½ m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·11	·02	–	–	–	–	·25	·60	–	–	·14	1
2	–	·29	·16	–	–	–	·20	–	·06	·34	–	·44	2
3	–	·06	·20	·16	–	·25	–	–	·38	·41	–	–	3
4	–	·10	–	–	–	·05	–	–	·16	·28	–	·12	4
5	–	–	·19	–	–	–	·10	–	·10	·15	·09	–	5
6	–	–	·11	–	–	–	–	–	·50	·03	·16	·16	6
7	·08	–	·02	–	–	–	–	–	·50	·19	–	–	7
8	·03	·14	–	–	–	–	–	–	–	·28	–	·47	8
9	–	1·00	–	–	–	–	·74	–	–	·13	–	·28	9
10	·24	·20	·05	–	·20	–	–	–	–	·15	·25	–	10
11	–	–	–	·05	–	–	–	–	–	–	·05	–	11
12	·07	–	·05	·34	–	–	–	·05	·20	·87	·10	–	12
13	·13	–	–	·41	–	–	–	–	–	·10	–	–	13
14	·65	·02	·10	–	–	·03	·46	–	–	·72	–	–	14
15	·08	–	–	·43	–	–	–	–	·15	·17	–	–	15
16	·05	–	–	·10	–	–	–	–	–	·21	–	–	16
17	·17	–	·10	·21	–	–	–	·45	–	·17	–	–	17
18	·36	–	·04	·24	–	–	–	·19	·15	·10	–	–	18
19	·02	–	–	·06	–	–	–	·51	–	·45	–	–	19
20	–	–	·46	–	–	–	·30	–	–	·16	–	–	20
21	·02	–	–	–	–	·17	–	·29	–	·20	·08	·39	21
22	–	–	–	–	–	–	–	–	–	·14	–	·20	22
23	–	–	–	·62	–	·30	–	·20	–	1·75	·30	·24	23
24	–	–	·54	–	·36	·10	·54	–	·08	·25	–	·38	24
25	–	–	–	·41	·31	·01	·12	–	·92	·08	·15	·28	25
26	–	–	·46	·32	·06	·41	·04	·22	·02	–	·39	·28	26
27	–	·08	–	·25	·10	·36	·30	–	·50	–	·33	–	27
28	·10	–	–	·15	–	·19	·06	–	·47	–	–	–	28
29	·12		·80	·05	–	·04	·28	·24	·05	·27	·10	–	29
30	·38		·37	·24	–	·13	·11	·10	–	·06	–	·32	30
31	–		–		–		–	–		–		–	31
Total	2·50	2·00	3·67	4·04	1·03	2·04	3·25	2·50	4·84	7·66	2·00	3·70	TOTAL for year 39·23
No. of Rain Days	15	9	16	16	5	12	12	10	16	25	11	13	160

7,000. X. '09.

So (from accumulative record 24.III.10) R 1909.

FORM A2. BRITISH RAINFALL. 24 MAR 1910

Kept at Caer Rhun

in the County of Carnarvonshire

by Col. Thomas Gee.

RAIN GAUGE
Pattern Self registering gauge
Diameter of top 8 in.
Height of top above Ground 3 ft. in.
„ „ „ Sea Level 65 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Talycafn
Distance 1½ m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·11	·02	–	–	–	–	·25	·60	–	–	·14	1
2	–	·29	·16	–	–	–	·20	–	·06	·34	–	·44	2
3	–	·06	·20	·16	–	·25	–	–	·38	·41	–	–	3
4	–	·10	–	–	–	·05	–	–	·16	·28	–	·12	4
5	–	–	·19	–	–	–	·10	–	·10	·15	·09	–	5
6	–	–	·11	–	–	–	–	–	·50	·03	·16	·16	6
7	·08	–	·02	–	–	–	–	–	·50	·19	–	–	7
8	·03	·14	–	–	–	–	–	–	–	·28	–	·47	8
9	–	1·00	–	–	–	–	·74	–	–	·13	–	·28	9
10	·24	·20	·05	–	·20	–	–	–	–	·15	·25	–	10
11	–	–	–	·05	–	–	–	–	–	–	·05	–	11
12	·07	–	·05	·34	–	–	–	·05	·20	·87	·10	–	12
13	·13	–	–	·41	–	–	–	–	–	·10	–	–	13
14	·65	·02	·10	–	–	·03	·46	–	–	·72	–	–	14
15	·08	–	–	·43	–	–	–	–	·15	·17	–	–	15
16	·05	–	–	·10	–	–	–	–	–	·21	–	–	16
17	·17	–	·10	·21	–	–	–	·45	–	·17	–	–	17
18	·36	–	·04	·24	–	–	–	·19	·15	·10	–	–	18
19	·02	–	–	·06	–	–	–	·51	–	·45	–	–	19
20	–	–	·46	–	–	–	·30	–	–	·16	–	–	20
21	·02	–	–	–	–	·17	–	·29	–	·20	·08	·39	21
22	–	–	–	–	–	–	–	–	–	·14	–	·20	22
23	–	–	–	·62	–	·30	–	·20	–	1·75	·30	·24	23
24	–	–	·54	–	·36	·10	·54	–	·08	·25	–	·38	24
25	–	–	–	·41	·31	·01	·12	–	·92	·08	·15	·28	25
26	–	–	·46	·32	·06	·41	·04	·22	·02	–	·39	·28	26
27	–	·08	–	·25	·10	·36	·30	–	·50	–	·33	–	27
28	·10	–	–	·15	–	·19	·06	–	·47	–	–	–	28
29	·12		·80	·05	–	·04	·28	·24	·05	·27	·10	–	29
30	·38		·37	·24	–	·13	·11	·10	–	·06	–	·32	30
31	–		–		–		–	–		–		–	31
Total	2·50	2·00	3·67	4·04	1·03	2·04	3·25	2·50	4·84	7·66	2·00	3·70	TOTAL for year 39·23
No. of Rain Days	15	9	16	16	5	12	12	10	16	25	11	13	160

7,000. X. '09.

So deduced from accumulative record attached.

Ex. HGb

REGISTER OF RAIN~~FALL~~ IN 1910.

FORM A2.
BRITISH RAINFALL.
21 FEB 1911

Kept at Caer Rhun
in the County of Carnarvon
by Col. Thomas Gee.

2

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 3 ft. — in.
" " " Sea Level 75 ft.

Time of Observation 9 am.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	·10	1·05	·03	-	-	-	·20	-	-	·37	·56	1
2	-	·07	·13	-	·13	·45	·20	·10	·20	·90	·17	·19	2
3	-	·13	-	·17	·08	·20	64	-	·10	-	·06	·11	3
4	-	·03	-	·47	·07	-	-	-	-	-	·18	·14	4
5	-	-	-	-	·24	·11	94	-	-	-	·09	·23	5
6	-	·19	·22	-	·36	-	-	·14	-	-	·63	·37	6
7	-	·18	·10	-	37	-	-	-	-	-	·10	-	7
8	·49	·13	·11	-	·05	·14	-	-	-	-	·31	·08	8
9	·33	-	·52	·05	-	·13	-	·12	·04	-	-	·07	9
10	·38	·09	-	-	-	·16	-	-	-	-	·62	·34	10
11	·30	-	-	-	·05	-	-	-	-	·66	·17	·10	11
12	·10	-	·54	·32	-	-	-	·14	-	-	·24	·11	12
13	·40	·18	-	·56	-	-	-	-	·10	-	·16	·35	13
14	·61	·60	-	·04	·25	-	-	·18	-	-	-	·44	14
15	·24	-	·05	·50	-	-	-	·30	-	-	·35	·44	15
16	·06	·50	·22	·30	-	·11	-	·06	-	·49	-	·83	16
17	·30	·54	-	·06	·05	-	-	·50	-	·40	·12	2·03	17
18	-	·15	-	·05	·35	-	-	·06	-	·52	·43	·14	18
19	·06	·45	-	·10	-	·35	-	·12	·06	1·10	·18	-	19
20	·14	1·03	·08	-	-	-	·55	·08	-	-	·12	·22	20
21	-	-	-	·17	-	-	-	·19	-	·23	-	·01	21
22	-	·15	-	06	-	-	·17	·17	-	-	·27	·02	22
23	·70	·36	-	·12	-	·31	·10	-	-	-	·48	·16	23
24	·10	·39	-	·42	-	-	1·10	·71	-	-	·10	·10	24
25	·09	·19	-	·08	-	-	-	1·67	-	-	·14	·14	25
26	-	·12	-	·18	-	·14	·10	·17	·13	-	-	·16	26
27	·47	·32	-	·48	-	·24	·22	·43	-	-	·31	·03	27
28	·17	-	·02	-	·13	·34	·02	-	-	·15	·17	·03	28
29	·04		-	·04	·22	·52	·04	·16	-	-	·13	-	29
30	-		-	-	-	-	-	-	-	-	-	·10	30
31	·22		-		-		-	-		·55		-	31
Total	5·20	5·90	3·04	4·20	2·35	3·20	4·08	5·50	·63	5·00	5·90	7·50	TOTAL for year 52·50
No. of Rain Days	19	21	11	20	13	13	11	19	6	9	24	27	193

9,000, IX. '10.

FORM A.2.
BRITISH RAINFALL.

9 JAN 1911

accumulative

REGISTER OF RAINFALL IN 1910

Kept at Caer Rhun

in the County of Carnarvon

by Col Thomas Gee

RAIN GAUGE
Pattern Zelo Setting Gauge
Diameter of top 8 in. Self Registering
Height of top above Ground 3 ~~ft.~~ in.
" " " Sea Level 75 ft.

Time of Observation 9 a. m

Nearest Railway Station
Name Talycafn
Distance 1½ Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											.37		1
2		.10	105	.03				.20				.56	2
3		.17	.18		.13	.45	.20	.30	.20	.90	.54	.75	3
4		.30		.20	.21	.65	.84		.30		.60	.86	4
5		.33		.67	.28						.78	100	5
6					.52	.76	1.78				.87	.23	6
7		.52	.40		.88			.44			1.50	.60	7
8		.70	.50		1.25						.60		8
9	.49	.83	.61		.30	.90					.91	.68	9
10	.82		213	.72		1.03		.56	.34			.75	10
11	120	.92	.			.19					2.53	209	11
12	.50				.35					156	.70	.19	12
13	.60		.67	104				.70			.94	.30	13
14	2.00	1.10	.	.60					.44		310	.65	14
15	.61	.70		.64	.60			.88				309	15
16	.85		.72	2.14				1.18			.45	'53	16
17	.91	220	.94	.44		.30		.24		205		436	17
18	3.21	.74		.50	.65			.74		.45	.57	639	18
19		.89		.56	2.00			.80		.97	400	.53	19
20	.27	3.34		.65		.65		.92	.50	407	.18		20
21	.41	4.37	302				2.33	2.00			.30	.75	21
22				.82				.19		.30		.76	22
23		.52		.88			.50	.36			57	.78	23
24	4.11	.88		3.00		.96	.60				505	.94	24
25	.21	527		.42			3.70	307			.15	704	25
26	.30	.46		.50				474			.29	.18	26
27		.58		.68		2.10	.80	.91	.63			.34	27
28	.77	.90		416		.34	4.02	5.34			.60	.37	28
29	.94		.04		.13	.68	.04			.45	.77	.40	29
30	.98			.20	.35	3.20	.08	.50		.	590		30
31	5.20									5.00		.50	31
Total	5.20	5.90	3.04	4.20	2.35	3.20	4.08	5.50	063	5.00	590	7.50	TOTAL for year 52.50
No. of Rain Days	19	21	11	20	13	13	11	19	6	9	24	27	193

9,000, IX. '10.